







A2		REVISED PER ECO-11-005301	RK HMR	6APR1
LTR	REVISION RECORD	ECO	DWN CHK	DATE



RECOMMENDED PCB LAYOUT (THICKNESS: 1.6MM)
(DIMENSION TOLERANCE: 1 PLC: ± 0.1 , 2 PLC: ± 0.05)

OBSOLETE	OBSOLETE	TRAY	YELLOW	GREEN	50μ"	1734509-8
					30μ"	1734509-7
					15μ"	1734509-6
					6μ"	1734509-5
	OBSOLETE	GREEN	YELLOW	50μ"	1734509-4	
				30μ"	1734509-3	
				15μ"	1734509-2	
				6μ"	1734509-1	
PACKAGE	POSITION 2	POSITION 1	MIN. GOLD THICKNESS	PART NUMBER		
	INDICATOR COLOR					

DIMENSION : 0 PLC ±0.5 1 PLC ±0.30 2 PLC ±0.20 3 PLC ±0.10 ANGLES ±3'	DWN 03-OCT-2005	 TE Connectivity				
	CHK S. HOU 03-OCT-2005					
	MATERIAL SEE NOTE	APVD W.J. KE 03-OCT-2005	NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE			
FINISH SEE NOTE	PRODUCT SPEC 108-57527	LOC DW		SIZE A ₃	DRAWING NO C-1734509	REV A2
	QUALIFICATION TEST REPORT 501-57603	SCALE --		SHEET 1 OF 4		
	WEIGHT					




- NOTE:
- MATERIAL:
HOUSING: HIGH THERMOPLASTIC, UL94V-0, COLOR: BLACK.
CONTACT: PHOSPHOR BRONZE, THICKNESS: 0.35mm.
SHELL: BRASS, THICKNESS: 0.25mm.
 - FINISH:
CONTACT: GOLD PLATED (SEE TABLE) IN CONTACT AREA,
GOLD FLASH ON SOLDER TAILS,
50u" MIN. NICKEL UNDER PLATED ALL OVER.
SHIELD: 20u" MIN NICKEL PLATED.
 - APPLIED TO WAVE SOLDERING PROCESS
 - NET WEIGHT: 4.5g.
- ⚠️ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

⚠️ OBSOLETE	TAPE & REEL	50μ"	1-1734509-4
		30μ"	1-1734509-3
		15μ"	1-1734509-2
		6μ"	1-1734509-1
	PACKAGE	MIN. GOLD THICKNESS	PART NUMBER

"WITH OUT LED LIGHT"



DIMENSION : 0 PLC ±0.5 1 PLC ±0.30 2 PLC ±0.20 3 PLC ±0.10 ANGLES ±3°	DWN O. HU 03-OCT-2005	TE Connectivity NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE			
	CHK S. HOU 03-OCT-2005				
MATERIAL SEE SHEET 1.	APVD W.J. KE 03-OCT-2005	LOC DW A3			
	PRODUCT SPEC 108-57527				
FINISH SEE SHEET 1.	QUALIFICATION TEST REPORT 501-57603	DRAWING NO C-1734509		REV A2	
	WEIGHT	SCALE --		SHEET 2 OF 4	

LTR	REVISION RECORD	SEE SHEET 1.	ECO	DWN CHK	DATE
-----	-----------------	--------------	-----	------------	------



		SEE SHEET 1.		
LTR	REVISION RECORD	ECO	DWN	CHK
			DATE	

DIMENSION :		DWN	O. HU	 TE Connectivity	
0 PLC ±			03-OCT-2005		
1 PLC ±		CHK	S. HOU	NAME	
2 PLC ±			03-OCT-2005		
3 PLC ±		APVD	W.J. KE	MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE	
ANGLES ±		PRODUCT SPEC	03-OCT-2005		
MATERIAL		APVD	W.J. KE	LOC	SIZE
SEE SHEET 1.		PRODUCT SPEC	03-OCT-2005	DW	A ₃
FINISH		APPLICATION SPEC		DRAWING NO	REV
SEE SHEET 1.		WEIGHT		C-1734509	A2
				SCALE	SHEET
				--	3 OF 4



NOTES:

- THE DIRECTION OF JACKS PUT INTO CARRIER.
- 10 EMPTY CAVITIES FOR BOTH OF TOP AND BOTTOM OF THE CARRIER.
- 180 PCS PRODUCTS BE PACKAGED ON REEL.
- 1440 PCS PRODUCTS BE PACKAGED ONE CARTON.
CARTON SIZE: 345mm(L)X 345mm(W)X 315mm(H)
TOTOAL CROSS WEIGHT: 10 Kg REF.

LTR	REVISION RECORD	SEE SHEET 1.	ECO	DWN	CHK	DATE
-----	-----------------	--------------	-----	-----	-----	------

DIMENSION : 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± ANGLES ±	DWN	O. HU 03-OCT-2005	TE Connectivity NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE			
	CHK	S. HOU 03-OCT-2005				
MATERIAL SEE SHEET 1.	APVD	W.J. KE 03-OCT-2005	LOC DW A3 DRAWING NO C-1734509 REV A2			
FINISH SEE SHEET 1.	PRODUCT SPEC	APPLICATION SPEC				
WEIGHT			SCALE SHEET 4 OF 4			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9