




REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
F34		REVISED PER ECO-17-007768	30MAY2017	DLD	DCM
F35		REVISED PER ECO-17-014872	24OCT2017	JMS	CM
F36		REVISED PER ECO-18-005691	16APR2018	JMS	CM
F37		ECO-18-013134	13SEP2018	KP	CM

D




1438129-1
SHOWN WITH SPACER
IN SEATED POSITION





1. PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*)) PART NUMBERS.
2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4. REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
5. COMPANY LOGO.



C



SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)



B





SCALE 1:1

APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG


ANY DESIGN CHANGES ON THIS ASSEMBLY MAY
ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.			SEE TABLES SHEETS 3 THRU 7 PART NUMBER		
DOWNSIDE: R. VESTAL 15APR2005 CHG. T. VALASEK 15APR2005 APVD T. VALASEK 15APR2005			TE Connectivity		
DIMENSIONS: mm 0 PLC ±0.3 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ±1°			NAME 50-WAY HARNESS ASSEMBLY, PCM		
MATERIAL -			SIZE A100779C=1438129		
CUSTOMER DRAWING			RESTRICTED TO		
SCALE 1:1			SHEET 1 OF 10		


REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ±	PRODUCT SPEC	SIZE A100779	
MATERIAL	FINISH	APPLICATION SPEC	CAGE CODE C=1438129	
-	-	WEIGHT	RESTRICTED TO	
-	-	CUSTOMER DRAWING	SCALE 2:1	
			SHEET 2 OF 10	
			REV F37	

REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-

[illegible]

KEYING OPTION B

4805 (3/13)

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

ASSEMBLY PART NUMBER

FORD PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.3
1 PLC ±0.3
2 PLC ±0.10
3 PLC ±.
4 PLC ±.
ANGLES ±1°
FINISH
-

DWN R. VESTAL 15APR2005
CHK T. VALASEK 15APR2005
APVD T. VALASEK 15APR2005

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, FCM
-

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
6

OF
10

REV
F37

4805 (3/13)

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.3
1 PLC ±0.10
2 PLC ±.1
3 PLC ±.
4 PLC ±.
ANGLES ±1°
FINISH
-

DWN R. VESTAL 15APR2005
CHK T. VALASEK 15APR2005
APVD T. VALASEK 15APR2005

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-
CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, PCM

SIZE CASE CODE DRAWING NO
A100779C=1438129

RESTRICTED TO
-


SCALE 1:1 SHEET 7 OF 10 REF 37

P		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APPD
-	-	SEE SHEET I	-	-	-



KEYING OPTION C

[illegible]


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. NO. R. VESTAL 15APR2005 CHKD. T. VALASER 15APR2005 APP'D. T. VALASER 15APR2005		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.3 2 PLC ±.0 .10 3 PLC ±. 4 PLC ±. ANGLES ±1°		NAME 50-WAY HARNESS ASSEMBLY, PCM - -	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO A100779C-1438129	
MATERIAL -		WEIGHT -		RESTRICTED TO -	
FINISH -		CUSTOMER DRAWING -		SCALE 1:1 SHEET 8 OF 10 REF 3	



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-★ & 1438950-★












SECTION A-A

SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.				REVISIONS			
DWN R. VESTAL		15APR2005		P		LYR	
CHK T. VALASEK		15APR2005		-		SEE SHEET 1	
APVD T. VALASEK		15APR2005					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		DATE	
mm		0 PLC ±.3		PRODUCT SPEC		DWN	
1 PLC ±0.10		APPLICATION SPEC		APVD		APVD	
2 PLC ±.3		WEIGHT		SIZE		CAGE CODE	
3 PLC ±.3		FINISH		DRAWING NO		RESTRICTED TO	
4 PLC ±.3		MATERIAL		A100779		C=1438129	
ANGLES ±1°		CUSTOMER DRAWING		SCALE		SHEET 9 OF 10	
						REV F37	

HEADER INTERFACE KEYING OPTIONS

REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM	
	0 PLC ±	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
	1 PLC ±0.3	APPLICATION SPEC	A100779C=1438129	
	2 PLC ±0.10	WEIGHT	RESTRICTED TO	
	3 PLC ±	CUSTOMER DRAWING	SCALE 1:1 SHEET 10 OF 10 REV F37	
	4 PLC ±			
	ANGLES FINISH			
MATERIAL				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9