





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	27FEB2017	QY	CW
	A1	ECR-18-003490	14MAR2018	TF	CW

D

C

B

A



TYPE-1: STANDARD SIDE ENTRY
类 型-1: 标准侧出

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED
DEGREE OF PROTECTION: IP67 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 粉末喷涂
防护等级: IP67(配合)

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 27FEB2017 QIANG YUAN	 TE Connectivity			
DIMENSIONS:		CHK 27FEB2017 KYLE ZENG				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 27FEB2017 CHRIS WANG	NAME H24BK-TSHC/TGHC-PG/M			
mm		PRODUCT SPEC	SIZE			
0 PLC ±		108-137276	CAGE CODE			
1 PLC ±		APPLICATION SPEC	DRAWING NO			
2 PLC ±		114-137276	RESTRICTED TO			
3 PLC ±		WEIGHT	A2			
4 PLC ±		CUSTOMER DRAWING	SCALE			
ANGLES ±		5:1	SHEET			
FINISH		1 OF 3	REV			
-			A1			
-						




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

注释:

见页 1





TYPE-2: STANDARD TOP ENTRY

类 型-2: 标准顶出

ALL DIMENSIONS ARE SAME AS TYPE 1,
EXCEPT THOSE DEFINED IN THIS TYPE.


除了在本类型中定义的尺寸外,其它尺寸同类型1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 27FEB2017 QIANG YUAN	 TE Connectivity			
DIMENSIONS:		CHK 27FEB2017 KYLE ZENG				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 27FEB2017 CHRIS WANG	NAME H24BK-TSHC/TGHC-PG/M			
	0 PLC	±-	PRODUCT SPEC			
	1 PLC	±-	108-137276			
	2 PLC	±-	APPLICATION SPEC			
	3 PLC	±-	114-137276			
MATERIAL	4 PLC	±-	WEIGHT			
	ANGLES	±-	-			
	FINISH	-	CUSTOMER DRAWING			
		-	SCALE 5:1 SHEET 2 OF 3 REV A1			

D

D



NOTES:

SEE SHEET 1

注释:
见页 1

C

C

ALL DIMENSIONS ARE SAME AS TYPE 1,
EXCEPT THOSE DEFINED IN THIS TYPE.
除了在本类型中定义的尺寸外,其它尺寸同类型 1



B

B

T1822242232-000	H24BK-TGHC-2M32	H24BK HOOD,CENTER LOCKING, TOP ENTRY 2M32,POWDER COATED,GREY H24BK上壳,中部锁定,顶出2M32,灰色粉末喷涂	-	-	2M32X1.5	TYPE-3 类型-3
T1822242132-000	H24BK-TGHC-M32	H24BK HOOD,CENTER LOCKING, TOP ENTRY M32,POWDER COATED,GREY H24BK上壳,中部锁定,顶出M32,灰色粉末喷涂	-	M32X1.5		TYPE-2 类型-2
T1822242125-000	H24BK-TGHC-M25	H24BK HOOD,CENTER LOCKING, TOP ENTRY M25,POWDER COATED,GREY H24BK上壳,中部锁定,顶出M25,灰色粉末喷涂	-	M25X1.5		
T1822242121-000	H24BK-TGHC-PG21	H24BK HOOD,CENTER LOCKING, TOP ENTRY PG21,POWDER COATED,GREY H24BK上壳,中部锁定,顶出PG21,灰色粉末喷涂	-	PG21		
T1812242132-000	H24BK-TSHC-M32	H24BK HOOD,CENTER LOCKING, SIDE ENTRY M32,POWDER COATED,GREY H24BK上壳,中部锁定,侧出M32,灰色粉末喷涂	M32X1.5	-		TYPE-1 类型-1
T1812242125-000	H24BK-TSHC-M25	H24BK HOOD,CENTER LOCKING, SIDE ENTRY M25,POWDER COATED,GREY H24BK上壳,中部锁定,侧出M25,灰色粉末喷涂	M25X1.5	-		
T1812242121-000	H24BK-TSHC-PG21	H24BK HOOD,CENTER LOCKING, SIDE ENTRY PG21,POWDER COATED,GREY H24BK上壳,中部锁定,侧出PG21,灰色粉末喷涂	PG21	-		
PART NUMBER 料号	PART DESCRIPTION 成品描述		PG/M THREAD-1 PG/M螺纹孔-1	PG/M THREAD-2 PG/M螺纹孔-2	PG/M THREAD-3 PG/M螺纹孔-3	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN QIANG YUAN 27/FEB/2017	TE Connectivity			
DIMENSIONS: mm		CHK KYLE ZENG 27/FEB/2017				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD CHRIS WANG 27/FEB/2017	NAME H24BK-TSHC/TGHC-PG/M			
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-137276	SIZE A2			
MATERIAL - -		APPLICATION SPEC 114-137276				
FINISH - -		WEIGHT -	CAGE CODE 00779			
		CUSTOMER DRAWING	SCALE 5:1		SHEET 3 OF 3	REV A1

A

A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9