




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E2	REVISED PER ECO-15-014756	13OCT2015	DD	JS


LEVER IN
PRE-STAGE POSITION






ISOMETRIC VIEW
SCALE 1:1



LEVER IN
LOCKED POSITION



ISOMETRIC VIEW
SCALE 1:1




NATURAL/OFF-WHITE	261.25	SHUNT	2-2103212-7
NATURAL/OFF-WHITE	525.60	350A (EV)	2-2103212-2
BLACK	525.60	350A (EV)	2-2103212-1
NATURAL/OFF-WHITE	525.60	250A (EV)	1-2103212-9
NATURAL/OFF-WHITE	525.60	200A (EV)	1-2103212-8
BLACK	261.25	SHUNT	1-2103212-7
BLACK	525.60	350A	1-2103212-2
NATURAL/OFF-WHITE	525.60	350A	1-2103212-1
BLACK	525.60	250A	2103212-9
BLACK	525.60	200A	2103212-8
INNER LEVER COLOR	PART WEIGHT (g)	FUSE RATING	PART NO.

- 1 INNER HOUSING MAY BE ASSEMBLED ROTATED 180° FROM AS SHOWN.
- 2 ASSEMBLY / WORK INSTRUCTIONS: 408-10432
PRODUCT SPECIFICATION: 108-127000
APPLICATION SPECIFICATION: 501-127000
- 3 NOTE DELETED.
- 4 SEE TABLE AND SHEET 2 FOR FUSE RATINGS AND KEYING.
- 5 IMAGE FOR REFERENCE ONLY, SHOWS LABEL ORIENTATION.
- 6 ACTUAL APPEARANCE OF LABEL.

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN A. BOYER 14JUL2011	 TE Connectivity			
DIMENSIONS: mm		CHK A. BOYER 14JUL2011				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. GUANCO 14JUL2011	NAME PLUG ASSEMBLY MANUAL SERVICE DISCONNECT			
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC - APPLICATION SPEC - WEIGHT SEE TABLE	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
MATERIAL - -		CUSTOMER DRAWING	A200779C-2103212			
		SCALE 1:1	SHEET 1 OF 2 REV E2			


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D




2103212-8 & 1-2103212-8
FUSE RATING: 200A

C




2103212-9 & 1-2103212-9
FUSE RATING: 250A

B



1-2103212-1, 1-2103212-2, 2-2103212-1
& 2-2103212-2
FUSE RATING: 350A

A



1-2103212-7 & 2-2103212-7
SHUNT

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN A. BOYER 14JUL2011	 TE Connectivity		
DIMENSIONS: mm		CHK A. BOYER 14JUL2011			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. GUANCO 14JUL2011	NAME PLUG ASSEMBLY MANUAL SERVICE DISCONNECT		
0 PLC ±-		PRODUCT SPEC 2	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
1 PLC ±-		APPLICATION SPEC 2	A200779C-2103212		
2 PLC ±-		WEIGHT SEE TABLE	SCALE 1:1 SHEET 2 OF 2 REV E2		
3 PLC ±-		CUSTOMER DRAWING			
4 PLC ±-					
ANGLES ±-					
FINISH					
-					
-					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9