








4 CKT SHOWN


- NOTES:
- 1) MATERIAL:
"BLANK" = NYLON 6/6, UNFILLED UL94V-2, COLOR: NATURAL.
"BL" = NYLON 6/6, UNFILLED UL94V-2, COLOR: BLACK.
"BU" = NYLON 6/6, UNFILLED UL94V-2, COLOR: BLUE.
"RE"= NYLON 6/6, UNFILLED UL94V-2, COLOR: RED.
"YE"= NYLON 6/6, UNFILLED UL94V-2, COLOR: YELLOW
"GRE"= NYLON 6/6, UNFILLED UL94V-2, COLOR: GREEN.
"210" = NYLON 6/6, UNFILLED UL94V-0, COLOR: NATURAL.
"400" = NYLON 6/6, UNFILLED UL94V-0, COLOR: BLACK.
 - 2) FINISH: NOT APPLICABLE
 - 3) PRODUCT SPECIFICATION: PS-5556-001
 - 4) PACKAGING: BULK PACKED PER PK-5557-002
 - 5) PART MATES WITH MOLEX PLUG #5559 AND HEADERS #5566, #5569.
 - 6) PART TO BE USED WITH MOLEX FEMALE TERMINAL #5556.
 - 7) PART IS NOT DESIGNED FOR CURRENT SHARING.
 - 8) CONNECTORS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
 - 9) WIRES ARE TO BE DRESSED IN SUCH A MANNER TO ALLOW THE TERMINALS TO FLOAT FREELY IN THE POCKET.
 - 10) PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002 WITH THE EXCEPTION OF DISCOLORATION, FLASH AND SINK MEET CLASS "C" REQUIREMENTS.
- 11** TO BE MEASURED AT SURFACE **Z**
- 12** TEXT ON PART IS FOR REFERENCE ONLY. TEXT AND TEXT LOCATION MAY VARY DEPENDING ON PART NUMBER AND/OR TOOL.



4-24 CKT







2 CKT ONLY




2.031/(51.60)	1.819/(46.20)	24
1.866/(47.40)	1.654/(42.00)	22
1.701/(43.20)	1.488/(37.80)	20
1.535/(39.00)	1.323/(33.60)	18
1.370/(34.80)	1.157/(29.40)	16
1.205/(30.60)	0.992/(25.20)	14
1.039/(26.40)	0.827/(21.00)	12
0.874/(22.20)	0.661/(16.80)	10
0.709/(18.00)	0.496/(12.60)	8
0.543/(13.80)	0.331/(8.40)	6
0.378/(9.60)	0.165/(4.20)	4
0.213/(5.40)	—#—	2
A	B	NO. OF CKTS.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS		SCALE		CURRENT REV DESC: UPDATE NOTE 4			molex			
	IN/MM		4:1								
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 600128 DRWN: AZAHIROVIC 2018/04/11 CHK'D: JBELL 2018/06/01 APPR: FSMITH 2018/06/03			MINIFIT JR RECEPTACLE HOUSING DUAL ROW 2-24 CKT			
	MM		INCH								
	4 PLACES ±		±		INITIAL REVISION: DRWN: S.MOCHIZUKI 1990/02/22 APPR: FSMITH 2011/02/21			PRODUCT CUSTOMER DRAWING			
	3 PLACES ±		± 0.01								
	2 PLACES ±		± 0.25 ± 0.015								
	1 PLACE ±		± 0.38 ±		DOCUMENT NUMBER SD-5557-003			DOC TYPE PSD	DOC PART 000	REVISION J18	
	0 PLACES ±		±								
	ANGULAR TOL		± 0.5 °								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
						C-SIZE	5557	SEE CHART		GENERAL MARKET	1 OF 2



CIRCUIT SIZE LAYOUT

(NOT TO SCALE)



V-0 (BLACK)				V-0 (NATURAL)			
	39-03-9242	5557-24R-400	24		39-01-2245	5557-24R-210	24
*	39-03-9222	5557-22R-400	22		39-01-2225	5557-22R-210	22
*	39-03-9202	5557-20R-400	20		39-01-2205	5557-20R-210	20
	39-03-9182	5557-18R-400	18		39-01-2185	5557-18R-210	18
	39-03-9162	5557-16R-400	16		39-01-2165	5557-16R-210	16
	39-03-9142	5557-14R-400	14		39-01-2145	5557-14R-210	14
	39-03-9122	5557-12R-400	12		39-01-2125	5557-12R-210	12
	39-03-9102	5557-10R-400	10		39-01-2105	5557-10R-210	10
	39-03-9082	5557-08R-400	8		39-01-2085	5557-08R-210	8
	39-03-9062	5557-06R-400	6		39-01-2065	5557-06R-210	6
	39-03-9042	5557-04R-400	4		39-01-2045	5557-04R-210	4
	39-03-9022	5557-02R-400	2		39-01-2025	5557-02R-210	2
	EDP. NO.	ENG. NO.	NO. OF CKTS		EDP. NO.	ENG. NO.	NO. OF CKTS

* = CONSULT FACTORY FOR AVAILABILITY.

[illegible]

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT PERMISSION													
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC: UPDATE NOTE 4				molex MINIFIT JR RECEPTACLE HOUSING DUAL ROW 2-24 CKT PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-5557-003 DOC TYPE PSD DOC PART 000 REVISION J18 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 2			
⌀ = 0 ⌀ = 0 ⌀ = 0		IN/MM		4:1		EC NO: 600128 DRWN: AZAHIROVIC 2018/04/11 CHK'D: JBELL 2018/06/01 APPR: FSMITH 2018/06/03							
⌀ = 0 ⌀ = 0 ⌀ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)											
			MM	INCH									
⌀ = 0 ⌀ = 0 ⌀ = 0		4 PLACES	±	±		INITIAL REVISION: DRWN: S.MOCHIZUKI 1990/02/22 APPR: FSMITH 2011/02/21							
⌀ = 0 ⌀ = 0 ⌀ = 0		3 PLACES	±	±	0.01								
		2 PLACES	±	0.25	±					0.015			
⌀ = 0 ⌀ = 0 ⌀ = 0		1 PLACE	±	0.38	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
⌀ = 0 ⌀ = 0 ⌀ = 0		0 PLACES	±										
		ANGULAR TOL		±	0.5 °								
⌀ = 0 ⌀ = 0 ⌀ = 0				THIRD ANGLE PROJECTION		DRAWING		SERIES					
⌀ = 0 ⌀ = 0 ⌀ = 0				⌀ = 0 ⌀ = 0 ⌀ = 0		C-SIZE		5557					

DOCUMENT STATUS	P1	RELEASE DATE	2018/06/03	20:30:51
-----------------	----	--------------	------------	----------

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9