

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002344	20FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151104-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911112
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911112

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
		CHK	RAGHAVENDRA				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	RAGHAVENDRA		
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME			
				PRODUCT SPEC			
				APPLICATION SPEC			
				WEIGHT			
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A3		©- 1911112	
CUSTOMER DRAWING				SCALE	SHEET 1 OF 2	REV	A1

8		7	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
COPYRIGHT 20		BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.	


PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
1911112-1	A	CUTS CARRIER	8-1911112-1
1911112-6	A	CONTINUOUS CARRIER	8-1911112-6
7-1911112-1	A	-1 AND SPARE PARTS	9-1911112-1
7-1911112-6	A	-6 AND SPARE PARTS	9-1911112-6
7-1911112-7	A	SPARE PARTS KIT	-

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.40mm [.055 IN]	F
INSUL	2.79mm [.110 IN]	Q
APPL INSTRUCTIONS 408-10135		

TERMINAL DATA: TE TERMINAL		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: MICRO QUADLOCK SOCKET W/SEAL			
WIRE STRIP LENGTH 3.05-3.35 mm [.120-.132 IN]		INSULATION DIAMETER RANGE 0.90-1.90mm [.035-.074 IN]	
TERMINAL APPL SPEC	114-18025 -	-	-
TERMINALS APPLIED			

TE TERMINAL	TE TERMINAL	TE SEAL	TE SEAL
962885-1	962885-5	967067-1 (A)	967067-2 (B)
2-962885-5	6-962885-6	963142-2 (B)	-
962886-1	962886-2	-	-
2-962886-2	-	-	-

WIRE SIZE	CRIMP HEIGHT
0.5mm ² (A)	-.86±.03 [.034±.001]
0.35mm ² (B)	-.76±.03 [.030±.001]
0.25mm ² (B)	-.72±.03 [.028±.001]
0.2mm ² (B)	-.69±.03 [.027±.001]



FEED FINGER 1901694-1	SET UP GAGE 1901040-1	LOC A	DIST 66	REVISIONS					
				F	LTR	DESCRIPTION	DATE	DWG	APFD
					A	RELEASED	27AUG2017	DWW	NED

-	1	1	1	1	1976053-4	LOCATER BLOCK,TERMINAL	179
-	1	1	1	1	1-9931111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	455888-1	SPACER, CRIMPER	82
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1901048-1	TAG, IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	3	3	3	3	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	1	1	1	1	985575-3	SCR, FLT SKT HD CAP M3 X 10.0	57
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-4	HOLDDOWN, TERMINAL	51
-	1	1	1	1	1-1752354-8	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM IIII APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-3	RING,INSULATION CRIMP	38
-	1	1	1	1	1-1752356-8	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
△	-	1	-	1	1338684-2	SHEAR HOLDER, FRONT	13
△	-	1	1	1	3-22280-3	SPRING, COMPRESSION	12
△	-	1	1	1	356885-5	STOP, SHEAR	11
△	-	-	1	-	1-1320921-0	SHEAR HOLDER, FRONT, CUT	10
△	-	1	1	1	318707-1	FLOATING SHEAR, FRONT	9
△	1	2	2	1	1333201-8	ANVIL, COMBINATION	8
△	-	1	1	1	1338680-2	DEPRESSOR, SHEAR	5
△	-	1	1	1	1-238011-0	BLOCK, CRIMPER SPACER	4
△	1	2	2	1	6-683454-4	CRIMPER, INSULATION O	3
△	-	1	1	1	455888-8	SPACER, CRIMPER	2
△	1	2	2	1	1-562108-5	CRIMPER, WIRE, F	1
	-77	-76	-71	-6	-1	PART NO	ITEM NO

TEST METHOD: 17.2 CONTROLLED THERMAL STRESS TEST (ASTM B 213) (ASTM B 213) (ASTM B 213) THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN: 17JUL2007 C: D. WRIGHT CHW: 17JUL2007 N: N. DEMING APVD: 17JUL2007 N: N. DEMING PRODUCT SPEC: - APPLICATION SPEC: - SEE TABLE WEIGHT: - CUSTOMER DRAWING: -		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608 NAME: SIDE FEED SYSTEM III APPLICATOR SIZE: C4GL CODE: DRAWING NO: - A 00779 C-1911112 RESTRICTED TO: - SCALE: 3.5 SHEET: 1 OF 1 REV: A	
DIMENSIONS: INCHES [mm]		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
		3 PLC ±. 1 PLC ±. 2 PLC ±. 3 PLC ±. 4 PLC ±. 4 PL ANGLE ±. FINISH: -			
MATERIAL: -					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9