







PART NUMBER SEE SHEET 2



spec ref				dr	Rainbow Zhan	2016/10/10	projection 	MM 	size	A3	scale	3:2	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2016/10/31			ecn no				-
				chr	Fancy Zhang	2016/10/31			rel level				Released
				appr	Pei-Ming Zheng	2016/10/31			product family		PwrBlade+		
surface ISO 1302	linear	0.X	±0.5	Amphenol FCi	title 9HP + 4S VERTICAL PLUG PF				dwg no 10106267-9001001	rev A			
		0.XX	±0.25										
		0.XXX	±0.10										
	angular	0°	±2°	cat. no.	Product - Customer Drw						sheet 1 of 3		

PRODUCT NO.	ROWS	HIGH POWER												S	
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	1	E2		
10106267-9001001LF	DCBA		H4	H4	H4	H4	H4H4	H4	H4H4			G			

CODE	DESCRIPTION
G	STD SIGNAL CONTACT
H4	STD HIGH POWER CONTACT



spec ref				dr		Rainbow Zhan		2016/10/10		projection		MM		size		A3		scale		3:2																	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu		2016/10/31						ecn no						-															
ISO 406						chr		Fancy Zhang		2016/10/31																											
ISO 1101						appr		Pei-Ming Zheng		2016/10/31						product family										PwrBlade+		rel level		Released							
surface		linear		0.X		±0.5		Amphenol FCI		title		9HP + 4S										dwg no		10106267-9001001										rev		A	
				0.XX		±0.25																															
				0.XXX		±0.10																															
ISO 1302		angular		0°		±2°				cat. no.		Product - Customer Drw										sheet 2 of 3															

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9)PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref				dr		Rainbow Zhan	2016/10/10		projection		MM		size		A3	scale		3:2	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Vicking Liu	2016/10/31						ecn no				-
ISO 406						chr		Fancy Zhang	2016/10/31						rel level				Released
ISO 1101						appr		Pei-Ming Zheng	2016/10/31						product family				PwrBlade+
surface			linear	0.X	±0.5		Amphenol FCi		title		9HP + 4S		dwg no		10106267-9001001		rev		A
				0.XX	±0.25														
				0.XXX	±0.10														
ISO 1302		angular	0°	±2°				cat. no.		Product - Customer Drw				sheet 3 of 3					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9