






Copyright FCI.

PRODUCT NO.	ROWS		POWER		SIGNAL						POWER		
		E1	P1	P2	1	2	3	4	5	6	P3	P4	E2
51730-232-- NOTE 3	D C B A												
													
													
													







CODE	DIM "M" MATING LENGTH	CONTACT TYPE
H	[5.59]	SIGNAL
G	[5.59]	SIGNAL
F	[5.59]	SIGNAL
E	[5.59]	SIGNAL
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER

spec ref *				dr	De-Ming Lu	2014/08/25	projection 	MM 	size	A4	scale	1:1		
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	De-Ming Lu	2014/09/05			ecn no	-				
				chr	-	-								
				appr	Pei-Ming Zheng	2014/09/05	product family		PwrBlade		rel level		Released	
surface ✓	linear	0.X	±0.5		2P + 24S + 2P RIGHT ANGLE SOLDER HEADER				dwg no	51730-232			rev	A
		0.XX	±0.25											
		0.XXX	±0.1											
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		-	Product - Customer Drw				sheet 1 of 4		

PrintE File - REV C - 2009-06-09

PRODUCT NUMBER


51730-232--
NOTE: 3




dr	De-Ming Lu	2014/08/25	projection	MM	size	A4	scale	1:1
eng	De-Ming Lu	2014/09/05			ecn no	-		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2014/09/05	product family	PwrBlade				
	title	2P + 24S + 2P	dwg no	51730-232	rev	A		
www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 4				

PRODUCT NUMBER

51730-232--
NOTE: 3



RECOMMENDED PCB LAYOUT

dr	De-Ming Lu	2014/08/25	projection 	MM 	size	A4	scale	1:1			
eng	De-Ming Lu	2014/09/05			ecn no	-					
chr	-	-			rel level	Released					
appr	Pei-Ming Zheng	2014/09/05	product family		PwrBlade						
FCI		title			2P + 24S + 2P		dwg no		51730-232	rev	A
www.fci.com		cat. no.		-		Product - Customer Drw				sheet 3 of 4	
RIGHT ANGLE SOLDER HEADER											



Copyright FCI.

PRODUCT NUMBER
51730-232--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51730-232 AND 51730-232LF RESPECTIVELY.
- 4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.
- PCB NOTES:
- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
- 10. CONNECTOR KEEP-OUT ZONE.
- 11. DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.

dr	De-Ming Lu	2014/08/25	projection	MM	size	A4	scale	1:1				
eng	De-Ming Lu	2014/09/05			ecn no	-						
chr	-	-										
appr	Pei-Ming Zheng	2014/09/05	product family		PwrBlade	rel level		Released				
	title				2P + 24S + 2P		dwg no		51730-232	rev	A	
RIGHT ANGLE SOLDER HEADER												
www.fci.com		cat. no.		-		Product - Customer Drw				sheet 4 of 4		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9