





See
Cable Connector



PRODUCT SPECIFICATION: GS-12-307
 PACKAGING SPECIFICATION: EUR-14-010
 APPLICATION SPECIFICATION: GS-20-049
 MATERIAL:

1. HEADER HOUSING:.....LIQUID CRYSTAL POLYMER 30 % GLASS
 FLAME RETARDENT ACC. UL 94-V0
2. COVER:.....ZINC ALLOY
3. TERMINAL:.....TINBRONZE
4. GROUND SPRING:.....STAINLESS STEEL
5. CONTACT STRIP:.....STAINLESS STEEL

- NOTE
6. PCB THICKNESS:1.4-2.4 mm
 7. ROHS INFORMATIONS: see sheet 4.

rev	ecn no	dr	date
J	LS07-0255	JTA	2007/11/12
-	-	-	-
D	LS4129	JTA	2004/12/15
E	LS05-0102	JTA	2005/12/15
F	LS06-0084	LGO	2006/07/01
G	LS06-0143	LGO	2006/09/25
H	LS07-0188	JTA	2007/06/29



PERFORMANCE LEVEL	
72860-1XXLF	Telcordia CO.
72860-2XXLF	Customer Special

www.fciconnect.com



surface
ISO 1302

tolerance std
ISO 406 ISO 1101

projection

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED



Dr	HAC	2002/06/30	ANGULAR	LINEAR	0.X	±0.3	size	A4	Scale	1:10
Eng	G.Nys	2002/06/30			0.XX	±0.1				
Chr	W.Panis	2002/06/30	0°	±2°	0.XXX	±0.05	ECN	LS07-0255		
Appr	W.Panis	2002/06/30	Product family			SOFIX		Spec ref	RELEASED	



title PIP HDR 8 Pos.

Sofix shielded i/o

catalog no

dwg no

72860_C

Rev.

J

CUSTOMER COPY

sheet 1 of 4

REV F - 2006-04-17






PDM: Rev:J

STATUS:Released

Printed: Aug 01, 2010



Copyright FCI.



Copyright FCI.

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	HAC	2002/06/30	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 1:10
Eng	G.Nys	2002/06/30			0.XX	±0.1		
Chr	W.Panis	2002/06/30	0° ±y°		0.XXX	±0.05	ECN	LS07-0255
Appr	W.Panis	2002/06/30	Product family			SOFIX	Spec ref	RELEASED
			title PIP HDR 8 Pos. Sofix shielded i/o			dwg no 72860_C		Rev. J
catalog no			CUSTOMER COPY			sheet 2 of 4		

REV F - 2006-04-17


LEAD-FREE PRODUCTS:(see note 7)

KIT: 72860-X0XLF

COMPONENTS	QTY
SHIELD COVER	1
HEADER	1
CONTACT SPRING	2



PRODUCT NO.	MATING LENGTH DIMENSION L
72830-X01LF	Row B 5.0 Row A 5.75
72830-X02LF	Row B Pos1 and Pos2 = 5.00 Row B Pos3 and Pos4 = 5,75 Row A 5.75
72830-X03LF	Row B 5.75 Row A Pos1 and Pos2 = 5.00 Row A Pos3 and Pos4 = 5.75




Dimension with oval around are critical dimensions including any attached geometrical tolerance. Other features or stand-alone geometrical tolerances being critical have a note "CRITICAL FEATURE" below the item

A symbol  (x:drawing current revision) will be next to any dimension, view or note which has been modified with the current drawing revision



Copyright FCI.

www.fciconnect.com		surface ISO 1302	✓	tolerance std ISO 406 ISO 1101	projection 	mm 		
TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	HAC	2002/06/30	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 1:10
Eng	G.Nys	2002/06/30			0.XX	±0.1		
Chr	W.Panis	2002/06/30	0°	±y°	0.XXX	±0.05	ECN	LS07-0255
Appr	W.Panis	2002/06/30	Product family			SOFIX	Spec ref	RELEASED
	title PIP HDR 8 Pos.				dwg no	72860_C		Rev. J
	Sofix shielded i/o					CUSTOMER COPY		
catalog no								

REV F - 2006-04-17

7-ROHS INFORMATIONS:

-This product meets European Union Directives and other country regulations as described in GS-22-008.

-The housing will withstand exposure to 260°C peak temperature for 5 second in a wave solder application with a 1.4mm minimum thick circuit board. See Application notes/procedures if they are available.

-Packaging spec: see GS-14-920.



Copyright FCI.

www.fciconnect.com			surface ISO 1302		tolerance std ISO 406 ISO 1101		projection 		mm 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	HAC	2002/06/30	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 1:10			
Eng	G.Nys	2002/06/30			0.XX	±0.1					
Chr	W.Panis	2002/06/30	0° ±y°		0.XXX	±0.05	ECN		LS07-0255		
Appr	W.Panis	2002/06/30	Product family			SOFIX		Spec ref		RELEASED	
		title PIP HDR 8 Pos. Sofix shielded i/o				dwg no 72860_C			Rev. J		
		catalog no				CUSTOMER COPY			sheet 4 of 4		

REV F - 2006-04-17

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9