



8			7		
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
20			20		
(C) COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1855370-1	A	122500-1	LEADMAKER	POST FEED	CUTS CARRIER
1855370-2	A	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER
1855370-3	A	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER
1855370-6	A	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER
7-1855370-7	A	-	-	-	SPARE PARTS

- △ RECOMMENDED SPARE PARTS
- △ GREASE LIGHTLY
- △ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE

*** WARNING**
ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN. REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.



TERMINAL NAME: RECEPTACLE, MOLEX					
TE PN	1949602-1	MOLEX TERMINAL - FORD CRIMP SPECS			
MOLEX PN	33044-0003				
FORD PN	XL3T-14474-HA	CRIMP HEIGHT		WIRE SIZE	REF SETTING
-	-	1.90mm+.05/- .05[.075+ .002/- .002]		14AWG	C0
-	-	1.80mm+.05/- .05[.071+ .002/- .002]		16AWG	C4
-	-			-	-
-	-			-	-
-	-	CRIMP	SIZE	TYPE	RANGE
-	-	WIRE	2.79mm [.110]	F	16-14 AWG
-	-	INSUL	3.05mm [.120]	F	Ø2.794 MAX
WIRE STRIP LENGTH 4.661-5.042	TERM APPL SPEC FORD	FEED 18.593	APPLICATOR INSTRUCTIONS 408-8040		SET UP GAGE 458637-1



REF SETTING

LOC		DIST		REVISONS			
A		66		P	LTR	DESCRIPTION	DATE
				A		RELEASED	20FEB2008
							MEH
							TE

3	-	-	-	REF	-	..	455749-1	GUARD WINDOW	116
	-	-	REF	-	-	..	679532-1	INSERT, GUARD	115
	-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	1	1	1	1	-		318563-1	GUARD, FRONT CHIP	89
-	1	1	1	1	-		4088040	SF APPL INST 408-8040	72
-	1	1	1	1	-		217238-1	GENERAL INSTRUCTION PKG	71
-	1	1	1	1	-		461264-5	PLATE, IDENTIFICATION	67
-	2	2	2	2	-		21017-2	SCREW, DRIVE	66
-	1	1	1	1	-		21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	1	1	-		22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	1	1	1	1	-		2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	1	1	1	1	-		458537-2	PAWL, FEED	56
-	4	4	4	4	-		2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	2	2	2	2	-		2-21000-7	SCR, SKT HD CAP 8-32 X .500	53
-	1	1	1	1	-		21018-5	NUT, HEX, REG 6-32	52
-	1	1	1	1	-		811242-2	BUMPER, HOLD DOWN	51
-	1	1	1	1	-		690753-1	SPACER, TONKER	50
-	-	-	1	-	-	..	690602-6	CAM, PRE FEED, 1 5/8	49
-	-	-	-	1	-	..	690602-5	CAM, PRE FEED, 1 1/8	48
-	1	-	-	-	1	-	690501-4	CAM, POST FEED, 1 5/8	47
-	1	1	1	1	-		459456-1	APPL. BASIC SUB ASSY (SIDE WISE MQCA)	46
-	1	1	1	1	-		690191-1	PLUG,NYLON	45
-	1	1	1	1	-		455673-1	RAM, SIDE FEED	44
-	1	1	1	1	-		7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	1	1	-		690125-1	SHIM SUB-ASSY	39
-	1	1	1	1	-		879103-3	FINE ADJUST HEAD ASSEMBLY	37
-	1	1	1	1	-		690786-6	TERMINAL SUPPORT	34
-	2	2	2	2	-		2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
-	1	1	1	1	-		21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	1	1	1	1	-		3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	1	1	1	1	-		1320908-8	SPACER, STRIP GUIDE	30
-	1	1	1	1	-		1633091-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	-		1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	-		1320928-1	PLATE, STRIP GUIDE	24
-	1	-	-	-	1	-	690472-2	STRIPPER	22
-	1	1	1	1	-		2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	4	4	4	4	-		21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	-	-	1	1	-	-	691353-1	STRIPPER	19
1	-	1	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	13
-	1	1	1	1	-		3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	-		690461-1	STOP, SHEAR	11
-	-	-	1	1	-	-	690459-1	SHEAR HOLDER, FRONT	10
-	1	1	1	1	-		454276-1	FLOATING SHEAR, FRONT	9
1	1	1	1	1	-		1-1633112-7	ANVIL, COMBINATION .110	8
-	-	-	-	-	-	..	-	-	7
-	-	-	-	-	-	..	-	-	6
-	1	1	1	1	-		3-455889-6	DEPRESSOR, SHEAR	5
-	1	1	1	1	-		238011-2	BLOCK, CRIMPER SPACER	4
1	1	1	1	1	-		2-456134-6	CRIMPER, INSULATION F PREMIUM	3
-	1	1	1	1	-		455888-5	SPACER, CRIMPER	2
1	1	1	1	1	-		2-456408-8	CRIMPER, WIRE PREMIUM	1
-77	-6	-3	-2	-1	U/M	PART NO	DESCRIPTION		ITEM NO

THIS DRAWING IS A CUSTOMER VIEWABLE DRAWING. THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED AND IS NOT TO BE RELEASED TO THE PUBLIC OR TO ANY OTHER ORGANIZATION WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION.		DRAWN M. HERR	11FEB2008	Tyco Electronics Harrisburg, PA 17105-3608		
CHECKED G. BAILEY		11FEB2008	NAME			
APPROVED N. DEMING		11FEB2008	PRODUCT SPEC			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		FINE ADJUST SIDE FEED HDM APPLICATOR -		
		0 PLC ±.01		APPLICATION SPEC		
		1 PLC ±.01		-		
		2 PLC ±.01		-		
		3 PLC ±.01		-		
4 PLC ±.01		4 PLC ±.01		-		
5 PLC ±.01		5 PLC ±.01		-		
6 PLC ±.01		6 PLC ±.01		-		
7 PLC ±.01		7 PLC ±.01		-		
8 PLC ±.01		8 PLC ±.01		-		
9 PLC ±.01		9 PLC ±.01		-		
10 PLC ±.01		10 PLC ±.01		-		
11 PLC ±.01		11 PLC ±.01		-		
12 PLC ±.01		12 PLC ±.01		-		
13 PLC ±.01		13 PLC ±.01		-		
14 PLC ±.01		14 PLC ±.01		-		
15 PLC ±.01		15 PLC ±.01		-		
16 PLC ±.01		16 PLC ±.01		-		
17 PLC ±.01		17 PLC ±.01		-		
18 PLC ±.01		18 PLC ±.01		-		
19 PLC ±.01		19 PLC ±.01		-		
20 PLC ±.01		20 PLC ±.01		-		
21 PLC ±.01		21 PLC ±.01		-		
22 PLC ±.01		22 PLC ±.01		-		
23 PLC ±.01		23 PLC ±.01		-		
24 PLC ±.01		24 PLC ±.01		-		
25 PLC ±.01		25 PLC ±.01		-		
26 PLC ±.01		26 PLC ±.01		-		
27 PLC ±.01		27 PLC ±.01		-		
28 PLC ±.01		28 PLC ±.01		-		
29 PLC ±.01		29 PLC ±.01		-		
30 PLC ±.01		30 PLC ±.01		-		
31 PLC ±.01		31 PLC ±.01		-		
32 PLC ±.01		32 PLC ±.01		-		
33 PLC ±.01		33 PLC ±.01		-		
34 PLC ±.01		34 PLC ±.01		-		
35 PLC ±.01		35 PLC ±.01		-		
36 PLC ±.01		36 PLC ±.01		-		
37 PLC ±.01		37 PLC ±.01		-		
38 PLC ±.01		38 PLC ±.01		-		
39 PLC ±.01		39 PLC ±.01		-		
40 PLC ±.01		40 PLC ±.01		-		
41 PLC ±.01		41 PLC ±.01		-		
42 PLC ±.01		42 PLC ±.01		-		
43 PLC ±.01		43 PLC ±.01		-		
44 PLC ±.01		44 PLC ±.01		-		
45 PLC ±.01		45 PLC ±.01		-		
46 PLC ±.01		46 PLC ±.01		-		
47 PLC ±.01		47 PLC ±.01		-		
48 PLC ±.01		48 PLC ±.01		-		
49 PLC ±.01		49 PLC ±.01		-		
50 PLC ±.01		50 PLC ±.01		-		
51 PLC ±.01		51 PLC ±.01		-		
52 PLC ±.01		52 PLC ±.01		-		
53 PLC ±.01		53 PLC ±.01		-		
54 PLC ±.01		54 PLC ±.01		-		
55 PLC ±.01		55 PLC ±.01		-		
56 PLC ±.01		56 PLC ±.01		-		
57 PLC ±.01		57 PLC ±.01		-		
58 PLC ±.01		58 PLC ±.01		-		
59 PLC ±.01		59 PLC ±.01		-		
60 PLC ±.01		60 PLC ±.01		-		
61 PLC ±.01		61 PLC ±.01		-		
62 PLC ±.01		62 PLC ±.01		-		
63 PLC ±.01		63 PLC ±.01		-		
64 PLC ±.01		64 PLC ±.01		-		
65 PLC ±.01		65 PLC ±.01		-		
66 PLC ±.01		66 PLC ±.01		-		
67 PLC ±.01		67 PLC ±.01		-		
68 PLC ±.01		68 PLC ±.01		-		
69 PLC ±.01		69 PLC ±.01		-		
70 PLC ±.01		70 PLC ±.01		-		
71 PLC ±.01		71 PLC ±.01		-		
72 PLC ±.01		72 PLC ±.01		-		
73 PLC ±.01		73 PLC ±.01		-		
74 PLC ±.01		74 PLC ±.01		-		
75 PLC ±.01		75 PLC ±.01		-		
76 PLC ±.01		76 PLC ±.01		-		
77 PLC ±.01		77 PLC ±.01		-		
78 PLC ±.01		78 PLC ±.01		-		
79 PLC ±.01		79 PLC ±.01		-		
80 PLC ±.01		80 PLC ±.01		-		
81 PLC ±.01		81 PLC ±.01		-		
82 PLC ±.01		82 PLC ±.01		-		
83 PLC ±.01		83 PLC ±.01		-		
84 PLC ±.01		84 PLC ±.01		-		
85 PLC ±.01		85 PLC ±.01		-		
86 PLC ±.01		86 PLC ±.01		-		
87 PLC ±.01		87 PLC ±.01		-		
88 PLC ±.01		88 PLC ±.01		-		
89 PLC ±.01		89 PLC ±.01		-		
90 PLC ±.01		90 PLC ±.01		-		
91 PLC ±.01		91 PLC ±.01		-		
92 PLC ±.01		92 PLC ±.01		-		
93 PLC ±.01		93 PLC ±.01		-		
94 PLC ±.01		94 PLC ±.01		-		
95 PLC ±.01		95 PLC ±.01		-		
96 PLC ±.01		96 PLC ±.01		-		
97 PLC ±.01		97 PLC ±.01		-		
98 PLC ±.01		98 PLC ±.01		-		
99 PLC ±.01		99 PLC ±.01		-		
100 PLC ±.01		100 PLC ±.01		-		
101 PLC ±.01		101 PLC ±.01		-		
102 PLC ±.01		102 PLC ±.01		-		
103 PLC ±.01		103 PLC ±.01		-		
104 PLC ±.01		104 PLC ±.01		-		
105 PLC ±.01		105 PLC ±.01		-		
106 PLC ±.01		106 PLC ±.01		-		
107 PLC ±.01		107 PLC ±.01		-		
108 PLC ±.01		108 PLC ±.01		-		
109 PLC ±.01		109 PLC ±.01		-		
110 PLC ±.01		110 PLC ±.01		-		
111 PLC ±.01		111 PLC ±.01		-		
112 PLC ±.01		112 PLC ±.01		-		
113 PLC ±.01		113 PLC ±.01		-		
114 PLC ±.01		114 PLC ±.01		-		
115 PLC ±.01		115 PLC ±.01		-		
116 PLC ±.01		116 PLC ±.01		-		
117 PLC ±.01		117 PLC ±.01		-		
118 PLC ±.01		118 PLC ±.01		-		
119 PLC ±.01		119 PLC ±.01		-		
120 PLC ±.01		120 PLC ±.01		-		
121 PLC ±.01		121 PLC ±.01		-		
122 PLC ±.01		122 PLC ±.01		-		
123 PLC ±.01		123 PLC ±.01		-		
124 PLC ±.01		124 PLC ±.01		-		
125 PLC ±.01		125 PLC ±.01		-		
126 PLC ±.01		126 PLC ±.01		-		
127 PLC ±.01		127 PLC ±.01		-		
128 PLC ±.01		128 PLC ±.01		-		
129 PLC ±.01		129 PLC ±.01		-		
130 PLC ±.01		130 PLC ±.01		-		
131 PLC ±.01		131 PLC ±.01		-		
132 PLC ±.01		132 PLC ±.01		-		
133 PLC ±.01		133 PLC ±.01		-		
134 PLC ±.01		134 PLC ±.01		-		
135 PLC ±.01		135 PLC ±.01		-		
136 PLC ±.01		136 PLC ±.01		-		
137 PLC ±.01		137 PLC ±.01		-		
138 PLC ±.01		138 PLC ±.01		-		
139 PLC ±.01		139 PLC ±.01		-		
140 PLC ±.01		140 PLC ±.01		-		
141 PLC ±.01		141 PLC ±.01		-		
142 PLC ±.01		142 PLC ±.01		-		
143 PLC ±.01		143 PLC ±.01		-		
144 PLC ±.01		144 PLC ±.01		-		
145 PLC ±.01		145 PLC ±.01		-		
146 PLC ±.01		146 PLC ±.01		-		
147 PLC ±.01		147 PLC ±.01		-		
148 PLC ±.01		148 PLC ±.01		-		
149 PLC ±.01		149 PLC ±.01		-		
150 PLC ±.01		150 PLC ±.01		-		
151 PLC ±.01		151 PLC ±.01		-		
152 PLC ±.01		152 PLC ±.01		-		
153 PLC ±.01		153 PLC ±.01		-		
154 PLC ±.01		154 PLC ±.01		-		
155 PLC ±.01		155 PLC ±.01		-		
156 PLC ±.01		156 PLC ±.01		-		
157 PLC ±.01		157 PLC ±.01		-		
158 PLC ±.01		158 PLC ±.01		-		
159 PLC ±.01		159 PLC ±.01		-		
160 PLC ±.01		160 PLC ±.01		-		
161 PLC ±.01		161 PLC ±.01		-		
162 PLC ±.01		162 PLC ±.01		-		
163 PLC ±.01		163 PLC ±.01		-		
164 PLC ±.01		164 PLC ±.01		-		
165 PLC ±.01		165 PLC ±.01		-		
166 PLC ±.01		166 PLC ±.01		-		
167 PLC ±.01		167 PLC ±.01		-		
168 PLC ±.01		168 PLC ±.01		-		
169 PLC ±.01		169 PLC ±.01		-		
170 PLC ±.01		170 PLC ±.01		-		
171 PLC ±.01		171 PLC ±.01		-		
172 PLC ±.01		172 PLC ±.01		-		
173 PLC ±.01		173 PLC ±.01		-		
174 PLC ±.01		174 PLC ±.01		-		
175 PLC ±.01		175 PLC ±.01		-		
176 PLC ±.01		176 PLC ±.01		-		
177 PLC ±.01		177 PLC ±.01		-		
178 PLC ±.01		178 PLC ±.01		-		
179 PLC ±.01		179 PLC ±.01		-		
180 PLC ±.01		180 PLC ±.01		-		
181 PLC ±.01		181 PLC ±.01		-		
182 PLC ±.01		182 PLC ±.01		-		
183 PLC ±.01		183 PLC ±.01		-		
184 PLC ±.01		184 PLC ±.01		-		
185 PLC ±.01		185 PLC ±.01		-		
186 PLC ±.01		186 PLC ±.01		-		
187 PLC ±.01		187 PLC ±.01		-		
188 PLC ±.01		188 PLC ±.01		-		
189 PLC ±.01		189 PLC ±.01		-		
190 PLC ±.01		190 PLC ±.01		-		
191 PLC ±.01		191 PLC ±.01		-		
192 PLC ±.01		192 PLC ±.01		-		
193 PLC ±.01		193 PLC ±.01		-		
194 PLC ±.01		194 PLC ±.01		-		
195 PLC ±.01		195 PLC ±.01		-		
196 PLC ±.01		196 PLC ±.01		-		
197 PLC ±.01		197 PLC ±.01		-		
198 PLC ±.01		198 PLC ±.01		-		
199 PLC ±.01		199 PLC ±.01		-		
200 PLC ±.01		200 PLC ±.01		-		
201 PLC ±.01		201 PLC ±.01		-		
202 PLC ±.01		202 PLC ±.01		-		
203 PLC ±.01		203 PLC ±.01		-		
204 PLC ±.01		204 PLC ±.01		-		
205 PLC ±.01		205 PLC ±.01		-		
206 PLC ±.01		206 PLC ±.01		-		
207 PLC ±.01		207 PLC ±.01		-		
208 PLC ±.01		208 PLC ±.01		-		
209 PLC ±.01		209 PLC ±.01		-		
210 PLC ±.01		210 PLC ±.01		-		
211 PLC ±.01		211 PLC ±.01		-		
212 PLC ±.01		212 PLC ±.01		-		
213 PLC ±.01		213 PLC ±.01		-		
214 PLC ±.01		214 PLC ±.01		-		
215 PLC ±.01		215 PLC ±.01		-		
216 PLC ±.01		216 PLC ±.01		-		
217 PLC ±.01		217 PLC ±.01		-		
218 PLC ±.01		218 PLC ±.01		-		
219 PLC ±.01		219 PLC ±.01		-		
220 PLC ±.01		220 PLC ±.01		-		
221 PLC ±.01		221 PLC ±.01		-		
222 PLC ±.01		222 PLC ±.01		-		
223 PLC ±.01		223 PLC ±.01		-		
224 PLC ±.01		224 PLC ±.01		-		
225 PLC ±.01		225 PLC ±.01		-		
226 PLC ±.01		226 PLC ±.01		-		
227 PLC ±.01		227 PLC ±.01		-		
228 PLC ±.01		228 PLC ±.01		-		
229 PLC ±.01		229 PLC ±.01		-		
230 PLC ±.01		230 PLC ±.01		-		
231 PLC ±.01		231 PLC ±.01		-		
232 PLC ±.01		232 PLC ±.01		-		
233 PLC ±.01		233 PLC ±.01		-		
234 PLC ±.01		234 PLC ±.01		-		
235 PLC ±.01		235 PLC ±.01		-		
236 PLC ±.01		236 PLC ±.01		-		
237 PLC ±.01		237 PLC ±.01		-		
238 PLC ±.01		238 PLC ±.01		-		
239 PLC ±.01		239 PLC ±.01		-		
240 PLC ±.01		240 PLC ±.01		-		
241 PLC ±.01		241 PLC ±.01		-		
242 PLC ±.01		242 PLC ±.01		-		
243 PLC ±.01		243 PLC ±.01		-		
244 PLC ±.01		244 PLC ±.01		-		
245 PLC ±.01		245 PLC ±.01		-		
246 PLC ±.01		246 PLC ±.01		-		
247 PLC ±.01		247 PLC ±.01		-		
248 PLC ±.01		248 PLC ±.01		-		
249 PLC ±.01		249 PLC ±.01		-		
250 PLC ±.01		250 PLC ±.01		-		
251 PLC ±.01		251 PLC ±.01		-		
252 PLC ±.01		252 PLC ±.01		-		
253 PLC ±.01		253 PLC ±.01		-		
254 PLC ±.01		254 PLC ±.01		-		
255 PLC ±.01		255 PLC ±.01		-		
256 PLC ±.01		256 PLC ±.01		-		
257 PLC ±.01		257 PLC ±.01		-		
258 PLC ±.01		258 PLC ±.01		-		
259 PLC ±.01		259 PLC ±.01		-		
260 PLC ±.01		260 PLC ±.01		-		
261 PLC ±.01		261 PLC ±.01		-		
262 PLC ±.01		262 PLC ±.01		-		
263 PLC ±.01		263 PLC ±.01		-		
264 PLC ±.01		264 PLC ±.01		-		
265 PLC ±.01		265 PLC ±.01		-		
266 PLC ±.01		266 PLC ±.01		-		
267 PLC ±.01		267 PLC ±.01		-		
268 PLC ±.01		268 PLC ±.01		-		
269 PLC ±.01		269 PLC ±.01		-		
270 PLC ±.01		270 PLC ±.01		-		
271 PLC ±.01		271 PLC ±.01		-		
272 PLC ±.01		272 PLC ±.01		-		
273 PLC ±.01		273 PLC ±.01		-		
274 PLC ±.01		274 PLC ±.01		-		
275 PLC ±.01		275 PLC ±.01		-		
276 PLC ±.01		276 PLC ±.01		-		
277 PLC ±.01		277 PLC ±.01		-		
278 PLC ±.01		278 PLC ±.01		-		
279 PLC ±.01		279 PLC ±.01		-		
2						

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9