






1		2		3		4	5	6	7	8
PRODUCT NUMBER		ASSEMBLY TYPE	DIM "A"	DIM "B"	DIM "C"	DIM "D"	DIM "G" PITCH	MATING BUS-BAR THICKNESS DIM "H" ±0.10		
A	10134620-001LF	OPEN SIDE WALL	2.56	9.4	30.0	32.3	23.0	2.00		
	10134620-002LF		3.56	10.4	31.0	33.3	24.0	3.00		
	10134620-003LF		4.56	11.4	32.0	34.3	25.0	4.00		
—	10134620-004LF	CLOSED SIDE WALL	2.56	9.4	30.0	32.3	23.0	2.00		
	10134620-005LF		3.56	10.4	31.0	33.3	24.0	3.00		
	10134620-006LF		4.56	11.4	32.0	34.3	25.0	4.00		




CLOSED SIDE WALL





OPEN SIDE WALL





spec ref -				dr Terris Liu		2015/12/08		projection				mm		size A2		scale 2:1	
tolerance std -				eng Terris Liu		2016/07/22								ecn no -			
ASME Y14.5M				TOLERANCES UNLESS OTHERWISE SPECIFIED		chr -		-		-				rel level		Preliminary	
				appr -		-		-		product family		-					
surface 		linear		0.X ±0.50		±0.30		Amphenol FCI		title		Barklip VERTICAL ASSEMBLY		dwg no		10134620	
				0.XX ±0.30		±0.15						CLOSED SLOT TYPE					
ASME Y14.5M		angular		0° ±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 2		rev 1	


S.NO	DESCRIPTION	QTY	REMARKS
1	Product	1	OPEN / CLOSED SIDE WALL
2	MATING BUS-BAR	1	PLATING RECOMMENDATION:3 um Silver over 2.54 um Nickel
3	M4 SCREW	2	
4	M4 WASHER	4	
5	M4 NUT	2	
6	MOUNTING BUS-BAR	1	PLATING RECOMMENDATION:3 um Silver over 2.54 um Nickel



SCALE 2:1
RECOMMENDED MOUNTING BUS-BAR
THICKNESS 5.00 MAX.




SCALE 2:1
RECOMMENDED MATING BUS-BAR



CLOSED SIDE WALL

MATED WITH BUS-BAR VIEW



OPEN SIDE WALL

NOTES:

- CONNECTOR MATERIAL:
HOUSING: HIGH TEMPERATURE THERMOPLASTIC GLASS FILLED, Black,UL 94V-0
TERMINALS: COPPER ALLOY
- FINISHES:
CONTACT AREA:PLATED AGT OVER NICKEL I
- PACKING SPECIFICATION: GS-14-2376
- PRODUCT SPECIFICATION: GS-12-1319
- PRODUCT APPLICATION: GS-20-0446
- LEAD FREE PRODUCTS MEET EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.

spec ref	-	dr	Terris Liu	2015/12/08	projection	mm	size	A2	scale	2:1
tolerance std	-	eng	Terris Liu	2016/07/22			ecn no	-		
ASME Y14.5M	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-			rel level	Preliminary		
		appr	-	-	product family	-				
surface	linear	0.X	±0.50		Amphenol FCi Barklip VERTICAL ASSEMBLY CLOSED SLOT TYPE			dwg no 10134620		rev 1
		0.XX	±0.30							
		0.XXX	±0.15							
ASME Y14.5M	angular	0°	±2°		www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9