







Type	m	n	a	b	c	d	e
M+2SK	25	31	63.5	90	73.66	5.63	78.74
M/2+2SK	9	15	22.86	50	33.02	5.95	38.1
M/3+2SK	3	9	7.62	34.76	17.78	5.95	22.86

f	Termination
0.94±0.15	press fit




THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS CORPORATION, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.





Performance level acc to DIN41612 and IEC 603-2	Noble metals	Code
Class I	PdNi + Au or Au	1 4
Class II	PdNi + Au or Au	2 5
Class III	PdNi + Au or Au	3

Nickel underlayer
Protection film : HF-grease



		L	Code
	Pressfit	3.7 ±0.3 6.0 ±0.3	63 70
	Pressfit-wire-wrap	13 ±0.5 17 ±0.5 20 ±0.5	60 61 68






All female connectors can be pressed-in with a flat stamp (over the connector housing)

TE Connectivity				SCALE	
TE Connectivity				WEIGHT	
TE Connectivity				MATERIAL	
TE Connectivity				PART NAME	
TE Connectivity				Receptacle Assembly Eurocard	
TE Connectivity				Press fit Type M + 2 Special	
TE Connectivity				contacts and short versions	
TE Connectivity				PART NO.	
TE Connectivity				V42254-P2***-M7***-7626	
TE Connectivity				REV. 1	
TE Connectivity				Customer Drawing Nr. C-1593637-0	
TE Connectivity				OF 2	

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG PENNSYLVANIA USA

PROPRIETARY:

1	2	3	4	5	6	7	8																																																									
A								A																																																								
B								B																																																								
C	Old Part Number	TE Part Number	Style & Number of Positions	Termination posts	Loaded Rows	Performance Level	Board Locks																																																									
	V42254-P2263-M780	6-1393637-0	M78+2	3.7mm Press-in terminals	every row , every pitch	2	No																																																									
	V42254-P2270-M780	9-1393637-0	M78+2	6.0mm Press-in terminals for PCB-thickness >=2.2mm	every row , every pitch	2	No																																																									
D								D																																																								
E	Active part numbers. Contact TE for other configuration availability							E																																																								
F	<table><tr><td colspan="4"> TE Connectivity</td><td colspan="2"> DIMENSIONS IN MM</td><td>SCALE</td><td>WEIGHT</td></tr><tr><td colspan="4"></td><td colspan="2">DATE 27.09.99</td><td colspan="2" rowspan="3">PART NAME Receptacle Assembly Eurocard Press fit Type M + 2 Special contacts and short versions</td></tr><tr><td colspan="4"></td><td colspan="2">NAME Vanbesien</td></tr><tr><td colspan="4"></td><td colspan="2">DEP. PD COM</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2" rowspan="3">PART NO. V42254-P2***-M7**-*-7626</td></tr><tr><td colspan="4"></td><td colspan="2">TOLERANCE UNLESS SPECIFIED OTHERWISE</td></tr><tr><td>A2</td><td colspan="3">SEE SHEET 1</td><td colspan="2"></td></tr><tr><td>REV.</td><td>CHANGE ORDER</td><td>DATE</td><td>APP.</td><td colspan="3">Customer Drawing Nr. C 6-1393637-0</td><td>SHT. 2- OF 2</td></tr></table>							 TE Connectivity				 DIMENSIONS IN MM		SCALE	WEIGHT					DATE 27.09.99		PART NAME Receptacle Assembly Eurocard Press fit Type M + 2 Special contacts and short versions						NAME Vanbesien						DEP. PD COM								PART NO. V42254-P2***-M7**-*-7626						TOLERANCE UNLESS SPECIFIED OTHERWISE		A2	SEE SHEET 1					REV.	CHANGE ORDER	DATE	APP.	Customer Drawing Nr. C 6-1393637-0			SHT. 2- OF 2	F
 TE Connectivity				 DIMENSIONS IN MM		SCALE	WEIGHT																																																									
				DATE 27.09.99		PART NAME Receptacle Assembly Eurocard Press fit Type M + 2 Special contacts and short versions																																																										
				NAME Vanbesien																																																												
				DEP. PD COM																																																												
						PART NO. V42254-P2***-M7**-*-7626																																																										
				TOLERANCE UNLESS SPECIFIED OTHERWISE																																																												
A2	SEE SHEET 1																																																															
REV.	CHANGE ORDER	DATE	APP.	Customer Drawing Nr. C 6-1393637-0			SHT. 2- OF 2																																																									
1	2	3	4	5	6	7	8																																																									

SUPSEDED BY 6-1393637-0

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9