







DO NOT SCALE
DIMENSIONS IN mm

METRIC

THIRD ANGLE
PROJECTION

- NOTES:
- 1 SEE SHEET 2 FOR 216564-2, 6 POS./4 CONTACTS.
 - 2 TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,15$
 - 3 FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
 - 4 FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064



PRINTED CIRCUIT BOARD LAYOUT

[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]




TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,05$.

PRINTED CIRCUIT BOARD THICKNESS: 1,6 mm NOMINAL.

700pcs. ON A 60cm. DIA. REEL	6 POSITIONS/ 6 CONTACTS.	IN CONTACT AREA: 1,2µm MIN. SEL. GOLD OVER 1,2µm MIN. NICKEL SOLDER TINES: 2,0µm MIN. TIN-LEAD OVER 1,2µm MIN. NICKEL	HOUSING: PTB,UL 94-HB COLOR: BLACK CONTACTS: PHOSPHOR BRONZE	216564-1
REMARKS	REMARKS	FINISH	MATERIAL	PARTNUMBER
-	-	-	-	-
-	-	-	-	-
H2	ECR-08-013498	AEG	-	18-02-09
H1	OU60-0073-00	KV	KV	10 AUG 00
H	EH-1376-99	MVE	MVE	22 JUL 99
G	EH-0939-99	JG	TD	APR 99
F	EH-0244-96	MVE	G.C.	15 FEB 96
LTR.	REVISION RECORD	DR.	CHK.	DATE
DR.: L.v.d.HETDEN	CHK.: C.STERKEN	APP.: L.v.SOEST	DWG.No.	REV.LTR.
DATE: 29 AUG 89	DATE: -	DATE: -	C- 216564	H2
				SHEET 1 OF 2
				A2

Technical drawing of a 16-pin D-sub connector. The drawing shows the front view of the connector with the following dimensions:

- Overall width: 16,0
- Width of the central pin area: 13,5
- Height of the top flange: 1,3
- Height of the main body: 13,2
- Height of the bottom flange: 5,9
- Overall height: 16,4



OBSOLETE	BULK PACKAGED 1000pcs. IN A BOX		6 POSITIONS/ 4 CONTACTS.		IN CONTACT AREA: 1,2µm MIN. SEL. GOLD OVER 1,2µm MIN. NICKEL		HOUSING: RTS/JUL 94 HB COLOR: BLACK		216564-5			
	700pcs. ON A 60cm DIA. REEL				SOLDER TINES: 2,0µm MIN. TIN-LEAD OVER 1,2µm MIN. NICKEL		CONTACTS: PHOSPHOR BRONZE		216564-2			
PACKAGING			REMARKS			FINISH			MATERIAL		PARTNUMBER	
-	-		-	-	-	CUSTOMER DRAWING FOR REFERENCE ONLY WILL NOT BE UPDATED © COPYRIGHT 19 BY AMP HOLLAND B.V. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING. THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION. 19 AMP HOLLAND B.V. 's-Hertogenbosch, The Netherlands.						
-	-		-	-	-							
-	-		-	-	-							
-	-		-	-	-							
-	-		-	-	-							
-	-		-	-	-							
-	SEE SHEET 1		-	-	-	NAME MODULAR JACK, 6 POS./4 CONT., TOP ENTRY, WITH PANEL STOPS, FOR PRINTED CIRCUIT BOARD.						
-			-	-	-							
LTR.			DR.	CHK.	DATE							
DR.:	P.BEIJNON	CHK.:	C.STERKEN	APP.:	L.v.SOEST	DWG.No.			REV.LTR.	SHEET		
DATE:	-	DATE:	-	DATE:	-	C- 216564			H2	2 OF 2	A2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9