

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOCAD

DIST00

REV F

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

-

-

-

800 SERIES MACHINED PREMIUM
CONTACT LEAD FREE PART NUMBER TABLE

OBSOLETE	HIGH RETENTION		.895/.905	1.000	3.200	2	864-AG34D-LF	5-6437538-4
	HIGH RETENTION		.595/.605	.700	2.400	2	848-AG34D-LF	9-1437538-5
	W/RAILS						840-AR11D-LF	8-1437538-6
	.180 PC LEAD		.595/.605	.700	2.000	2	840-AG43D-LF	8-1437538-4
	HIGH RETENTION						840-AG34D-LF	8-1437538-3
	HIGH RETENTION						832-AG38D-LF	9-6437533-4
	HIGH RETENTION		.595/.605	.700	1.600	2	832-AG34D-LF	2-6437538-5
OBSOLETE	W/RAILS						828-AR12D-LF	6-6437538-9
OBSOLETE	W/RAILS		.595/.605	.700	1.400	1	828-AR11D-LF	1-6437538-6
	.180 PC LEAD						828-AG43D-LF	6437538-4
OBSOLETE	HIGH RETENTION						828-AG34D-LF	1-6437538-3
OBSOLETE	W/RAILS		.295/.305	.400	1.200	1	824-AR31D-LF	5-6437538-1
OBSOLETE	W/RAILS		.595/.605	.700	1.200	1	824-AR11D-LF	9-6437537-9
	.180 PC LEAD		.295/.305	.400	1.200	1	824-AG47D-LF	9-6437537-7
OBSOLETE	.180 PC LEAD		.395/.405	.500	1.200	1	824-AG446D-LF	9-6437537-6
	HIGH RETENTION		.595/.605	.700	1.200	1	824-AG34D-LF	9-6437537-5
	HIGH RETENTION						824-AG338D-LF	9-6437537-4
	HIGH RETENTION		.295/.305	.400	1.200	1	824-AG334D-LF	9-6437537-3
	.180 PC LEAD		.295/.305	.400	1.000	1	820-AG43D-LF	7-6437537-3
	HIGH RETENTION						820-AG34D-LF	7-6437537-2
OBSOLETE	.180 PC LEAD W/RAILS		.295/.305	.400	.900	1	818-AR44D-LF	4-6437539-9
OBSOLETE	W/RAILS						818-AR11D-LF	6-6437537-2
OBSOLETE	W/RAILS						816-AR11D-LF	5-6437537-4
	HIGH RETENTION		.295/.305	.400	.800	1	816-AG34D-LF	5-6437537-1
OBSOLETE	W/RAILS						814-AR11D-LF	3-6437537-5
	.180 PC LEAD		.295/.305	.400	.700	1	814-AG43D-LF	3-6437537-2
	HIGH RETENTION						814-AG34D-LF	3-6437537-1
OBSOLETE	W/RAILS		.295/.305	.400	.400	3	808-AR11D-LF	1-6437537-9
	.180 PC LEAD						808-AG43D-LF	6437537-5
	HIGH RETENTION						808-AG34D-LF	6437537-4
	COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

800 SERIES MACHINED PREMIUM
CONTACT PART NUMBER TABLE

OBSOLETE	W/RAILS		.295/.305	.400	1.200	1	824-AR31D	0-1437538-1
	W/RAILS		.595/.605	.700	1.200	1	824-AR11D	9-1437537-9
	-		.395/.405	.500	1.200	1	824-AG66D	9-1437537-8
	.180 PC LEAD		.295/.305	.400	1.200	1	824-AG47D	9-1437537-7
	.180 PC LEAD		.595/.605	.700	1.200	1	824-AG45D	6-1437538-6
OBSOLETE	.180 PC LEAD		.395/.405	.500	1.200	1	824-AG446D	9-1437537-6
	HIGH RETENTION		.595/.605	.700	1.200	1	824-AG34D	9-1437537-5
	HIGH RETENTION						824-AG33D	8-1437539-2
	HIGH RETENTION						824-AG338D	9-1437537-4
	HIGH RETENTION						824-AG334D	9-1437537-3
	-		.295/.305	.400	1.200	1	824-AG32D	9-1437537-2
	-						824-AG31D	8-1437537-9
	-						824-AG30D	8-1437537-7
	-		.395/.405	.500	1.200	1	824-AG14D	8-1437537-6
	-						824-AG12D	8-1437537-5
	-		.595/.605	.700	1.200	1	824-AG11D	8-1437537-2
	-						824-AG10D	8-1437537-1
OBSOLETE	W/RAILS		.295/.305	.400	1.100	1	822-AG11D	7-1437537-8
	.180 PC LEAD						822-AG10D	7-1437537-7
	.180 PC LEAD						820-AR11D	7-1437537-6
	.180 PC LEAD						820-AG45D	7-1437537-5
	HIGH RETENTION						820-AG44D	7-1437537-4
OBSOLETE	.180 PC LEAD		.295/.305	.400	1.000	1	820-AG43D	7-1437537-3
	HIGH RETENTION						820-AG34D	7-1437537-2
	-						820-AG12D	6-1437537-9
	-						820-AG11D	6-1437537-6
	-						820-AG10D	6-1437537-4
OBSOLETE	.180 PC LEAD W/RAILS		.295/.305	.400	.900	1	818-AR44D	4-1437539-9
	W/RAILS						818-AR11D	6-1437537-2
	.180 PC LEAD						818-AG44D	6-1437537-1
	HIGH RETENTION S/B 5-1437537-7						818-AG34D	5-1437538-8
	-						818-AG12D	6-1437537-0
	-						818-AG11D	5-1437537-7
	-						818-AG10D	5-1437537-6
OBSOLETE	W/RAILS		.295/.305	.400	.800	1	816-AR11D	5-1437537-4
	.180 PC LEAD						816-AG45D	5-1437537-3
	.180 PC LEAD						816-AG44D	5-1437537-2
	HIGH RETENTION						816-AG34D	5-1437537-1
	HIGH RETENTION						816-AG33D	5-1437537-0
OBSOLETE	-						816-AG12D	4-1437537-6
	-						816-AG11D	4-1437537-0
	-						816-AG10D	3-1437537-7
OBSOLETE	.180 PC LEAD, W/RAILS S/B 3-1437537-3		.295/.305	.400	.700	1	814-AR44D	5-1437533-2
	W/RAILS						814-AR11D	3-1437537-5
	.180 PC LEAD						814-AG45D	3-1437537-4
	.180 PC LEAD						814-AG44D	3-1437537-3
	.180 PC LEAD						814-AG34D	3-1437537-2
OBSOLETE	HIGH RETENTION						814-AG34D	3-1437537-1
	-						814-AG12D	2-1437537-9
	-						814-AG11D	2-1437537-4
	-						814-AG10D	2-1437537-1
	-						808-AR11D	1-1437537-9
OBSOLETE	W/RAILS		.295/.305	.400	.400	3	808-AG45D	1-1437537-8
	.180 PC LEAD						808-AG44D	1-1437537-7
	.180 PC LEAD						808-AG43D	1-1437537-5
	HIGH RETENTION						808-AG34D	1-1437537-4
	-						808-AG12D	1-1437537-2
	-						808-AG11D	0-1437537-8
	-						808-AG10D	0-1437537-5
	S/B 6-1437529-8		.295/.305	.400	.300	-	806-AG11D	2-1437533-5
	SUPERSEDED BY 6-1437529-5						806-AG10D	2-1437533-3
	COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

MATERIAL-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± -
ANGLES ± -

FINISH-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R BROWN
CHK K WRIGHT
APVD K WRIGHT

DE MAY04
DE MAY04
DE MAY04

NAME

SIZE
CAGE CODE
DRAWING NO

RESTRICTED TO

WEIGHT

00779

1437539-2

CUSTOMER DRAWING

SCALE 1:1

SHEET 2 OF 4

REV A3

Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

DIP SOCKET,
800 SERIES

AMP 4805 REV 31MAR2000

800 SERIES MACHINED PREMIUM
CONTACT LEAD FREE PART NUMBER TABLE

800 SERIES MACHINED PREMIUM
CONTACT PART NUMBER TABLE

800 SERIES STAMPED ECONOMY
CONTACT LEAD FREE PART NUMBER TABLE

OBSOLETE	W/RAILS	13	.595/.605	.700	2.400	2	848-AR11D-ES-LF	8-1437540-0
OBSOLETE	W/RAILS	14					840-AR12D-ES-LF	6-6447099-8
OBSOLETE	W/RAILS	15					840-AR11D-ESL-LF	7-1437540-2
OBSOLETE	W/RAILS	13	.595/.605	.700	2.000	2	840-AR11D-ES-LF	7-1437540-1
	.180 PC LEAD	15					840-AG44D-ESL-LF	7-1437540-0
OBSOLETE	W/RAILS	15					832-AR11D-ESL-LF	0-6437540-9
OBSOLETE	W/RAILS	13					832-AR11D-ES-LF	0-6437540-8
	.180 PC LEAD	13	.595/.605	.700	1.600	2	832-AG44D-ES-LF	0-6437540-7
	.180 PC LEAD	14					832-AG43D-ES-LF	0-6437540-6
OBSOLETE	.180 PC LEAD W/RAILS	15					828-AR44D-ESL-LF	9-6437539-8
OBSOLETE	W/RAILS	14					828-AR12D-ES-LF	6-6447099-7
OBSOLETE	W/RAILS	13	.595/.605	.700	1.400	1	828-AR11D-ES-LF	9-6437539-6
	.180 PC LEAD	13					828-AG44D-ES-LF	9-6437539-5
OBSOLETE	.180 PC LEAD W/RAILS	15	.295/.305	.400	1.200	1	824-AR47D-ESL-LF	8-6437533-3
OBSOLETE	W/RAILS	13	.295/.305	.400	1.200	1	824-AR31D-ES-LF	8-6437539-7
OBSOLETE	W/RAILS	14	.595/.605	.700	1.200	1	824-AR12D-ES-LF	6-6447099-6
	.180 PC LEAD	15	.595/.605	.700	1.200	1	824-AG44D-ESL-LF	8-6437539-3
	.180 PC LEAD	13	.295/.305	.400	1.100	1	822-AG44D-ES-LF	6-6437539-5
OBSOLETE	W/RAILS	15	.295/.305	.400	1.000	1	820-AR11D-ESL-LF	5-6437539-8
OBSOLETE	W/RAILS	13					820-AR11D-ES-LF	5-6437539-7
OBSOLETE	W/RAILS	15					816-AR11D-ESL-LF	3-6437539-5
OBSOLETE	W/RAILS	13	.295/.305	.400	.800	1	816-AR11D-ES-LF	3-6437539-4
	.180 PC LEAD	15					816-AG44D-ESL-LF	3-6437539-2
OBSOLETE	W/RAILS	13	.295/.305	.400	.700	1	814-AR11D-ES-LF	2-6437539-2
OBSOLETE	W/RAILS	13					808-AR11D-ES-LF	1-6437539-0
	.180 PC LEAD	14	.295/.305	.400	.400	1	808-AG43D-ES-LF	6437537-6
COMMENTS		PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.


800 SERIES STAMPED ECONOMY
CONTACT PART NUMBER TABLE

17	OBSOLETE	.180 PC LEAD W/RAILS	9	.295/.305	.400	1.200	1	824-AR47D-ESL	8-1437533-3	
	SUPERSEDED	.180 PC LEAD W/RAILS S/B 8-1437539-3	9	.595/.605	.700	1.200	1	824-AR44D-ESL	8-1437533-2	
17	OBSOLETE	W/RAILS	9	.295/.305	.400	1.200	1	824-AR31D-ESL	3-1437540-9	
		W/RAILS	6					824-AR31D-ES	8-1437539-7	
	W/RAILS	7					824-AR12D-ES	6-1447099-6		
	OBSOLETE	W/RAILS	9	.595/.605	.700	1.200	1	824-AR11D-ESL	8-1437539-6	
OBSOLETE	W/RAILS	6					824-AR11D-ES	8-1437539-5		
OBSOLETE	-	9	.395/.405	.500	1.200	1	824-AG66D-ESL	8-1437539-4		
17	OBSOLETE	11	5					824-AG65D-ES	0-1571180-1	
		9	9	.595/.605	.700	1.200	1	824-AG44D-ESL	8-1437539-3	
17	OBSOLETE	.180 PC LEAD	9					824-AG32D-ES	8-1437539-1	
		-	7					824-AG31D-ESL	7-1437539-7	
		-	9					824-AG31D-ES	7-1437539-6	
		-	6	.295/.305	.400	1.200	1	824-AG30D-ESL	7-1437539-4	
		-	8					824-AG30D-ES	7-1437539-3	
		-	5					824-AG12D-ES	7-1437539-2	
		-	7					824-AG11D-ESL	7-1437539-0	
		-	9	.595/.605	.700	1.200	1	824-AG11D-ES	6-1437539-9	
		-	6					824-AG10D-ES	6-1437539-7	
		-	5					822-AG44D-ES	6-1437539-5	
17	OBSOLETE	.180 PC LEAD	6					822-AG12D-ES	6-1437539-4	
		-	7					822-AG11D-ESL	6-1437539-3	
17	OBSOLETE	-	9	.295/.305	.400	1.100	1	822-AG11D-ES	6-1437539-2	
		-	6					822-AG10D-ES	6-1437539-0	
17	OBSOLETE	-	5					820-AR44D-ESL	7-1437533-1	
SUPERSEDED	.180 PC LEAD W/RAILS S/B 7-1437537-4	9						820-AR11D-ESL	5-1437539-8	
17	OBSOLETE	W/RAILS	9					820-AR11D-ES	5-1437539-7	
OBSOLETE	W/RAILS	6	.295/.305	.400	1.000	1	820-AG44D-ES	7-1437533-0		
17	OBSOLETE	.180 PC LEAD S/B 7-1437537-4	9					820-AG12D-ES	5-1437539-6	
		-	7					820-AG11D-ESL	5-1437539-3	
		-	9					820-AG11D-ES	5-1437539-2	
		-	6					820-AG10D-ES	5-1437539-0	
		W/RAILS	5					818-AR44D-ESL	6-1437533-4	
		.180 PC LEAD W/RAILS S/B 4-1437539-9	9					818-AR11D-ESL	4-1437539-8	
		W/RAILS	9					818-AR11D-ES	4-1437539-7	
		W/RAILS	6					818-AG44D-ESL	6-1437533-3	
		.180 PC LEAD S/B 6-1437537-1	9	.295/.305	.400	.900	1	818-AG12D-ES	4-1437539-6	
		-	7					818-AG11D-ESL	4-1437539-4	
17	OBSOLETE	-	6					818-AG11D-ES	4-1437539-3	
		-	5					818-AG10D-ES	4-1437539-1	
		W/RAILS	9					816-AR11D-ESL	3-1437539-5	
		W/RAILS	6					816-AR11D-ES	3-1437539-4	
17	OBSOLETE	.180 PC LEAD	5	.295/.305	.400	.800	1	816-AG45D-ES	3-1437539-3	
		.180 PC LEAD	9					816-AG44D-ESL	3-1437539-2	
17	OBSOLETE	-	7					816-AG12D-ES	3-1437539-1	
		-	9					816-AG11D-ESL	2-1437539-9	
		-	6					816-AG11D-ES	2-1437539-8	
		-	5					816-AG10D-ES	2-1437539-6	
		.180 PC LEAD, W/RAILS S/B 3-1437537-3	9					814-AR44D-ESL	5-1437533-3	
		W/RAILS	9					814-AR11D-ESL	2-1437539-3	
		W/RAILS	6					814-AR11D-ES	2-1437539-2	
		.180 PC LEAD	5	.295/.305	.400	.700	1	814-AG45D-ES	2-1437539-1	
		.180 PC LEAD S/B 3-1437537-3	9					814-AG44D-ESL	4-1437540-5	
		-	7					814-AG12D-ES	2-1437539-0	
17	OBSOLETE	-	9					814-AG11D-ESL	1-1437539-7	
		-	6					814-AG11D-ES	1-1437539-6	
		-	5					814-AG10D-ES	1-1437539-4	
		.180 PC W/RAILS, S/B 1437539-9	9					808-AR44D-ESL	3-1437533-1	
		W/RAILS	9					808-AR11D-ESL	1-1437539-1	
		W/RAILS	6					808-AR11D-ES	1-1437539-0	
		.180 PC LEAD	9	.295/.305	.400	.400	1	808-AG44D-ESL	0-1437539-9	
		.180 PC LEAD	7					808-AG43D-ES	1-1437537-6	
		-	7					808-AG12D-ES	0-1437539-8	
		-	9					808-AG11D-ESL	0-1437539-6	
-	6					808-AG11D-ES	0-1437539-5			
17	OBSOLETE	-	5					808-AG10D-ES	0-1437539-2	
		S/B 7-1437529-1	7					806-AG12D-ES	2-1437533-8	
		S/B 1437535-8	9	.295/.305	.400	.300	1	806-AG11D-ESL	8-1437536-5	
		S/B 1437535-7	6					806-AG11D-ES	2-1437533-7	
		COMMENTS		PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

800 SERIES SERIES STAMPED ECONOMY CONTACT PART NUMBER TABLE													
17	OBSOLETE	-	7	.895/.905	1.000	3.200	2	864-AG12D-ES	5-1437538-3				
		-	9					864-AG11D-ESL	5-1437538-0				
		-	6					864-AG11D-ES	4-1437538-9				
17	OBSOLETE	-	5	.595/.605	.700	2.400	2	864-AG10D-ES	3-1437540-2				
OBSOLETE	W/RAILS	9	848-AR11D-ESL					6-1437540-2					
17	OBSOLETE	W/RAILS	6					848-AR11D-ES	3-1437540-0				
OBSOLETE	-	7	848-AG12D-ES					2-1437540-8					
	-	9	848-AG11D-ESL					4-1437538-2					
	-	6	848-AG11D-ES					2-1437540-6					
17	OBSOLETE	-	5					848-AG10D-ES	2-1437540-5				
	-	9	842-AG11D-ESL					2-1437540-4					
	-	6	842-AG11D-ES					2-1437540-3					
	.180 PC LEAD W/RAILS S/B 2-1437540-0	9	840-AR44D-ESL					0-1437534-7					
17	OBSOLETE	W/RAILS	7	.595/.605	.700	2.000	2	840-AR12D-ES	6-1447099-8				
OBSOLETE	W/RAILS	9	840-AR11D-ESL					2-1437540-2					
OBSOLETE	W/RAILS	6	840-AR11D-ES					2-1437540-1					
	.180 PC LEAD	9	840-AG44D-ESL					2-1437540-0					
	-	7	840-AG12D-ES					1-1437540-9					
	-	9	840-AG11D-ESL					1-1437540-7					
	-	6	840-AG11D-ES					1-1437540-6					
	-	5	840-AG10D-ES					1-1437540-4					
17	OBSOLETE	-	7					.595/.605	.700	1.800	2	836-AG12D-ES	1-1437540-2
	-	9	836-AG11D-ESL									1-1437540-1	
	-	6	836-AG11D-ES	1-1437540-0									
OBSOLETE	W/RAILS	9	832-AR11D-ESL	0-1437540-9									
OBSOLETE	W/RAILS	6	832-AR11D-ES	0-1437540-8									
	.180 PC LEAD S/B 1437540-1	8	832-AG45D-ESL	6-1437538-0									
	.180 PC LEAD S/B 1437540-7	9	832-AG44D-ESL	9-1437533-5									
17	OBSOLETE	.180 PC LEAD	6	.595/.605	.700	1.600	2					832-AG44D-ES	0-1437540-7
OBSOLETE	.180 PC LEAD	7	832-AG43D-ES									0-1437540-6	
	-	7	832-AG12D-ES									0-1437540-5	
	-	9	832-AG11D-ESL					0-1437540-3					
	-	6	832-AG11D-ES					0-1437540-2					
	-	5	832-AG10D-ES					0-1437540-1					
17	OBSOLETE	.180 PC LEAD W/RAILS	9					.595/.605	.700	1.400	1	828-AR44D-ESL	9-1437539-8
OBSOLETE	W/RAILS	7	828-AR12D-ES									6-1447099-7	
OBSOLETE	W/RAILS	9	828-AR11D-ESL									9-1437539-7	
OBSOLETE	W/RAILS	6	828-AR11D-ES									9-1437539-6	
17	OBSOLETE	.180 PC LEAD	6	828-AG44D-ES	9-1437539-5								
	-	7	828-AG12D-ES	9-1437539-4									
	-	9	828-AG11D-ESL	9-1437539-2									
	-	6	828-AG11D-ES	9-1437539-1									
	-	5	828-AG10D-ES	8-1437539-9									
COMMENTS		PLATING	C	B	A	FIG	AUGAT PART NO.					TE PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES
TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± -
ANGLES ± -



MATERIAL - FINISH -

DWN R BROWN
CHK K WRIGHT
APVD K WRIGHT
PRODUCT SPEC
APPLICATION SPEC
WEIGHT -

06MAY04
06MAY04
06MAY04

 Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME
DIP SOCKET,
800 SERIES

SIZE CAGE CODE DRAWING NO
A1 00779
RESTRICTED TO

CUSTOMER DRAWING
SCALE 1:1
SHEET 3 OF 4
REV A3


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	—		SEE SHEET 1	—	—	—

1000 SERIES MACHINED PREMIUM
CONTACT, LOW INSERTION FORCE
PART NUMBER TABLE

S/B 4-1437538-8		.895/.905	1.000	3.200	2	1064-AG11D	2-1437529-4
S/B 3-1437540-1		.895/.905	1.000	3.200	2	1064-AG10D	2-1437529-3
S/B 3-1437538-0		.595/.605	.700	2.000	2	1040-AG11D	2-1437529-2
S/B 2-1437538-2		.595/.605	.700	1.600	2	1032-AG11D	2-1437529-1
S/B 1437538-4		.595/.605	.700	1.400	1	1028-AG11D	1-1437529-9
S/B 8-1437537-9		.295/.305	.400	1.200	1	1024-AG31D	1-1437529-8
S/B 8-1437537-2		.595/.605	.700	1.200	1	1024-AG11D	1-1437529-6
S/B 8-1437537-1		.595/.605	.700	1.200	1	1024-AG10D	1-1437529-5
S/B 6-1437537-6		.295/.305	.400	1.000	1	1020-AG11D	1-1437529-4
S/B 6-1437537-4						1020-AG10D	1-1437529-3
S/B 5-1437537-7		.295/.305	.400	.900	1	1018-AG11D	1-1437529-2
S/B 5-1437537-6						1018-AG10D	1-1437529-1
S/B 4-1437537-0		.295/.305	.400	.800	1	1016-AG11D	1-1437529-0
S/B 3-1437537-7						1016-AG10D	0-1437529-9
S/B 2-1437537-4		.295/.305	.400	.700	1	1014-AG11D	0-1437529-7
S/B 2-1437537-1						1014-AG10D	0-1437529-6
S/B 1437537-8		.295/.305	.400	.400	3	1008-AG11D	0-1437529-5
S/B 1437537-5						1008-AG10D	0-1437529-4
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

1800 SERIES MACHINED PREMIUM
CONTACT, LOW GOLD
PART NUMBER TABLE

	S/B 5-1437538-0		.895/.905	1.000	3.200	2	1864-AG111D	5-1437529-1
	S/B 6-1437540-2 W/RAILS		.595/.605	.700	2.400	2	1848-AR111D	5-1437529-0
	S/B 4-1437538-2						1848-AG111D	4-1437529-9
	S/B 2-1437540-4		.595/.605	.700	2.100	2	1842-AG111D	4-1437529-8
	S/B 2-1437540-2 W/RAILS		.595/.605	.700	2.000	2	1840-AR111D	4-1437529-7
	S/B 1-1437540-7						1840-AG111D	4-1437529-6
	S/B 1437540-3		.595/.605	.700	1.600	2	1832-AG111D	4-1437529-5
	S/B 9-1437539-7 W/RAILS		.595/.605	.700	1.400	1	1828-AR111D	4-1437529-4
	S/B 9-1437539-2						1828-AG111D	4-1437529-3
	S/B 3-1437540-9 W/RAILS		.295/.305	.400	1.200	1	1824-AR131D	4-1437529-2
OBSOLETE	S/B 8-1437539-6 W/RAILS		.595/.605	.700	1.200	1	1824-AR111D	4-1437529-1
OBSOLETE	S/B 8-1437539-4		.395/.405	.500	1.200	1	1824-AG141D	4-1437529-0
	S/B 7-1437539-7		.295/.305	.400	1.200	1	1824-AG131D	3-1437529-9
	S/B 7-1437539-0		.595/.605	.700	1.200	1	1824-AG111D	3-1437529-8
	S/B 6-1437539-3		.395/.405	.500	1.100	1	1822-AG111D	3-1437529-7
	S/B 5-1437539-8 W/RAILS		.295/.305	.400	1.000	1	1820-AR111D	3-1437529-6
SUPERSEDED	S/B 5-1437539-3						1820-AG111D	3-1437529-5
	S/B 4-1437539-8 W/RAILS		.295/.305	.400	.900	1	1818-AR111D	3-1437529-4
	S/B 4-1437539-4						1818-AG111D	3-1437529-3
OBSOLETE	S/B 3-1437539-5 W/RAILS		.295/.305	.400	.800	1	1816-AR111D	3-1437529-2
	S/B 2-1437539-9						1816-AG111D	3-1437529-1
	S/B 2-1437539-3 W/RAILS		.295/.305	.400	.700	1	1814-AR111D	3-1437529-0
	S/B 1-1437539-7						1814-AG111D	2-1437529-9
	S/B 1-1437539-1 W/RAILS		.295/.305	.400	.400	3	1808-AR111D	2-1437529-6
	S/B 1437539-6						1808-AG111D	2-1437529-5
OBSOLETE	S/B 1437539-8		.295/.305	.400	.300		1806-AG111D	2-1437529-4
	COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R BROWN CHK K WRIGHT	06MAY04 06MAY04	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD K WRIGHT	06MAY04	NAME	
	0 PLC ± -	PRODUCT SPEC		DIP SOCKET, 800 SERIES	
	1 PLC ± -	APPLICATION SPEC			
MATERIAL -	FINISH -	WEIGHT -	SIZE A1		CAGE CODE 00779
CUSTOMER DRAWING			DRAWING NO 1437539-2		RESTRICTED TO -
			SCALE 1:1		SHEET 4 OF 4
			REV A3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9