

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF


REV

1470-19 (3/11)

Pro/ENGINEER DRAWING


8		7		6		5		4		3		2		1	
PART NUMBER		REV		FIRST USED		POWER UNIT		FEED TYPE		DESCRIPTION					
1855045-1		A		122500-1		LEADMAKER		POST FEED		CUTS CARRIER					
1855045-2		A		565435-5		BENCH MODEL K		PRE FEED		CUTS CARRIER					
1855045-3		A		354500-1		BENCH MODEL G		PRE FEED		CUTS CARRIER					
1855045-6		A		122500-1		LEADMAKER		POST FEED		CONTINUOUS CARRIER					
7-1855045-7		A		-		-		-		SPARE PARTS					

- △ 1 RECOMMENDED SPARE PARTS
- △ 2 GREASE LIGHTLY
- △ 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
- △ 4 APPLY TORO-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.




TERMINAL NAME: JUNIOR POWER TIMER CONTACT					
SOCKET	PIN	AMP TERMINAL - AMP CRIMP SPECS			
927766	-				
929937	-	REF SETTING	CRIMP HEIGHT	WIRE SIZE	
-	-	B2	.070±.002[1.77±0.05mm]	2.50mm2	
-	-	C1	.065±.002[1.64±0.05mm]	2.00mm2	
-	-	D2	.059±.002[1.51±0.05mm]	1.5mm2	
-	-	-	-	-	
-	-	-	-	-	
SEAL PN.	-	CRIMP	SIZE	TYPE	RANGE
828905	-	WIRE	.110 [2.80mm]	F	1.50-2.50mm2
-	-	INSUL	.170 [4.33mm]	O	Ø.087-.118
WIRE STRIP LENGTH	.193-.217	TERM APPL SPEC	114-18050	FEED	.551
		APPL INSTRUCTIONS	408-8040	SET UP GAGE	458637-1

LOC		DIST		REV		REVISIONS		DATE		OWN		APPR	
A		66		1		DESCRIPTION		DATE		OWN		APPR	
				A		PRODUCT RELEASE		31MARCH2006		CMR		TE	



△ 3	-	-	-	REF	-	-	455749-1	GUARD WINDOW	116
△ 3	-	-	REF	-	-	-	679532-1	INSERT, GUARD	115
-	-	-	-	-	-	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	-	-	-	-	-	-	318563-1	GUARD, FRONT CHIP	89
-	-	-	-	-	-	-	4088040	SF APPL INST 408-8040	72
-	-	-	-	-	-	-	217238-1	GENERAL INSTRUCTION PKG	71
-	-	-	-	-	-	-	461264-5	PLATE, IDENTIFICATION	67
-	-	-	-	-	-	-	21017-2	SCREW, DRIVE	66
-	-	-	-	-	-	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	-	-	-	-	-	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	-	-	-	-	-	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	-	-	-	-	-	-	1-21003-9	SCR, FLT SKT HD CAP 6-32 X .375	57
-	-	-	-	-	-	-	458537-2	PAWL, FEED	56
-	-	-	-	-	-	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	-	-	-	-	-	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	53
-	-	-	-	-	-	-	21018-5	NUT, HEX, REG 6-32	52
-	-	-	-	-	-	-	811242-2	BUMPER, HOLD DOWN	51
-	-	-	-	-	-	-	690753-1	SPACER, TONKER	50
-	-	-	-	-	-	-	690602-6	CAM, PRE FEED, 1 5/8	49
-	-	-	-	-	-	-	690602-5	CAM, PRE FEED, 1 1/8	48
-	-	-	-	-	-	-	690501-4	CAM, POST FEED, 1 5/8	47
-	-	-	-	-	-	-	459456-2	APPL, BASIC SUB ASSY (SIDE WISE MOCA)	46
-	-	-	-	-	-	-	690191-1	PLUG,NYLON	45
-	-	-	-	-	-	-	455673-1	RAM, SIDE FEED	44
-	-	-	-	-	-	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	-	-	-	-	-	-	690125-1	SHIM SUB-ASSY	39
-	-	-	-	-	-	-	469367-1	SHIM	38
-	-	-	-	-	-	-	879103-2	FINE ADJUST HEAD SUBASSY	37
-	-	-	-	-	-	-	2-690786-3	TERMINAL SUPPORT	34
-	-	-	-	-	-	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
-	-	-	-	-	-	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	-	-	-	-	-	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	-	-	-	-	-	-	1320908-8	SPACER, STRIP GUIDE	30
-	-	-	-	-	-	-	1633091-1	ASSEMBLY, STRIP GUIDE	29
-	-	-	-	-	-	-	455888-7	SPACER, CRIMPER	28
-	-	-	-	-	-	-	1320928-1	PLATE, STRIP GUIDE	24
-	-	-	-	-	-	-	690472-2	STRIPPER	22
-	-	-	-	-	-	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	-	-	-	-	-	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	-	-	-	-	-	-	691353-1	STRIPPER	19
△ 1	-	-	-	-	-	-	679625-2	SHEAR HOLDER, FRONT (NO CUT)	17
△ 1	-	-	-	-	-	-	3-22280-3	SPRING, COMPRESSION	12
△ 1	-	-	-	-	-	-	690461-2	STOP, SHEAR	11
△ 1	-	-	-	-	-	-	1-690459-0	SHEAR HOLDER, FRONT	10
△ 1	-	-	-	-	-	-	318707-1	FLOATING SHEAR, FRONT	9
△ 1	-	-	-	-	-	-	9-854014-5	ANVIL, COMBINATION	8
△ 1	-	-	-	-	-	-	318701-1	DEPRESSOR, SHEAR	5
△ 1	-	-	-	-	-	-	238011-8	BLOCK, CRIMPER SPACER	4
△ 1	-	-	-	-	-	-	3-683454-7	CRIMPER, INSULATION O	3
△ 1	-	-	-	-	-	-	1-455888-4	SPACER, CRIMPER	2
△ 1	-	-	-	-	-	-	2-456408-8	CRIMPER, WIRE PREMIUM	1
-77	-6	-3	-2	-1	U/M	PART NO	DESCRIPTION		ITEM NO



DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		GROSS		TYPICAL		TYPICAL	
0 PLC		±		19MAR2006		19MAR2006		19MAR2006	
1 PLC		±.01		C. REICHELDERFER		C. REICHELDERFER		C. REICHELDERFER	
2 PLC		±.01		T. ELAIN		T. ELAIN		T. ELAIN	
3 PLC		±.01		APPR		APPR		APPR	
4 PLC		±.0001		NAME		NAME		NAME	
ANGLES		±.0001		PRODUCT SPEC		PRODUCT SPEC		PRODUCT SPEC	
MATERIAL		FINISH		APPLICATION SPEC		APPLICATION SPEC		APPLICATION SPEC	
WEIGHT		SCALE		SIZE		CAGE CODE		DRAWING NO	
CUSTOMER DRAWING		SCALE		A		00779		1855045	
SCALE		3:5		SHEET		OF		REV	
A		A		A		A		A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9