



PRODUCT NO.	ROWS	SIGNAL					POWER								E1
		E2	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1	
51752-038__ NOTE: 3	D C B A														







CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	[N/A]	SIGNAL
PD	[2.34]	POWER
PA	[1.07]	POWER
HA	[N/A]	HOLD-DOWN
X	[N/A]	OMITTED

spec ref *				dr	Ruan MT	2015/03/27	projection	MM	size	A4	scale	1:1
tolerance std SEE NOTE	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	De-Ming Lu	2015/04/10			ecn no -			
				chr	Fancy Zhang	2015/04/09			rel level Released			
				appr	Pei-Ming Zheng	2015/04/10			product family PwrBlade			
surface ✓	linear	0.X	±0.5		title	8P + 16S VERTICAL STB RECEPT		dwg no	51752-038		rev	A
		0.XX	±0.25									
		0.XXX	±0.1									
	angular	0°	±2°	www.fci.com	cat. no.	*	Product - Customer Drw			sheet 1 of 4		

PRODUCT NUMBER


51752-038__
NOTE: 3




dr	Ruan MT	2015/03/27	projection 	MM 	size	A4	scale	1:1		
eng	De-Ming Lu	2015/04/10			ecn no -					
chr	Fancy Zhang	2015/04/09								
appr	Pei-Ming Zheng	2015/04/10	product family		PwrBlade	rel level	Released			
		title			8P + 16S	dwg no		51752-038	rev	
		VERTICAL STB RECEPT							A	
www.fci.com		cat. no.		*	Product - Customer Drw				sheet 2 of 4	

PRODUCT NUMBER

51752-038--
NOTE: 3



RECOMMENDED PCB LAYOUT

dr	Ruan MT	2015/03/27	projection 	MM 	size	A4	scale	1:1	
eng	De-Ming Lu	2015/04/10			ecn no	-			
chr	Fancy Zhang	2015/04/09			rel level	Released			
appr	Pei-Ming Zheng	2015/04/10	product family		PwrBlade				
			title		8P + 16S		rev		
			VERTICAL STB RECEPT		dwg no		51752-038		
www.fci.com			cat. no.		*		Product - Customer Drw		
							sheet 3 of 4		
							A		



Copyright FCI.

PRODUCT NUMBER
51752-038--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51752-038 AND 51752-038LF RESPECTIVELY.
- 4 MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9 $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
- 10 CONNECTOR KEEP-OUT ZONE.
- 11. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE VOID
CORING WILL NOT EFFECT TO PRODUCT FUNCTION.
- 12. DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.

dr	Ruan MT	2015/03/27	projection	MM	size	A4	scale	1:1	
eng	De-Ming Lu	2015/04/10			ecn no	-			
chr	Fancy Zhang	2015/04/09							
appr	Pei-Ming Zheng	2015/04/10	product family		PwrBlade	rel level	Released		
	title				dwg no		rev		
	8P + 16S				51752-038		A		
	VERTICAL STB RECEIPT								
www.fci.com	cat. no.		*	Product - Customer Drw			sheet 4 of 4		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9