




| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |

| Model No.           | POS. 1 | POS. 2   |
|---------------------|--------|----------|
|                     |        |          |
| PB7                 | ON     | MOM(OFF) |
| CONNECTED TERMINALS | CLOSE  | OPEN     |
| SCHEMATIC           |        |          |



SWITCH FUNCTION

D





FLYING LEADS  
ON-(OFF)

C



B



PANEL CUT-OUT  
THICKNESS: 1.5mm~4.0mm  
[0.059~0.157]

| 2   | TERMINAL 2  | BLACK      |
|-----|-------------|------------|
| 1   | TERMINAL 1  | BLACK      |
| NO. | DESCRIPTION | WIRE COLOR |

|                                                                                       |  |                                       |                                                                                                                 |              |                                                  |          |
|---------------------------------------------------------------------------------------|--|---------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------|----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN<br>RAVL.S<br>22FEB2018            |  TE Connectivity           |              |                                                  |          |
| DIMENSIONS:<br>mm[INCHES]                                                             |  | CHK<br>ALEXANDER SHARPE<br>22FEB2018  |                                                                                                                 |              |                                                  |          |
|  |  | APVD<br>ALEXANDER SHARPE<br>22FEB2018 | NAME<br>SWITCH, PUSHBUTTON, HIGH CAP NO LED,<br>FLYING LEADS WITH HEAT SHRINK,<br>SEALED, OFF-(ON) AND ON-(OFF) |              | SIZE<br>CAGE CODE<br>DRAWING NO<br>RESTRICTED TO |          |
|                                                                                       |  | PRODUCT SPEC<br>-                     |                                                                                                                 |              |                                                  |          |
| MATERIAL<br>-<br>-                                                                    |  | APPLICATION SPEC<br>-                 | A200779                                                                                                         |              | C=2329359                                        |          |
|                                                                                       |  | WEIGHT<br>-                           |                                                                                                                 |              |                                                  |          |
| FINISH<br>-<br>-                                                                      |  | CUSTOMER DRAWING                      |                                                                                                                 | SCALE<br>3:2 | SHEET<br>2 OF 3                                  | REV<br>1 |

A

A

|                              |     |                          |  |  |  |      |     |           |  |  |  |
|------------------------------|-----|--------------------------|--|--|--|------|-----|-----------|--|--|--|
| THIS DRAWING IS UNPUBLISHED. |     | RELEASED FOR PUBLICATION |  |  |  |      |     | REVISIONS |  |  |  |
| © COPYRIGHT copyright_d8Ye-  |     | ALL RIGHTS RESERVED.     |  |  |  |      |     |           |  |  |  |
| P                            | LTR | DESCRIPTION              |  |  |  | DATE | DWN | APVD      |  |  |  |

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |

|             |                    |                                    |                    |           |                            |             |
|-------------|--------------------|------------------------------------|--------------------|-----------|----------------------------|-------------|
| SINGLE POLE | ON-(OFF) MOMENTARY | FLYING LEADS WITH HEAT SHRINK TUBE | HIGH, SHINY BLUE   | N/A       | PB7B2HS7M1CAL00Y500        | 1-2329359-0 |
|             |                    |                                    | HIGH, SHINY GREEN  | N/A       | PB7B2HS6M1CAL00Y500        | 2329359-9   |
|             |                    |                                    | HIGH, SHINY YELLOW | N/A       | PB7B2HS5M1CAL00Y500        | 2329359-8   |
|             |                    |                                    | HIGH, SHINY RED    | N/A       | PB7B2HS3M1CAL00Y500        | 2329359-7   |
|             | OFF-(ON) MOMENTARY |                                    | HIGH, SHINY BLACK  | N/A       | PB7B2HS2M1CAL00Y500        | 2329359-6   |
|             |                    |                                    | HIGH, SHINY BLUE   | N/A       | PB6B2HS7M1CAL00Y500        | 2329359-5   |
|             |                    |                                    | HIGH, SHINY GREEN  | N/A       | PB6B2HS6M1CAL00Y500        | 2329359-4   |
|             |                    |                                    | HIGH, SHINY YELLOW | N/A       | PB6B2HS5M1CAL00Y500        | 2329359-3   |
|             |                    |                                    | HIGH, SHINY RED    | N/A       | PB6B2HS3M1CAL00Y500        | 2329359-2   |
|             |                    |                                    | HIGH, SHINY BLACK  | N/A       | PB6B2HS2M1CAL00Y500        | 2329359-1   |
| POLE        | THROW              | TERMINAL TYPE                      | CAP TYPE & COLOR   | LED COLOR | TE DESCRIPTIVE PART NUMBER | PART NUMBER |

|                                                                                       |  |                                                                                                    |  |                                                                                                              |  |
|---------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN 22FEB2018<br>RAVI.S<br>CHK 22FEB2018<br>ALEXANDER SHARPE<br>APVD 22FEB2018<br>ALEXANDER SHARPE |  |  TE Connectivity        |  |
| DIMENSIONS:<br>mm [ INCHES ]                                                          |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                                                          |  | NAME SWITCH, PUSHBUTTON, HIGH CAP NO LED,<br>FLYING LEADS WITH HEAT SHRINK,<br>SEALED, OFF-(ON) AND ON-(OFF) |  |
|  |  | PRODUCT SPEC<br>-                                                                                  |  |                                                                                                              |  |
| MATERIAL<br>-<br>-                                                                    |  | 0 PLC ±-<br>1 PLC ±0.4[.016]<br>2 PLC ±0.25[.010]<br>3 PLC ±-<br>4 PLC ±-<br>ANGLES ±5°<br>FINISH  |  | APPLICATION SPEC<br>-                                                                                        |  |
|                                                                                       |  | WEIGHT -                                                                                           |  | SIZE A2 CAGE CODE 00779 DRAWING NO C-2329359 RESTRICTED TO -                                                 |  |
|                                                                                       |  | CUSTOMER DRAWING                                                                                   |  | SCALE 3:2 SHEET 3 OF 3 REV 1                                                                                 |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9