THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
DW	—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	REVISED (ECR-17-017717)	12DEC2017	T.Z.	H.W.





RECOMMENDED P.C.B LAYOUT
TOP VIEW(TOLERANCE: ±0.05)











MOUNTING PANEL CUTOUT

NOTES:
1. MATERIAL:
 1.1 HOUSING: SEE TABLE
  (PA66 WITH 30% G.F, UL94 V-0, BLACK COLOR.
  OR LCP WITH 30% G.F, UL94 V-0, BLACK COLOR.
  (C1) OR PA66 WITH 30% G.F, UL94 V-0, WHITE COLOR.)
 1.2 CONTACT: BRASS, T=0.25.
 1.3 SHELL: SPCC.
 1.4 REAR SHELL: SPCC.
 1.5 SPRING: SPCC.
2. FINISH:
 2.1 CONTACT:
  GOLD PLATING (SEE TABLE) ON CONTACT AREA,
  2.54um [100u"] MIN. BRIGHT-TIN PLATING ON SOLDER TAIL AREA,
  1.27um [50u"] MIN. NICKEL UNDERPLATING OVERALL.
 2.2 SHELL:
  2.54um [100u"] MIN. BRIGHT-TIN PLATING,
  1.27um [50u"] MIN. NICKEL UNDERPLATING OVERALL.
 2.3 REAR SHELL: 1.27um [50u"] MIN. NICKEL PLATING.
 2.4 SPRING : 1.27um [50u"] MIN. NICKEL PLATING.
3. RECOMMENDED P.C.B THICKNESS :1.6mm.
4. WAVE SOLDER CAPABLE TO 265°C PER TE SPEC. 109-202, CONDITION B.
5 THE SPRING IS OPTIONAL.

MIN. GOLD THICKNESS	5 SPRING	HSG MATERIAL	PART NUMBER
0.381um [15u"]	W/ O	PA66(BLACK)	1-1775468-2
	W/	PA66(BLACK)	1-1775468-1
GOLD FLASH	(C1) W/	PA66(WHITE)	1775468-3
	W/ O	LCP	1775468-2
	W/	PA66(BLACK)	1775468-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC ± 0.15
4 PLC ± -
ANGLES ± 3°

MATERIAL: SEE NOTE
FINISH: SEE NOTE

DWN	J. LEE	30MAR2007
CHK	S. HOU	30MAR2007
APVD	W.J. KE	30MAR2007
PRODUCT SPEC	108-57519	
APPLICATION SPEC	—	
WEIGHT	5.31 GRAMS	

TE Connectivity

NAME: USB A TYPE, RECEPTACLE DUAL PORT, R/A, DIP CONNECTOR

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1775468	—

CUSTOMER DRAWING | SCALE — | SHEET 1 OF 2 | REV C1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
DW	—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			











NOTES:

1. DIMENSION:
   TRAY: L= 270, W=235, H=25
   SHIPPING CARTON: L= 485, W=280, H=210

2 QUANTITY: (SEE TABLE)

3. CARTON WEIGHT: (SEE TABLE)

4. PE BAGS SEALED AND ADD DESICCANT.



11.6	10.6	100	20	2000
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAYS/ CARTON	PCS/ CARTON

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN	–
CHK	–
APVD	–
PRODUCT SPEC	–
APPLICATION SPEC	–
WEIGHT	–

TE Connectivity

NAME
USB A TYPE, RECEPTACLE
DUAL PORT, R/A, DIP CONNECTOR

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1775468	–

CUSTOMER DRAWING | SCALE – | SHEET 2 OF 2 | REV C1

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9