







	LEFT INDICATOR DOWN	2214593-6
	LEFT INDICATOR UP	2214593-5
	NO LIGHTPIPE	2214593-4
	LEFT INDICATOR DOWN	2214593-3
	LEFT INDICATOR UP	2214593-2
	NO LIGHTPIPE	2214593-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN 24FEB2012 M SHIRK CHK 24FEB2012 D ZCSZNY		 TE Connectivity	
DIMENSIONS: TOLERANCES UNLESS OTHERWISE SPECIFIED: mm		APVD - PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
				SIZE CAGE CODE DRAWING NO RESTRICTED TO A1 00779 C=2214593 -	
MATERIAL FINISH SEE NOTE 1 SEE NOTE 2		WEIGHT CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 4 REV A	


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-	-	SEE SHEET 1	-	-




2214593-1 / 2214593-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2214593-2 / 2214593-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2214593-3 / 2214593-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD



SECTION U-U



SECTION V-V
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 24FEB2012		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ±		PRODUCT SPEC	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
ANGLES ± FINISH		APPLICATION SPEC		
MATERIAL		114-60015	SIZE	
SEE NOTE 1		WEIGHT	A100779C=2214593	
SEE NOTE 2		CUSTOMER DRAWING	RESTRICTED TO	
		SCALE 4:1	SHEET 2 OF 4	
			REV A	

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	CHK D. SZCZESNY 24FEB2012	APVD	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC $\pm$ 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH		PRODUCT SPEC 108-60102	
MATERIAL SEE NOTE 1		SEE NOTE 2		APPLICATION SPEC 114-60015	
				WEIGHT -	
				CUSTOMER DRAWING	
				SCALE 4:1	
				SHEET 3 OF 4	
				REV A	


LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
			-	SEE SHEET 1		-	-	-




KEEPOUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1



DETAIL K
SCALE 10:1



DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015 WEIGHT	SIZE A100779C=2214593	RESTRICTED TO -
MATERIAL SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING		SCALE 4:1 SHEET 4 OF 4 REV A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9