







PRODUCT NUMBER
10127397-04HI420LF



spec ref -			dr De-Ming Lu		2016/02/29			mm	size A2	scale 2:1			
tolerance std			eng De-Ming Lu		2016/03/16				ecn no -				
ISO 406 ISO 1101			chr Fancy Zhang		2016/03/16				rel level Released				
			appr Pei-Ming Zheng		2016/03/16		product family PwrBlade ULTRA						
surface - ISO 1302			linear 0.X ±0.5 0.XX ±0.25 0.XXX ±0.130 angular 0° ±2°		Amphenol FCI		title 2HP+2IS+6LP, SOLDER R/A PLUG, PwrBlade ULTRA			dwg no 10127397-04HI420		rev A	
			cat. no.		-		Product - Customer Drw				sheet 1 of 3		



PRODUCT NO.

ROWS

10127397-04HI420LF


C
B
A

HP			SIGNAL							LP					
E1	P1	P2	1	2	3	4	5	6	7	L1	L2	L3	L4	L5	L6
	LP	RP	T	T	T	T	T	T	T	X	RP	X	RP	X	RP
	LP	RP	S	S	S	S	S	S	F	X	RP	X	RP	X	RP
	LP	RP	R	R	R	R	R	R	E	X	RP	X	RP	X	RP

CODE	DESCRIPTION
LP	LEFT POWER CONTACT
RP	RIGHT POWER CONTACT
R	MFBL SIGNAL CONTACT
S	MFBL SIGNAL CONTACT
T	MFBL SIGNAL CONTACT
E	STD SIGNAL CONTACT
F	STD SIGNAL CONTACT
HA	HOLD DOWN
X	OMITTED

Amphenol
FCi

© 2016 AFci

spec ref -			dr De-Ming Lu		2016/02/29				size A2		scale 2:1					
tolerance std ISO 406 ISO 1101			eng De-Ming Lu		2016/03/16				ecn no -							
TOLERANCES UNLESS OTHERWISE SPECIFIED			chr Fancy Zhang		2016/03/16				rel level Released							
			appr Pei-Ming Zheng		2016/03/16				product family PwrBlade ULTRA							
surface ISO 1302			linear		0.X ±0.5 0.XX ±0.25 0.XXX ±0.130		Amphenol FCI		title 2HP+2IS+6LP, SOLDER R/A PLUG, PwrBlade ULTRA				dwg no 10127397-04HI420		rev A	
			angular 0° ±2°				cat. no. -		Product - Customer Drw				sheet 2 of 3			

PDS: Rev :A

STATUS:Released

Printed: Mar 16, 2016

1

2

3

4

5

6

7

8

PRODUCT NUMBER

10127397-04HI420LF

NOTES:

1.

"FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2.

MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.

3.

PLATING SPECIFICATION: FCI 10135186.

4.

DENOTES CONNECTOR KEEP OUT ZONE.

5.

DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.

6.

ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

7.

1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER
25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE.

8.

PRODUCT SPECIFICATION: FCI GS-12-1176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.

Amphenol
FCI

© 2016 APCI

spec ref

-

tolerance std

ISO 406
ISO 1101

surface

ISO 1302

TOLERANCES UNLESS
OTHERWISE SPECIFIED

linear

0.X

±0.5

0.XX

±0.25

0.XXX

±0.130

angular

0°

±2°

dr

De-Ming Lu

2016/02/29

eng

De-Ming Lu

2016/03/16

chr

Fancy Zhang

2016/03/16

appr

Pei-Ming Zheng

2016/03/16

Amphenol
FCI

title

2HP+21S+6LP, SOLDER
R/A PLUG, PwrBlade ULTRA

cat. no.

-

projection

mm

size

A2

scale

2:1

ecn no

-

product family

PwrBlade ULTRA

rel level

Released

dwg no

10127397-04HI420

rev

A

Product - Customer Drw

sheet 3 of 3

PDS: Rev :A

STATUS:Released

Printed: Mar 16, 2016

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9