THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B9	ECO-17-009985	01SEP2017	KP	CS
	B10	REVISED PER ECO-17-012799	12SEP2017	JMS	CS
	B11	REVISED PER ECO-17-016057	02NOV2017	JMS	CS
	B12	REVISED PER ECO-18-000662	16JAN2018	JMS	CS



CPA CLOSED POSITION (3)



CPA PRE-LATCHED POSITION (2)







ISL PRE-LATCHED POSITION



ISL CLOSED POSITION

1. (1) PLUG HOUSING: PBT, 15% GLASS-FILLED, COLOR: SEE TABLE
   PERIPHERAL SEAL: SILICONE, GREEN
   MAT SEAL: SILICONE, BLUE
   SEAL COVER: NYLON 6/6, 15% GLASS-FILLED, BLACK
   ISL: NYLON 6/6, 35% GLASS-FILLED, NATURAL
   CPA: PBT, 33% GLASS-FILLED, GRAY
2. (2) OPTIONAL CPA & ISL SHOWN IN PRE-LATCHED, AS SHIPPED, POSITION.
3. (3) OPTIONAL CPA & ISL SHOWN IN CLOSED POSITION.
4. PLUG ASSEMBLY MATES WITH USCAR INTERFACE DRAWING 064-S-010-2-Z01.
5. PLUG ASSEMBLY WILL ACCEPT THE FOLLOWING TERMINAL PART NUMBERS: 2035170-1, 2035170-2
6. (6) PART NUMBERS MARKED AS PRELIMINARY HAVE NOT BEEN RELEASED PER FORMAL QUALIFICATIONS.
7. REFERENCE INSTRUCTION SHEET 408-10350 FOR ASSEMBLY INSTRUCTIONS.





SEE SHEET 2 FOR PART NUMBERS AND CIRCUIT CONFIGURATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.VINAY 25MAR2009	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.3 2 PLC ±0.1 3 PLC ±- 4 PLC ±- ANGLES ±1°	CHK MD BROWN 14APR2009	NAME PLUG ASSEMBLY, 10 POSITION (2x5), SEALED, GENERATION Y
MATERIAL - (1) -	FINISH - -	APVD MD BROWN 14APR2009	SIZE A2 / CAGE CODE 00779 / DRAWING NO C-2098269 / RESTRICTED TO -
		PRODUCT SPEC -	
		APPLICATION SPEC -	
		WEIGHT -	CUSTOMER DRAWING / SCALE 2:1 / SHEET 1 OF 2 / REV B12

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



VIEW ID-ID
SCALE 4:1

BLACK	RELEASED	C16	YES	A	5-2098269-1
GRAY	RELEASED	C15	YES	B	5-2098269-0
GRAY	RELEASED	C14	YES	B	4-2098269-9
GRAY	RELEASED	C8	YES	B	4-2098269-8
GREEN	RELEASED	C13	YES	D	4-2098269-7
BLACK	RELEASED	C12	YES	A	4-2098269-6
BLACK	RELEASED	C11	YES	A	4-2098269-5
BLACK	RELEASED	C10	YES	A	4-2098269-4
BLACK	RELEASED	C9	YES	A	4-2098269-3
BLACK	RELEASED	C8	YES	A	4-2098269-2
BLACK	RELEASED	C7	YES	A	4-2098269-1
BROWN	RELEASED	C6	YES	C	4-2098269-0
GRAY	RELEASED	C6	YES	B	3-2098269-9
BLACK	RELEASED	C5	YES	A	3-2098269-8
BLACK	RELEASED	C4	YES	A	3-2098269-7
BLACK	RELEASED	C3	YES	A	3-2098269-6
BLACK	RELEASED	C2	YES	A	3-2098269-5
GREEN	PRELIMINARY	C1	YES	D	3-2098269-4
BROWN	RELEASED	C1	YES	C	3-2098269-3
GRAY	RELEASED	C1	YES	B	3-2098269-2
BLACK	RELEASED	C1	YES	A	3-2098269-1
BLACK	RELEASED	C2	NO	A	2098269-5
GREEN	RELEASED	C1	NO	D	2098269-4
BROWN	PRELIMINARY	C1	NO	C	2098269-3
GRAY	PRELIMINARY	C1	NO	B	2098269-2
BLACK	RELEASED	C1	NO	A	2098269-1
COLOR	AVAILABILITY (6)	CIRCUIT CONFIGURATION	OPTIONAL CPA	KEYING OPTION	PART NUMBER

6.6	6.6	D
6.6	8.9	C
8.9	6.6	B
8.9	8.9	A
DIM B	DIM A	KEYING OPTION

C16	1 2 3 4 5 / X X	6 7 8 9 10 / X X X X X	C15	1 2 3 4 5 /	6 7 8 9 10 / X X X X
C14	1 2 3 4 5 /	6 7 8 9 10 / X X	C13	1 2 3 4 5 / X X X X X	6 7 8 9 10 / X X
C12	1 2 3 4 5 / X X X X X	6 7 8 9 10 / X X	C11	1 2 3 4 5 /	6 7 8 9 10 / X X X
C10	1 2 3 4 5 /	6 7 8 9 10 / X	C9	1 2 3 4 5 / X X	6 7 8 9 10 / X X X
C8	1 2 3 4 5 / X X X	6 7 8 9 10 / X X	C7	1 2 3 4 5 /	6 7 8 9 10 / X X X
C6	1 2 3 4 5 /	6 7 8 9 10 / X X	C5	1 2 3 4 5 /	6 7 8 9 10 / X
C4	1 2 3 4 5 / X X	6 7 8 9 10 / X X X	C3	1 2 3 4 5 / X	6 7 8 9 10 /
C2	1 2 3 4 5 / X X X	6 7 8 9 10 /	C1	1 2 3 4 5 /	6 7 8 9 10 /

CIRCUIT CONFIGURATION

[X] INDICATES UNAVAILABLE (BLOCKED) CIRCUIT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.3
2 PLC ±0.1
3 PLC ±-
4 PLC ±-
ANGLES ±1°

MATERIAL -
FINISH -

DWN S.VINAY 25MAR2009
CHK MD BROWN 14APR2009
APVD MD BROWN 14APR2009
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME PLUG ASSEMBLY, 10 POSITION (2x5), SEALED, GENERATION Y

SIZE A2 | CAGE CODE 00779 | DRAWING NO. C-2098269 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 2:1 | SHEET 2 OF 2 | REV B12

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9