






PRODUCT NUMBER

SEE SHEET 2




spec ref	*	dr	Rainbow Zhan	2016/03/10	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2016/04/25	chr	Fancy Zhang	2016/04/25	ecn no	-	
surface	linear	appr	Pei-Ming Zheng	2016/04/25	product family	PwrBlade+	rel level	Released		
ASME Y14.5	angular	0°	±2°	Amphenol FCi	9ACP	RA STB PLUG	dwg no	10106124-9000002	rev	A
www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3							

PRODUCT NO.	ROWS	HIGH POWER										
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	
10106124-9000002LF	DCBA											
												




CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
X	OMITTED

spec ref *				dr	Rainbow Zhan	2016/03/10	projection 	MM 	size	A3	scale	3:2	
tolerance std				eng	Rainbow Zhan	2016/04/25			ecn no				-
ASME Y14.5				chr	Fancy Zhang	2016/04/25			rel level				Released
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr	Pei-Ming Zheng	2016/04/25			product family				PwrBlade+
surface  ASME Y14.5	linear	0.X	±0.5	Amphenol FCi	title 9ACP RA STB PLUG				dwg no	10106124-9000002		rev A	
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw			sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION :10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION :GS-20-141.
PRODUCT PACKAGE SPECIFICATION:GS-14-1502.

spec ref *				dr	Rainbow Zhan	2016/03/10	projection 	MM 	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rainbow Zhan	2016/04/25			ecn no -				
ASME Y14.5				chr	Fancy Zhang	2016/04/25			rel level Released				
				appr	Pei-Ming Zheng	2016/04/25							
				product family			PwrBlade+						
surface	linear 	0.X	±0.5	Amphenol FCi	title 9ACP RA STB PLUG			dwg no	10106124-9000002			rev	A
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.				Product - Customer Drw				sheet 3 of 3

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9