

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002646	26FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151541-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911154
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911154

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		SIDE FEED SYSTEM III APPLICATOR			
		1 PLC ±					
		2 PLC ±		SIZE			
		3 PLC ±		CAGE CODE			
		4 PLC ±		DRAWING NO			
		ANGLES ±		RESTRICTED TO			
MATERIAL		FINISH		WEIGHT		C- 1911154	
				CUSTOMER DRAWING		SCALE	
				SHEET 1 OF 2		REV A1	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

FEED FINGER

1901694-1

SET UP GAGE

1901067-1

LOC

A

DIST

66

REVISONS

#	LYR	DESCRIPTION	DATE	OWN	APVD
A	RELEASED		31JAN2008	GH	GB

PART NUMBER

REV

DESCRIPTION

PROGRAMMED MEMORY CHIP

1911154-1	A	CUTS CARRIER	8-1911154-1
1911154-6	A	CONTINUOUS CARRIER	8-1911154-6
7-1911154-1	A	-1 AND SPARE PARTS	9-1911154-1
7-1911154-6	A	-6 AND SPARE PARTS	9-1911154-6
7-1911154-7	A	SPARE PARTS KIT	-

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	1.27mm [.050]	F
INSUL	1.83mm [.072]	O

APPL INSTRUCTIONS

408-10135

TERMINAL DATA: TE TERMINAL

TYCO ELECTRONICS CRIMP SPEC

TERMINAL NAME: MICRO QUADLOK SYSTEM SOCKET

WIRE STRIP LENGTH

3.0-3.3 mm [.120-.131 IN]

INSULATION DIAMETER RANGE

1.15-1.60mm [.045-.062 IN]

TERMINAL APPL SPEC

114-18021

TERMINALS APPLIED

1-928918-1	1241918-1	1394702-2	968220-6
928918-1	1534116-1	968893-1	928999-1
928918-2	1534116-2	968220-1	928999-5
1-928918-2	1394702-1	968220-5	928999-6

WIRE SIZE

CRIMP HEIGHT

mm[INCH]

0.5mm ²	.92±.03 [.036±.001]
0.35mm ²	.82±.03 [.032±.001]
0.25mm ²	.76±.03 [.030±.001]
0.2mm ²	.73±.03 [.029±.001]

1

RECOMMENDED SPARE PARTS.

2

GREASE BEARING SURFACES LIGHTLY.

3

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

4

ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.

5

APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

6

APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.

7

WIRE CRIMP HEIGHTS AND WIDTH MAY NOT CONFORM TO APPLICATION SPECIFICATION.

-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1901048-1	TAG,IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	51
-	1	1	1	1	1-1752354-7	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-2	RING,INSULATION CRIMP	38
-	1	1	1	1	1752356-1	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1-1320908-7	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-1	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	-	1	1320921-1	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	454276-1	FLOATING SHEAR, FRONT	9
1	2	2	1	1	1333233-1	ANVIL, COMBINATION	8
-	1	1	1	1	1-455889-4	DEPRESSOR, SHEAR	5
-	1	1	1	1	1-238011-0	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	904741-7	CRIMPER, INSUL O PREMIUM	3
-	1	1	1	1	455888-3	SPACER, CRIMPER	2
1	2	2	1	1	2-1490019-3	CRIMPER, WIRE PREMIUM	1
-	77	-76	-71	-6	-1	PART NO	ITEM NO

DIMENSIONS:

INCHES[mm]

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

ITEM 30 LOCATED AT FRONT HOLES

29 REF

30 REF

ITEM 8 LOCATED AT FRONT HOLES

8 REF

34 REF

ITEM 177 LOCATED AT FRONT HOLES

177 REF

RETAINING PIN LOCATION

FEED TRACK POSITION

TERMINAL SUPPORT LOCATION

HOLDDOWN SET-UP

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±.004

±.020

[2.39±0.5]

OWN

HOFFNER

8NOV2007

COR

G.BAILEY

9NOV2007

APVD

G.BAILEY

9NOV2007

PRODUCT SPEC

SEE TABLE

APPLICATION SPEC

SEE TABLE

WEIGHT

SEE TABLE

CUSTOMER DRAWING

SCALE

3:5

SHEET

1

OF

1

REV

A

NAME

TYCO ELECTRONICS

HARRISBURG, PA 17105-3608

NAME

SIDE FEED SYSTEM III APPLICATOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A

00779

1911154

-

AMP 4805 REV 31MAR2000

Pro/ENGINEER DRAWING

CUSTOMER DRAWING

DRAWING NUMBER - 1911154 SHEET 2 OF 2 REV. A1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9