




D




C




B



A



- 1 HOUSING MATERIAL: LIQUID CRYSTAL POLYMER.
COLOR: NATURAL.
- 2 CONTACT MATERIAL: PHOSPHOR BRONZE.
- 3 CONTACT FINISH:(B)
UNDERPLATE (ENTIRE CONTACT):
0.00127 MIN NICKEL PER SAE-AMS-QQ-N-290
ON MATING SURFACES:
CONFORMS TO ALL TESTING SPECIFIED FOR TELCORDIA
UNCONTROLLED ENVIRONMENT.
ON LEADS:
0.0006 MIN MATTE TIN PER ASTM B 545 OVER UNDERPLATE.
LUBRICATION (MIN MATING SURFACES):
SURFACE CONDITIONER AFTER PLATING.
- 4 PART MARKING, LOCATED APPROXIMATELY AS SHOWN.
5. SEE SHEET 2 FOR SEQUENCING CHARTS.
- 6 DIMENSION APPLIES WHEN SEATED ON PRINTED CIRCUIT BOARD.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.MCMMASTER CHK R.WERTZ APVD R.WERTZ	15DEC04 15DEC04 15DEC04	Tyco Electronics Corporation Tyco Electronics Harrisburg, Pa 17105-3608	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0. PLC 1. PLC 2. PLC 3. PLC 4. PLC ANGLES	± - ± - ± 0.13 ± - ± - ± -	NAME	PIN ASSY,SIGNAL MODULE,Z-PACK 2mm FB, 4 ROW,48 POSN,PRESS FIT LEADS WITH SEQUENCING
MATERIAL	FINISH	WEIGHT	—	SIZE A1	CAGE CODE 00779
CUSTOMER DRAWING		SCALE	4:1	SHEET	1 OF 2
		REV	C		

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	-,-
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.		

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

D	—	—	E	E	—	E	E	E	E	E	E	D	5223611—1	
C	E	E	E	E	E	E	E	E	E	E	E	C		
B	E	E	E	E	E	E	E	E	E	E	E	B		
A	—	—	—	—	—	N	N	N	N	T	T	A	PART NUMBER	
ROW	1	2	3	4	5	6	7	8	9	10	11	12		ROW
CONTACT LOAD CHART														

D	E	E	E	E	E	E	E	E	N	E	E	D	2-5223611-8- 
C	E	E	E	E	E	E	E	E	N	E	E	C	
B	E	E	E	E	E	E	E	E	N	E	E	B	
A	E	E	E	E	E	E	E	E	N	E	E	A	PART NUMBER
ROW	1	2	3	4	5	6	7	8	9	10	11	12	
CONTACT LOAD CHART													

Y 	7.25	13.60
X 	6.50	13.60
J 	6.50	4.25
A 	5.00	4.25
SS 	8.00	13.60
UU 	5.75	13.60
T 	8.00	4.25
N 	7.25	4.25
E 	5.75	4.25
CONTACT LETTER	DIM Y	DIM Z

D	UUUUUUSSSSUUUUUUSSSSSS	D	5223611-2
C	UUUUUUSSSSUUUUUUSSSSSS	C	
B	UUUUUUSSSSUUUUUUSSSSSS	B	
A	UUUUUUSSSSUUUUUUSSSSSS	A	
ROW	1 2 3 4 5 6 7 8 9 10 11 12	ROW	PART NUMBER
CONTACT LOAD CHART			

D	E	E	E	E	E	E	J	J	E	N	N	D	2-5223611-9- 
C	E	E	E	E	E	E	J	J	E	N	N	C	
B	E	E	E	E	E	E	J	J	E	N	N	B	
A	E	E	E	E	E	E	J	J	E	N	N	A	
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW
CONTACT LOAD CHART													

D	T	A	A	A	T	A	T	A	T	A	T	D	5223611-3
C	J	A	A	A	T	T	A	T	A	T	A	C	
B	J	A	A	A	T	A	T	A	T	A	A	B	
A	J	A	A	A	T	T	A	T	A	T	A	A	PART NUMBER
ROW	1	2	3	4	5	6	7	8	9	10	11	12	
CONTACT LOAD CHART													

D	E	E	E	E	E	N	E	E	E	E	D	3-5223611-0			
C	E	E	E	E	E	N	E	E	E	E	C				
B	E	E	E	E	E	N	E	E	E	E	B				
A	E	E	E	E	E	N	E	E	E	A	A				
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	PART NUMBER	
CONTACT LOAD CHART															

D	A	A	A	A	A	A	A	A	A	A	A	D	5223611-4	
C	A	A	A	A	A	A	A	A	A	A	A	C		
B	J	J	J	J	J	J	J	J	J	J	J	B		
A	A	A	A	A	A	A	A	A	A	A	A	A	PART NUMBER	
ROW	1	2	3	4	5	6	7	8	9	10	11	12		ROW
CONTACT LOAD CHART														

D	UUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	Y	UUUU	D	3-5223611-1 OBSOLETE
C	UUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	Y	UUUU	C	
B	UUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	Y	UUUU	B	
A	UUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	Y	UUUU	A	
ROW	1 2 3 4 5 6 7 8 9 10 11 12	ROW	PART NUMBER		
CONTACT LOAD CHART					

D	T	J	J	J	J	J	J	J	J	T	D	-5223611-5	7		
C	T	J	J	J	J	J	J	J	J	T	C				
B	T	J	J	J	J	J	J	J	J	T	B				
A	T	J	J	J	J	J	J	J	J	T	A	PART NUMBER			
ROW	1	2	3	4	5	6	7	8	9	10	11			12	ROW
CONTACT LOAD CHART															

D	U	U	U	U	U	U	U	U	U	U	U	U	U	X	X	U	U	Y	Y	D	3-5223611-2 OBSOLETE
C	U	U	U	U	U	U	U	U	U	U	U	U	U	X	X	U	U	Y	Y	C	
B	U	U	U	U	U	U	U	U	U	U	U	U	U	X	X	U	U	Y	Y	B	
A	U	U	U	U	U	U	U	U	U	U	U	U	U	X	X	U	U	Y	Y	A	PART NUMBER
ROW	1	2	3	4	5	6	7	8	9	10	11	12								ROW	
CONTACT LOAD CHART																					

D	SS		X		X		X		X		SS	D	-5223611-7 	
C	SS				X		X		X		SS	C		
B	SS		X		X		X		X		SS	B		
A	SS				X		X		X		SS	A		
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	PART NUMBER
CONTACT LOAD CHART														

D	Y	U	U	U	U	U	U	U	U	U	U	U	U	U	G	U	U	U	C	3-5223611-3 OBSOLETE	
C	Y	U	U	U	U	U	U	U	U	U	U	U	U	U	Y	U	U	U	B		
B	Y	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	B		
A	Y	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	A	PART NUMBER	
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW								
CONTACT LOAD CHART																					

D	X	X	X	X	X	X	X	X	X	X	X	D	-5223611-8 	
C	X	X	X	X	X	X	X	X	X	X	X	C		
B	X	X	X	X	X	X	X	X	X	X	X	B		
A	X	X	X	X	X	X	X	X	X	X	X	A	PART NUMBER	
ROW	1	2	3	4	5	6	7	8	9	10	11	12		ROW
CONTACT LOAD CHART														

D	J	J	J	J	J	E	N	E	N	E	N	E	N	E	D	3-5223611-4
C	J	J	J	J	E	N	E	N	E	N	E	N	E	N	C	
B	J	J	J	J	J	J	J	J	J	J	J	J	J	J	B	
A	J	J	J	J	J	J	J	J	J	J	J	J	J	J	A	
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	PART NUMBER		
CONTACT LOAD CHART																

D	E	F	E	E	E	E	E	E	E	E	E	T	D	-5223611-9	
C	E	E	E	E	E	E	E	E	E	E	E	T			
B	N	E	E	E	E	E	E	E	E	E	N	B			
A	E	E	E	E	E	E	E	E	E	E	T	A	PART NUMBER		
ROW	1	2	3	4	5	6	7	8	9	10	11	12		ROW	
CONTACT LOAD CHART															

D	N	N	J	J	N	N	N	N	E	E	E	E	C	3-5223611-5
C	N	N	J	J	N	N	N	N	E	N	N	N	C	
B	N	N	J	J	N	N	N	N	N	E	N	N	B	
A	N	N	J	J	N	N	E	E	E	N	N	N	A	PART NUMBER
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	
CONTACT LOAD CHART														

D	T	J	J	J	J	T	D	1-5223611-6- 						
C	T	J	J	J	J	T	C							
B	T	J	J	J	J	T	B							
A	T	J	J	J	J	T	A							
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	PART NUMBER
CONTACT LOAD CHART														

C	E	E	E	E	E	E	E	E	E	E	D						3-5223611-7
C	E	E	E	E	E	E	E	E	E	E	C						OBSELETE
B	E	E	E	E	E	E	E	E	E	E	B						
A	N	N	N	N	T	T	N	N	N	T	A						PART NUMBER
ROW	1	2	3	4	5	6	7	8	9	10	11	12					
	CONTACT LOAD CHART																

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. R.MCMMASTER 15DEC04		 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS SPECIFIED:		NAME	
mm		R.WERTZ 15DEC04		PIN ASSY,SIGNAL MODULE,Z-PACK 2mm FB, 4 ROW,48 POSN,PRESS FIT LEADS WITH SEQUENCING	
		APVD: R.WERTZ 15DEC04 PRODUCT SPEC APPLICATION SPEC — WEIGHT —		SIZE CAGE CODE DRAWING NO A1 00779 ©-5223611 RESTRICTED TO —	
MATERIAL SEE SHEET 1		FINISH SEE SHEET 1		SCALE 4:1 SHEET 2 OF 2 REV C	
CUSTOMER DRAWING					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9