



PNEUMATIC





The diagrams illustrate three different feed mechanisms for the tool holder:

- MECHANICAL POST FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is controlled by a lever (47) and a pin (49).
- MECHANICAL PRE FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is controlled by a lever (48) and a pin (49).
- AIR FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is controlled by a lever (248) and a pin (49).



ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

THIS DRAWING IS A CONFIDENTIAL DOCUMENT FOR TFCO INDUSTRIES CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLS AND ENGINEERING ORGANIZATION SHOULD BE NOTIFIED FOR THE LATEST REVISIONS		DWN Y YIN 15SEP2011 CHK G BAILEY 15SEP2011 APPV S XI 15SEP2011		 TE Connectivity Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±.1		NAME Ocean Side Feed Applicator	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A 1	
MATERIAL -		FINISH -		CAGE CODE 00779	
WEIGHT -		DRAWING NO C=2151058		RESTRICTED TO -	
Customer Accessible Production Drawing				SCALE 1:2 SHEET 2 OF 4 REV F	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
A	66	-	-	SEE SHEET 1	-	-

D

C

B

A


D

C


B

A


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE




CAM POSITIONS



TERMINAL SUPPORT LOCATION



HOLDDOWN SET-UP



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Y. YIN		15SEP2011		STE		TE Connectivity		Harrisburg, PA 17105-3608	
mm		0 PLC ±0.5		CHK		G. BAILEY		15SEP2011		NAME		Ocean Side Feed		-	
APVD		1 PLC ±0.13		APVD		S. XI		15SEP2011		PRODUCT SPEC		SIZE		CAGE CODE	
MATERIAL		2 PLC ±0.013		MATERIAL		-		-		APPLICATION SPEC		DRAWING NO		RESTRICTED TO	
FINISH		3 PLC ±0.013		FINISH		-		-		WEIGHT		00779		2151058	
-		4 PLC ±0.0001		-		-		-		Customer Accessible Production Drawing		SCALE		1:2	
-		ANGLES		-		-		-		SHEET		4		OF	
-		-		-		-		-		REV		E		-	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9