









PRODUCT NUMBER
10131868-101LF



spec ref -		dr S ALOSIOUS		2015/09/23		projection		mm		size A3		scale 2:1							
tolerance std		eng S ALOSIOUS		2016/02/23						ecn no		ELX-22463-4							
ISO 406		chr -		-						rel level		Released							
ISO 1101		appr K-PAUL BIJU		2016/02/24		product family		METRAL HDXS											
surface		linear		0.X		±0.3		Amphenol FCI		title		HYBRID SIGNAL&POWER OCTIS RA BOARD CONNECTOR		dwg no		10131868-101		rev	
				0.XX		±0.10				8 SIG 2 PWR PIP TERMINATION								B	
				0.XXX		±0.050													
ISO 1302		angular		0°		±2°				cat. no.		-		Product - Customer Drw		sheet 1 of 4			

VIEW FROM COMPONENT SIDE







NOTES:

1. MATERIAL :
- RESIN - LCP, GLASS FILLED, FLAME RETARDANT ACC
FLAMMABILITY CLASIFICATION - UL94-V0
- SIGNAL & POWER CONTACTS - COPPER ALLOY
2. PLATING :
- GOLD OVER PALLADIUM NICKEL ON CONTACT AREA OF SIGNALS
PURE TIN AT TERMINAL AREA OF SIGNALS
- PURE TIN ON POWER CONTACTS
3. PRODUCT SPECIFICATION: GS-12-1334
4. APPLICATION SPECIFICATION: GS-20-0454
5. PACKAGING - TAPE & REEL
PACKAGING SPECIFICATION: GS-XX-XXX
6. UNDER PLATING FOR CONTACTS IS 1.27µm NICKEL.
7. PRODUCT WILL WITHSTAND EXPOSURE TO 260° FOR 60 SECONDS IN A CONVECTION, INFRA RED OR VAPOUR PHASE REFLOW OVEN
8. PRODUCT WHERE THE PARTNUMBER ENDS IN LF MEETS EUROPEAN DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.

	SIGNAL PTH DETAILS	POWER PTH DETAILS
DRILLED HOLE	0.82-0.87mm	1.37-1.42mm
COPPER PLATING	25-50µm	25-50µm
TIN PLATING	0.8-1.2µm	0.8-1.2µm
FINISHED HOLE DIA	0.70-0.80mm	1.25-1.35mm

spec ref	-	dr	S ALOSUIS	2015/09/23	projection	mm	size	A3	scale	2:1
tolerance std	ISO 406 ISO 1101	eng	S ALOSUIS	2016/02/23	chr	-	ecn no	ELX-22463-4	rel level	Released
surface	linear	appr	K-PAUL BIJU	2016/02/24	product family	METRAL HDXS	cat. no.	-	Product - Customer Drw	sheet 2 of 4
ISO 1302	angular	0°	±2°	Amphenol FCI	HYBRID SIGNAL&POWER OCTIS RA BOARD CONNECTOR	8 SIG 2 PWR PIP TERMINATION	dwg no	10131868-101	rev	B

PACKAGING SPECIFICATION



TAPE & REEL PACKING DETAILS





NOTES:

- 1. CONNECTORS PACKED PER REEL : 150 PIECES
- 2. PACKAGING DETAILS AS PER EIA-481 STD.
- 3. PACKING SHOULD BE ANTISTATIC.
- 4. MATERIAL :
CARRIER TAPE : POLYSTYRENE
COVER TAPE : POLYSTYRENE

spec ref -		dr		S ALOSIOUS	2015/09/23			size	A3	scale	1:1	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng				S ALOSIOUS	2016/02/23	ecn no ELX-I-22463-4		
				chr				-	-			
				appr		K-PAUL BIJU	2016/02/24	product family			-	rel level
surface ISO 1302	linear	0.X	±0.3	Amphenol FCI	title HYBRID SIGNAL&POWER OCTIS RA BOARD CONNECTOR 8 SIG 2 PWR PIP TERMINATION	dwg no 10131868-101	rev B					
		0.XX	±0.10									
		0.XXX	±0.050									
	angular	0°	±2°					cat. no.	-	Product - Customer Drw		sheet 3 of 4

Amphenol FCI

© 2016 AFCI



BOARD CONNECTOR WITH BULKHEAD

spec ref -				dr S ALOSIOUS		2015/09/23		projection 	mm 	size A3		scale 1:2	
tolerance std				eng S ALOSIOUS		2016/02/23				ecn no ELX-I-22463-4			
ISO 406 ISO 1101				chr -		-				rel level Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr K-PAUL BIJU		2016/02/24		product family METRAL HDXS					
surface  ISO 1302		linear	0.X	±0.3	Amphenol FCi	title HYBRID SIGNAL&POWER OCTIS RA BOARD CONNECTOR			dwg no 10131868-101	rev B			
			0.XX	±0.10									
			0.XXX	±0.050		8 SIG 2 PWR PIP TERMINATION							
ISO 1302		angular	0°	±2°	cat. no. -		Product - Customer Drw				sheet 4 of 4		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9