

## Tool set - TOOL-KIT STANDARD - 1212422

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)




Toolbag case, equipped with: ferrule crimping pliers, stripping pliers, insulation stripper, cable cutter  
Screwdriver bladed: 0.6x3.5, 50 pcs. 5-pos. junction box connectors up to 2.5 mm<sup>2</sup>  
Tape measure, tool compartment

### Product Features

- ✓ Rugged and heavy-duty tool bags
- ✓ Universal tool sets, with cutting, stripping, crimping, and testing tools from the TOOL fox tool range

### Key commercial data

|                      |   |
|----------------------|---|
| Packing unit         | 1 PCE   |
| Catalog page         | Page 298 (CL2-2011)   |
| GTIN                 | <br>4 046356 503297 |
| Custom tariff number | 82060000  |
| Country of origin    | SWEDEN  |

### Technical data

#### General

|            |        |
|------------|--------|
| Length (b) | 165 mm |
| Height     | 315 mm |
| Width (a)  | 65 mm  |
| Color      | black  |

### Articles in set

Crimping pliers - CRIMPFOX 6S-F - 1212043



Crimping pliers, for ferrules as per DIN 46228 section 1+4, 0.5 - 6 mm<sup>2</sup>, insertion from the front, square crimp

## Tool set - TOOL-KIT STANDARD - 1212422

### Articles in set

---

#### Stripping tool - WIREFOX 10 - 1212150



Stripping tool, for cables and conductors from 0.02 - 10 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

---

#### Stripping tool - WIREFOX-D 40 - 1212161



Stripping tool, for stripping cables of 4.5 mm - 40 mm-Ø, insulation thickness of up to 4.5 mm, pivoting blade for round, lengthwise, and spiral cuts

---

#### Cable-cutting tool - CUTFOX 18 - 1212129



Cable cutter, angled, for copper and aluminum up to 18 mm diameter (up to 50 mm<sup>2</sup>)

---

#### Screwdriver - SZF 1-0,6X3,5 - 1204517



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

---

#### Socket terminal block - JBC 2,5/5 - 3240165



5-pos. socket terminal block with spring-cage connection, for toolless wiring with Push-in connection method, for one and multi-strand conductors with a cross section of 0.5 to 2.5 mm<sup>2</sup>, insulation housing transparent.

---

## Tool set - TOOL-KIT STANDARD - 1212422

### Articles in set

Tool bag - TOOL-KIT STANDARD EMPTY - 1212423



Tool box, empty

---

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000149 |
| ETIM 3.0 | EC000149 |
| ETIM 4.0 | EC000149 |
| ETIM 5.0 | EC000149 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 21040301 |
| eCl@ss 4.1 | 21040301 |
| eCl@ss 5.0 | 21043090 |
| eCl@ss 5.1 | 21043090 |
| eCl@ss 6.0 | 21049190 |
| eCl@ss 7.0 | 21049190 |

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9