


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

A

FCI

B



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	.042 [1.07]	POWER
H	N/A [N/A]	SIGNAL
G	N/A [N/A]	SIGNAL
F	N/A [N/A]	SIGNAL
E	N/A [N/A]	SIGNAL

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
lfr	ecr no.	dr	date	linear	.XX±.01/0.X±0.3	projection 		title 8P + 28S + 4P + 2ACP R/A SOLDER RECEPTACLE	
A	DG04-0108	LH	12/29/04		.XXX±.005/0.XX±0.13				
					.XXX±.0020/0.XXX±0.051				
				angles	0°±2°	INCH/MM scale 1:1		product family PwrBlade code 213 sheet 1 of 4	
				dr	LH 12/29/04				
				enrg	LH 12/29/04				
				chr	VICTOR LIN 12/29/04			size 51915-065	
				appd	JOSEPH HSIA 12/29/04				
sheet index	revision sheet	A 1	A 2	A 3	A 4				

Pro/E

PDM: Rev: A





STAT: Released

Printed: Dec 20, 2010

FCI

PRODUCT NUMBER

51915-065
NOTE ③



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		A FCI www.fciconnect.com	
lir	ecr no.	dr	date	linear	XX±.01/0.X±0.3		COPY		title 8P + 28S + 4P + 2ACP R/A SOLDER RECEPTACLE
A					XXX±.005/0.XX±0.13		projection		
					XXXX±.0020/0.XXX±0.051				
				angles	0°±2°				
				dr	LH	12/29/04	INCH/MM		product family PwrBlade
				enrg	LH	12/29/04	scale		code 213
				chr	VICTOR LIN	12/29/04	1:1		sheet
				appd	JOSEPH HSIA	12/29/04			2 of 4
sheet index	revision sheet								

Pro/E


PDM: Rev: A

STAT: **Released**

Printed: Dec 20, 2010


A

B



A

B

mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				A FCI www.fciconnect.com			
lir		ecn no.		dr		date		linear	.XX±.01/0.X±0.3		projection 	COPY		title 8P + 28S + 4P +2ACP R/A SOLDER RECEPTACLE					
A									.XXX±.005/0.XX±0.13										
									angles	.XXX±.0020/0.XXX±0.051									
										0°±2°									
									dr LH 12/29/04		INCH/MM		product family PwrBlade		code				
									enrg LH 12/29/04		scale		size dwg no		213				
									chr VICTOR LIN 12/29/04		1:1		A 51915-065		sheet				
									appd JOSEPH HSIA 12/29/04						3 of 4				
sheet index		revision sheet																	

PRODUCT NUMBER

51915-065--
NOTE (3)

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.
CONNECTOR NOTES:
 2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 3. PLATING:
51915-065 - 50u"/1.27um Ni UNDER ALL
SIGNAL PINS: 30u"/0.76um Au ON CONTACT AREA, 100u"/2.54um SnPb ON TERMINATION AREA
POWER PINS: 30u"/0.76um Au ON CONTACT AREA, 100u"/2.54um SnPb ON TERMINATION AREA
51915-065LF - 50u"/1.27um Ni UNDER ALL
SIGNAL PINS: 30u"/0.76um Au ON CONTACT AREA, 78u"/2.00um Sn ON TERMINATION AREA
POWER PINS: 30u"/0.76um Au ON CONTACT AREA, 78u"/2.00um Sn ON TERMINATION AREA
PART NUMBERS 51915-065LF MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 9. $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH .0003 [0.008] MIN SnPb OVER .001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
 10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 11. CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		A FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX $\pm$.01 / 0.X $\pm$ 0.3		COPY		title 8P + 28S + 4P + 2ACP R/A SOLDER RECEPTACLE		
A					.XXX $\pm$.005 / 0.XX $\pm$ 0.13		projection				
					.XXX $\pm$.0020 / 0.XXX $\pm$ 0.051						
				angles	0° $\pm$ 2°				product family PwrBlade code 213 size dwg no 51915-065 sheet 4 of 4		
				dr	LH	12/29/04	INCH/MM				
				enrg	LH	12/29/04	scale 1:1				
				chr	VICTOR LIN 12/29/04						
				appd	JOSEPH HSIA 12/29/04						
sheet index	revision sheet										

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9