





LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
ES	00		A6	UPDATE -2 NOTES	05FEB2013	AY	SZ	
			A7	ADD NEW DASH NUMBER -5	22APR2014	AL	SZ	



- △ "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- △ MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- △ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- △ MECHANICAL CONNECTOR KEEP OUT ZONE.
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- △ PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- △ PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.
- △ FOR "S+P" CONFIGURATION, VARIABLE DIMENSIONS PLEASE REFER TO SHEET2.



A7	.200	2.350	2.140	.745	2.250	.270	2.490	16S + 8HDP	△8	6450881-5
	.250	3.700	3.490	.770	3.600	.295	3.840	16S + 12P	△8	6450881-3
	.250	3.200	2.990	.770	3.100	.295	3.340	16S + 10P		6450881-2
	-	5.505	5.295	5.2275	5.405	.295	5.645	196S + 1LP		6450881-1
	DIM T	DIM V	DIM U	DIM W	DIM D	DIM K	DIM L	DESCRIPTION		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL
: △2

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.0
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0050
ANGLES ±.2°
FINISH : △3

DWN S. ZHAO 03FEB2008
CHK S. ZHAO 03FEB2008
APVD S. YAO

PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13038
WEIGHT -

CUSTOMER DRAWING

NAME
RIGHT ANGLE RECEPTACLE WITH LP AND SHORT END MODUAL MULTI-BEAM XLE




SIZE A1
CAGE CODE 00779
DRAWING NO 6450881

RESTRICTED TO -

TE Connectivity

SCALE 3:1
SHEET 1 OF 5
REV A7

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



⚠ FOR "S+P" CONFIGURATION
UNSPECIFIED DIMENSIONS REFER TO SHEET 1

A2




A2


A2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.ZHAO	03FEB2008	 TE Connectivity		
		CHK S.ZHAO	03FEB2008			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RIGHT ANGLE RECEPTACLE WITH LP AND SHORT END MODUAL MULTI-BEAM XLE		
INCHES						
		0 PLC	±	SIZE A1		
		1 PLC	±0			
		2 PLC	±.01	DRAWING NO 6450881		
		3 PLC	±.01			
		4 PLC	±.005			
		5 PLC	±.005			
		6 PLC	±.0050			
		7 PLC	±.0050			
		8 PLC	±.0050			
		9 PLC	±.0050			
		10 PLC	±.0050			
		11 PLC	±.0050			
		12 PLC	±.0050			
		13 PLC	±.0050			
		14 PLC	±.0050			
		15 PLC	±.0050			
		16 PLC	±.0050			
		17 PLC	±.0050			
		18 PLC	±.0050			
		19 PLC	±.0050			
		20 PLC	±.0050			
		21 PLC	±.0050			
		22 PLC	±.0050			
		23 PLC	±.0050			
		24 PLC	±.0050			
		25 PLC	±.0050			
		26 PLC	±.0050			
		27 PLC	±.0050			
		28 PLC	±.0050			
		29 PLC	±.0050			
		30 PLC	±.0050			
		31 PLC	±.0050			
		32 PLC	±.0050			
		33 PLC	±.0050			
		34 PLC	±.0050			
		35 PLC	±.0050			
		36 PLC	±.0050			
		37 PLC	±.0050			
		38 PLC	±.0050			
		39 PLC	±.0050			
		40 PLC	±.0050			
		41 PLC	±.0050			
		42 PLC	±.0050			
		43 PLC	±.0050			
		44 PLC	±.0050			
		45 PLC	±.0050			
		46 PLC	±.0050			
		47 PLC	±.0050			
		48 PLC	±.0050			
		49 PLC	±.0050			
		50 PLC	±.0050			
		51 PLC	±.0050			
		52 PLC	±.0050			
		53 PLC	±.0050			
		54 PLC	±.0050			
		55 PLC	±.0050			
		56 PLC	±.0050			
		57 PLC	±.0050			
		58 PLC	±.0050			
		59 PLC	±.0050			
		60 PLC	±.0050			
		61 PLC	±.0050			
		62 PLC	±.0050			
		63 PLC	±.0050			
		64 PLC	±.0050			
		65 PLC	±.0050			
		66 PLC	±.0050			
		67 PLC	±.0050			
		68 PLC	±.0050			
		69 PLC	±.0050			
		70 PLC	±.0050			
		71 PLC	±.0050			
		72 PLC	±.0050			
		73 PLC	±.0050			
		74 PLC	±.0050			
		75 PLC	±.0050			
		76 PLC	±.0050			
		77 PLC	±.0050			
		78 PLC	±.0050			
		79 PLC	±.0050			
		80 PLC	±.0050			
		81 PLC	±.0050			
		82 PLC	±.0050			
		83 PLC	±.0050			
		84 PLC	±.0050			
		85 PLC	±.0050			
		86 PLC	±.0050			
		87 PLC	±.0050			
		88 PLC	±.0050			
		89 PLC	±.0050			
		90 PLC	±.0050			
		91 PLC	±.0050			
		92 PLC	±.0050			
		93 PLC	±.0050			
		94 PLC	±.0050			
		95 PLC	±.0050			
		96 PLC	±.0050			
		97 PLC	±.0050			
		98 PLC	±.0050			
		99 PLC	±.0050			
		100 PLC	±.0050			
		101 PLC	±.0050			
		102 PLC	±.0050			
		103 PLC	±.0050			
		104 PLC	±.0050			
		105 PLC	±.0050			
		106 PLC	±.0050			
		107 PLC	±.0050			
		108 PLC	±.0050			
		109 PLC	±.0050			
		110 PLC	±.0050			
		111 PLC	±.0050			
		112 PLC	±.0050			
		113 PLC	±.0050			
		114 PLC	±.0050			
		115 PLC	±.0050			
		116 PLC	±.0050			
		117 PLC	±.0050			
		118 PLC	±.0050			
		119 PLC	±.0050			
		120 PLC	±.0050			
		121 PLC	±.0050			
		122 PLC	±.0050			
		123 PLC	±.0050			
		124 PLC	±.0050			
		125 PLC	±.0050			
		126 PLC	±.0050			
		127 PLC	±.0050			
		128 PLC	±.0050			
		129 PLC	±.0050			
		130 PLC	±.0050			
		131 PLC	±.0050			
		132 PLC	±.0050			
		133 PLC	±.0050			
		134 PLC	±.0050			
		135 PLC	±.0050			
		136 PLC	±.0050			
		137 PLC	±.0050			
		138 PLC	±.0050			
		139 PLC	±.0050			
		140 PLC	±.0050			
		141 PLC	±.0050			
		142 PLC	±.0050			
		143 PLC	±.0050			
		144 PLC	±.0050			
		145 PLC	±.0050			
		146 PLC	±.0050			
		147 PLC	±.0050			
		148 PLC	±.0050			
		149 PLC	±.0050			
		150 PLC	±.0050			
		151 PLC	±.0050			
		152 PLC	±.0050			
		153 PLC	±.0050			
		154 PLC	±.0050			
		155 PLC	±.0050			
		156 PLC	±.0050			
		157 PLC	±.0050			
		158 PLC	±.0050			
		159 PLC	±.0050			
		160 PLC	±.0050			
		161 PLC	±.0050			
		162 PLC	±.0050			
		163 PLC	±.0050			
		164 PLC	±.0050			
		165 PLC	±.0050			
		166 PLC	±.0050			
		167 PLC	±.0050			
		168 PLC	±.0050			
		169 PLC	±.0050			
		170 PLC	±.0050			
		171 PLC	±.0050			
		172 PLC	±.0050			
		173 PLC	±.0050			
		174 PLC	±.0050			
		175 PLC	±.0050			
		176 PLC	±.0050			
		177 PLC	±.0050			
		178 PLC	±.0050			
		179 PLC	±.0050			
		180 PLC	±.0050			
		181 PLC	±.0050			
		182 PLC	±.0050			
		183 PLC	±.0050			
		184 PLC	±.0050			
		185 PLC	±.0050			
		186 PLC	±.0050			
		187 PLC	±.0050			
		188 PLC	±.0050			
		189 PLC	±.0050			
		190 PLC	±.0050			
		191 PLC	±.0050			
		192 PLC	±.0050			
		193 PLC	±.0050			
		194 PLC	±.0050			
		195 PLC	±.0050			
		196 PLC	±.0050			
		197 PLC	±.0050			
		198 PLC	±.0050			
		199 PLC	±.0050			
		200 PLC	±.0050			
		201 PLC	±.0050			
		202 PLC	±.0050			
		203 PLC	±.0050			
		204 PLC	±.0050			
		205 PLC	±.0050			
		206 PLC	±.0050			
		207 PLC	±.0050			
		208 PLC	±.0050			
		209 PLC	±.0050			
		210 PLC	±.0050			
		211 PLC	±.0050			
		212 PLC	±.0050			
		213 PLC	±.0050			
		214 PLC	±.0050			
		215 PLC	±.0050			
		216 PLC	±.0050			
		217 PLC	±.0050			
		218 PLC	±.0050			
		219 PLC	±.0050			
		220 PLC	±.0050			
		221 PLC	±.0050			
		222 PLC	±.0050			
		223 PLC	±.0050			
		224 PLC	±.0050			
		225 PLC	±.0050			
		226 PLC	±.0050			
		227 PLC	±.0050			
		228 PLC	±.0050			
		229 PLC	±.0050			
		230 PLC	±.0050			
		231 PLC	±.0050			
		232 PLC	±.0050			
		233 PLC	±.0050			
		234 PLC	±.0050			
		235 PLC	±.0050			
		236 PLC	±.0050			
		237 PLC	±.0050			
		238 PLC	±.0050			
		239 PLC	±.0050			
		240 PLC	±.0050			
		241 PLC	±.0050			
		242 PLC	±.0050			
		243 PLC	±.0050			
		244 PLC	±.0050			
		245 PLC	±.0050			
		246 PLC	±.0050			
		247 PLC	±.0050			
		248 PLC	±.0050			
		249 PLC	±.0050			
		250 PLC	±.0050			
		251 PLC	±.0050			
		252 PLC	±.0050			
		253 PLC	±.0050			
		254 PLC	±.0050			
		255 PLC	±.0050			
		256 PLC	±.0050			
		257 PLC	±.0050			
		258 PLC	±.0050			
		259 PLC	±.0050			
		260 PLC	±.0050			
		261 PLC	±.0050			
		262 PLC	±.0050			
		263 PLC	±.0050			
		264 PLC	±.0050			
		265 PLC	±.0050			
		266 PLC	±.0050			
		267 PLC	±.0050			
		268 PLC	±.0050			
		269 PLC	±.0050			
		270 PLC	±.0050			
		271 PLC	±.0050			
		272 PLC	±.0050			
		273 PLC	±.0050			
		274 PLC	±.0050			
		275 PLC	±.0050			
		276 PLC	±.0050			
		277 PLC	±.0050			
		278 PLC	±.0050			
		279 PLC	±.0050			
		280 PLC	±.0050			
		281 PLC	±.0050			
		282 PLC	±.0050			
		283 PLC	±.0050			
		284 PLC	±.0050			
		285 PLC	±.0050			
		286 PLC	±.0050			
		287 PLC	±.0050			
		288 PLC	±.0050			
		289 PLC	±.0050			
		290 PLC	±.0050			
		291 PLC	±.0050			
		292 PLC	±.0050			
		293 PLC	±.0050			
		294 PLC	±.0050			
		295 PLC	±.0050			
		296 PLC	±.0050			
		297 PLC	±.0050			
		298 PLC	±.0050			
		299 PLC	±.0050			
		300 PLC	±.0050			
		301 PLC	±.0050			
		302 PLC	±.0050			
		303 PLC	±.0050			
		304 PLC	±.0050			
		305 PLC	±.0050			
		306 PLC	±.0050			
		307 PLC	±.0050			
		308 PLC	±.0050			
		309 PLC	±.0050			
		310 PLC	±.0050			
		311 PLC	±.0050			
		312 PLC	±.0050			
		313 PLC	±.0050			
		314 PLC	±.0050			
		315 PLC	±.0050			
		316 PLC	±.0050			
		317 PLC	±.0050			
		318 PLC	±.0050			
		319 PLC	±.0050			
		320 PLC	±.0050			
		321 PLC	±.0050			
		322 PLC	±.0050			
		323 PLC	±.0050			
		324 PLC	±.0050			
		325 PLC	±.0050			
		326 PLC	±.0050			
		327 PLC	±.0050			
		328 PLC	±.0050			
		329 PLC	±.0050			
		330 PLC	±.0050			
		331 PLC	±.0050			
		332 PLC	±.0050			
		333 PLC	±.0050			
		334 PLC	±.0050			
		335 PLC	±.0050			
		336 PLC	±.0050			
		337 PLC	±.0050			
		338 PLC	±.0050			
		339 PLC	±.0050			
		340 PLC	±.0050			
		341 PLC	±.0050			
		342 PLC	±.0050			
		343 PLC	±.0050			
		344 PLC	±.0050			
		345 PLC	±.0050			
		346 PLC	±.0050			
		347 PLC	±.0050			
		348 PLC	±.0050			
		349 PLC	±.0050			
		350 PLC	±.0050			
		351 PLC	±.0050			
		352 PLC	±.0050			
		353 PLC	±.0050			
		354 PLC	±.0050			
		355 PLC	±.0050			
		356 PLC	±.0050			
		357 PLC	±.0050			
		358 PLC	±.0050			
		359 PLC	±.0050			
		360 PLC	±.0050			
		361 PLC	±.0050			
		362 PLC	±.0050			
		363 PLC	±.0050			
		364 PLC	±.0050			
		365 PLC	±.0050			
		366 PLC	±.0050			
		367 PLC	±.0050			
		368 PLC	±.0050			
		369 PLC	±.0050			
		370 PLC	±.0050			
		371 PLC	±.0050			
		372 PLC	±.0050			
		373 PLC	±.0050			
		374 PLC	±.0050			
		375 PLC	±.0050			
		376 PLC	±.0050			
		377 PLC	±.0050			
		378 PLC	±.0050			
		379 PLC	±.0050			
		380 PLC	±.0050			
		381 PLC	±.0050			
		382 PLC	±.0050			
		383 PLC	±.0050			
		384 PLC	±.0050			
		385 PLC	±.0050			
		386 PLC	±.0050			
		387 PLC	±.0050			
		388 PLC	±.0050			
		389 PLC	±.0050			
		390 PLC	±.0050			
		391 PLC	±.0050			
		392 PLC	±.0			

-NO CONTACT LOADEDA I4805 (3/11)

A6



[illegible]4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9