

COPYRIGHT 1999 2001

| Year | Number of cases | Percentage of cases |
|------|-----------------|---------------------|
| 1990 | 10              | 10.0                |
| 1991 | 15              | 15.0                |
| 1992 | 20              | 20.0                |
| 1993 | 25              | 25.0                |
| 1994 | 30              | 30.0                |
| 1995 | 35              | 35.0                |
| 1996 | 40              | 40.0                |
| 1997 | 45              | 45.0                |
| 1998 | 50              | 50.0                |
| 1999 | 55              | 55.0                |
| 2000 | 60              | 60.0                |
| 2001 | 65              | 65.0                |
| 2002 | 70              | 70.0                |
| 2003 | 75              | 75.0                |
| 2004 | 80              | 80.0                |
| 2005 | 85              | 85.0                |
| 2006 | 90              | 90.0                |
| 2007 | 95              | 95.0                |
| 2008 | 100             | 100.0               |
| 2009 | 105             | 105.0               |
| 2010 | 110             | 110.0               |
| 2011 | 115             | 115.0               |
| 2012 | 120             | 120.0               |
| 2013 | 125             | 125.0               |
| 2014 | 130             | 130.0               |
| 2015 | 135             | 135.0               |
| 2016 | 140             | 140.0               |
| 2017 | 145             | 145.0               |
| 2018 | 150             | 150.0               |
| 2019 | 155             | 155.0               |
| 2020 | 160             | 160.0               |
| 2021 | 165             | 165.0               |
| 2022 | 170             | 170.0               |
| 2023 | 175             | 175.0               |
| 2024 | 180             | 180.0               |
| 2025 | 185             | 185.0               |
| 2026 | 190             | 190.0               |
| 2027 | 195             | 195.0               |
| 2028 | 200             | 200.0               |
| 2029 | 205             | 205.0               |
| 2030 | 210             | 210.0               |
| 2031 | 215             | 215.0               |
| 2032 | 220             | 220.0               |
| 2033 | 225             | 225.0               |
| 2034 | 230             | 230.0               |
| 2035 | 235             | 235.0               |
| 2036 | 240             | 240.0               |
| 2037 | 245             | 245.0               |
| 2038 | 250             | 250.0               |
| 2039 | 255             | 255.0               |
| 2040 | 260             | 260.0               |
| 2041 | 265             | 265.0               |
| 2042 | 270             | 270.0               |
| 2043 | 275             | 275.0               |
| 2044 | 280             | 280.0               |
| 2045 | 285             | 285.0               |
| 2046 | 290             | 290.0               |
| 2047 | 295             | 295.0               |
| 2048 | 300             | 300.0               |
| 2049 | 305             | 305.0               |
| 2050 | 310             | 310.0               |
| 2051 | 315             | 315.0               |
| 2052 | 320             | 320.0               |
| 2053 | 325             | 325.0               |
| 2054 | 330             | 330.0               |
| 2055 | 335             | 335.0               |
| 2056 | 340             | 340.0               |
| 2057 | 345             | 345.0               |
| 2058 | 350             | 350.0               |
| 2059 | 355             | 355.0               |
| 2060 | 360             | 360.0               |
| 2061 | 365             | 365.0               |
| 2062 | 370             | 370.0               |
| 2063 | 375             | 375.0               |
| 2064 | 380             | 380.0               |
| 2065 | 385             | 385.0               |
| 2066 | 390             | 390.0               |
| 2067 | 395             | 395.0               |
| 2068 | 400             | 400.0               |
| 2069 | 405             | 405.0               |
| 2070 | 410             | 410.0               |
| 2071 | 415             | 415.0               |
| 2072 | 420             | 420.0               |
| 2073 | 425             | 425.0               |
| 2074 | 430             | 430.0               |
| 2075 | 435             | 435.0               |
| 2076 | 440             | 440.0               |
| 2077 | 445             | 445.0               |
| 2078 | 450             | 450.0               |
| 2079 | 455             | 455.0               |
| 2080 | 460             | 460.0               |
| 2081 | 465             | 465.0               |
| 2082 | 470             | 470.0               |
| 2083 | 475             | 475.0               |
| 2084 | 480             | 480.0               |
| 2085 | 485             | 485.0               |
| 2086 | 490             | 490.0               |
| 2087 | 495             | 495.0               |
| 2088 | 500             | 500.0               |
| 2089 | 505             | 505.0               |
| 2090 | 510             | 510.0               |
| 2091 | 515             | 515.0               |
| 2092 | 520             | 520.0               |
| 2093 | 525             | 525.0               |
| 2094 | 530             | 530.0               |
| 2095 | 535             | 535.0               |
| 2096 | 540             | 540.0               |
| 2097 | 545             | 545.0               |
| 2098 | 550             | 550.0               |
| 2099 | 555             | 555.0               |
| 2100 |                 |                     |



5-64 0-215030

565493

THIS IS A CONTROLLED DOCUMENT

11 21 MAY 01

RELEASED FOR PUBLICATION BY AMP INCORPORATED ALL RIGHTS RESERVED

REPRODUCTION PROHIBITED  
COPYRIGHT 1989 2001

| AMP 1125-3 (11/66) |                                     | S<br>I<br>Z<br>E | PART<br>NUMBER | QUANTITY REQUIRED |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   | REMARKS |     |   |      |   |      |   |      |   |
|--------------------|-------------------------------------|------------------|----------------|-------------------|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|---------|-----|---|------|---|------|---|------|---|
| ITEM<br>NO.        | DESCRIPTION                         |                  |                | - 1               |   | - 2 |   | - 3 |   | - 4 |   | - 5 |   | - 6 |   | - 7 |   | - 8 |   |         | - 9 |   | - 10 |   | - 11 |   | - 12 |   |
|                    |                                     |                  |                | U                 | T | U   | T | U   | T | U   | T | U   | T | U   | T | U   | T | U   | T |         | U   | T | U    | T | U    | T | U    | T |
| 1                  | CRIMPER .110 F                      | C                | 1-453919-8     |                   | 1 |     | 1 |     | - |     | - |     | - |     | - |     | - |     | - |         | -   |   | -    |   | -    |   | -    |   |
| 2                  | SCREW, SOC HD CAP 1/4-20 x .62      |                  | 21001-3        | 2                 |   | 2   |   | 2   |   | 2   |   | 4   |   | 2   |   | 4   |   | 2   |   | 4       |     | 2 |      | 2 |      | 2 |      |   |
| 3                  | ANVIL .110                          | A                | 453761-1       |                   | 1 |     | 1 |     | - |     | - |     | - |     | - |     | - |     | - |         | -   |   | -    |   | -    |   | -    |   |
| 4                  | SCREW, SOC HD CAP 1/4-20 x .75      |                  | 21001-4        | 1                 |   | 3   |   | 1   |   | 1   |   | 5   |   | 1   |   | 5   |   | -   |   | 5       |     | 3 |      | 3 |      | 3 |      |   |
| 5                  | SHEAR BLADE                         | B                | 453769-1       |                   | 1 |     | - |     | - |     | - |     | - |     | - |     | - |     | - |         | -   |   | -    |   | -    |   | -    |   |
| 6                  | SCREW SOC HD CAP #4-40 x .38        |                  | 1-21000-4      | 2                 |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2       |     | 2 |      | 2 |      | 2 |      |   |
| 7                  | BASE CASTING                        | C                | 570238         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 8                  | PLATE, BASE                         | B                | 372987         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 9                  | BLOCK, BASE                         | B                | 453762-1       |                   | 1 |     | - |     | 1 |     | 1 |     | 1 |     | - |     | 1 |     | - |         | 1   |   | 1    |   | 1    |   | -    |   |
| 10                 | SCREW, SOC HD CAP 5/16-18 x .88     |                  | 1-21001-9      | 2                 |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2       |     | 2 |      | 2 |      | 2 |      |   |
| 11                 | WASHER, SPRING LOCK 5/16            |                  | 21024-7        | 2                 |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2       |     | 2 |      | 2 |      | 2 |      |   |
| 12                 | RETAINER, SLIDE                     | A                | 372993         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 13                 | SCREW, SOC HD CAP #10-32 x .62      |                  | 3-21000-6      | 1                 |   | -   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | -       |     | - |      | - |      | - |      |   |
| 14                 | SLIDE                               | A                | 373003         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 15                 | PLATE, FEED                         | C                | 453772-1       |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | - |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 16                 | SCREW SOC HD CAP #10-32 x .50       |                  | 3-21000-5      | 2                 |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2       |     | 2 |      | 2 |      | 2 |      |   |
| 17                 | SPRING, SLIDE                       |                  | 2-24017-6      | 1                 |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1       |     | 1 |      | 1 |      | 1 |      |   |
| 18                 | SCREW, HEX HD CAP 3/8-16 x 1.00     |                  | 3-21015-1      | 3                 |   | 3   |   | 3   |   | 3   |   | 3   |   | 3   |   | 3   |   | 3   |   | 3       |     | 3 |      | 3 |      | 3 |      |   |
| 19                 | WASHER, FLAT 3/8 ID.                | A                | 371178         | 3                 |   | 2   |   | 3   |   | 3   |   | 3   |   | 3   |   | 3   |   | 2   |   | 3       |     | 2 |      | 2 |      | 2 |      |   |
| 20                 | SHEAR BLADE                         | B                | 453769-5       | -                 | - |     | 1 |     | - |     | - |     | - |     | - |     | - |     | - |         | -   |   | 1    |   | -    |   | 1    |   |
| 21                 | RAM                                 | B                | 453768-1       |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 22                 | SCREW SQ HD SET 1/4-20 x 1.50       |                  | 21077-7        | 1                 |   | 1   |   | 1   |   | 1   |   | -   |   | 1   |   | 1   |   | 1   |   | -       |     | 1 |      | 1 |      | 1 |      |   |
| 23                 | NUT, HEX 1/4-20                     |                  | 21019-1        | 1                 |   | 1   |   | 1   |   | 1   |   | -   |   | 1   |   | 1   |   | 1   |   | -       |     | 1 |      | 1 |      | 1 |      |   |
| 24                 | WIRE CRIMPER .140F" .187THK 40% LGS | C                | 456411-1       | -                 |   | -   |   | 1   |   | -   |   | -   |   | 1   |   | -   |   | -   |   | -       |     | - |      | - |      | - |      |   |
| 25                 | HOLDER, ANVIL                       | A                | 374348         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 26                 | AUX. ANVIL HOLDER                   | A                | 378975         |                   | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |     | 1 |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 27                 | SCREW, SOC HD CAP 3/8-16 x 1.25     |                  | 3-21001-6      | 1                 |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1       |     | 1 |      | 1 |      | 1 |      |   |
| 28                 | SCREW, SOC HD CAP 5/16-18 x .50     |                  | 1-21001-6      | 1                 |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1       |     | 1 |      | 1 |      | 1 |      |   |
| 29                 | ANVIL .140                          | B                | 453761-2       |                   | - |     | - |     | 1 |     | - |     | 1 |     | - |     | - |     | 1 |         | -   |   | -    |   | -    |   | -    |   |
| 30                 | SHEAR BLADE                         | B                | 453769-3       |                   | - |     | - |     | 1 |     | - |     | - |     | 1 |     | - |     | - |         | -   |   | -    |   | 1    |   | -    |   |
| 31                 | BLOCK, CUTTER A                     | B                | 453771-1       |                   | 1 |     | 1 |     | 1 |     | - |     | - |     | 1 |     | - |     | - |         | -   |   | 1    |   | 1    |   | 1    |   |
| 32                 | SCREW, SOC HD CAP #8-32 x .50       |                  | 2-21000-7      | 2                 |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | 2   |   | -   |   | 2       |     | - |      | - |      | 2 |      |   |
| 33                 | CUTTER, WIRE A                      | A                | 453749-1       |                   | 1 |     | 1 |     | 1 |     | - |     | 1 |     | 1 |     | 1 |     | - |         | 1   |   | 1    |   | 1    |   | 1    |   |
| 34                 | PIN, DOWEL .093 DIA x .63           |                  | 1-21919-3      | 1                 |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1       |     | 1 |      | 1 |      | 1 |      |   |
| 35                 | SCREW, SET SOC HD #6-32 x .50 LG    |                  | 2-21000-0      | 1                 |   | -   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1   |   | 1       |     | 1 |      | 1 |      | 1 |      |   |
| 36                 | WASHER FLAT #6                      |                  | 21055-5        | 1                 |   | -   |   | -   |   | -   |   | -   |   | -   |   | -   |   | -   |   | -       |     | - |      | - |      | - |      |   |

PRINT  
4

■ DENOTES WEARING PARTS  
RECOMMEND PURCHASE REPLACEMENT  
△ WHEN OPERATOR ITEM 22 TOUCHES TABLE,  
CUTTER SHOULD BE HOLDING WIRE TIGHT.

TITLE  
LIST OF MATERIALS

SPACE APPLICATOR

LOC. A

B NO. 565493

SHEET 2 OF 7

REV WJ

NOT DRAWING REPRODUCED--  
COPYRIGHT 1989 2001  
RELEASED FOR PUBLICATION 11 22 MAY 01  
BY AMP INCORPORATED. ALL RIGHTS RESERVED.

|                    |                               |               |
|--------------------|-------------------------------|---------------|
| DATE CODE<br>00779 | CUSTOMER AND ASSEMBLY DRAWING | RESTRICTED TO |
|--------------------|-------------------------------|---------------|

THIS IS A CONTROLLED DOCUMENT.

RELEASED FOR PUBLICATION 11 22 MAY 01

BY AMP INCORPORATED. ALL RIGHTS RESERVED.

THIS DRAWING IS UNCLASSIFIED  
COPYRIGHT 1999 2001

| AMP 1125-3 (11/66) |                                       | SIZE | PART NUMBER | QUANTITY REQUIRED |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |      |   |      |   |      |   | REMARKS |
|--------------------|---------------------------------------|------|-------------|-------------------|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|------|---|------|---|------|---|---------|
| ITEM NO.           | DESCRIPTION                           |      |             | - 1               |   | - 2 |   | - 3 |   | - 4 |   | - 5 |   | - 6 |   | - 7 |   | - 8 |   | - 9 |   | - 10 |   | - 11 |   | - 12 |   |         |
|                    |                                       |      |             | U                 | T | U   | T | U   | T | U   | T | U   | T | U   | T | U   | T | U   | T | U   | T | U    | T | U    | T | U    | T |         |
| 73                 | HOLD DOWN (TERM. A1766)               | A    | 453758-2    | —                 | — | —   | — | 1   | — | —   | — | 1   | — | —   | — | —   | — | —   | 1 | —   | — | —    | — | 1    | — | —    |   |         |
| 74                 | BRACKET, CYL. MOUNT                   | B    | 453766-1    | 1                 | — | 1   | — | 1   | — | —   | — | —   | — | 1   | — | —   | — | 1   | — | —   | — | —    | 1 | —    | — | 1    |   |         |
| 75                 | SCREW, SOC. HD CAP 1/4-20 x .62       |      | 21001-3     | 2                 | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 76                 | WASHER, FLAT 1/4 DIA                  |      | 21055-8     | 2                 | — | 4   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 4    | — | 4    | — | 4    |   |         |
| 77                 | HOLD DOWN TERM. (TERM 41766)          | B    | 453770-3    | —                 | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | —   | — | —   | 1 | —   | — | —    | — | —    | — | —    |   |         |
| 78                 | CYL. WIRE FEED                        |      | 468528-1    | 1                 | — | —   | — | 1   | — | —   | — | —   | — | 1   | — | —   | — | —   | — | —   | — | —    | — | —    | — | —    |   |         |
| 79                 | SCREW, SOC. HD CAP 1/4-20 x 2.25      |      | 1-21001-1   | 2                 | — | —   | — | 2   | — | 2   | — | —   | — | 2   | — | —   | — | —   | — | —   | — | —    | — | —    | — | —    |   |         |
| 80                 | HOLDER, WIRE GUIDE                    | A    | 453756-1    | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 81                 | GUIDE, WIRE                           | A    | 453757-1    | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | —   | 1 | —   | 1 | —    | 1 | —    | 1 | —    |   |         |
| 82                 | SCREW, SOC. HD CAP #6-32 x .62        |      | 2-21000-1   | 2                 | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 83                 | DRAG, WIRE                            | A    | 453755-1    | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 84                 | SCREW, SOC. HD CAP #6-32 x .62        |      | 1-21002-9   | 2                 | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 85                 | WASHER, FLAT #6                       |      | 21055-5     | 2                 | — | 2   | — | 2   | — | 4   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 86                 | SPRING, COMP. LC-022C-3 250 DIA x .50 |      | 22280-3     | 2                 | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 87                 | SCREW, SOC. CAP 4-40 x 1 1/6          |      | 7-21000-8   | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 88                 | FEED, WIRE                            | B    | 453767-1    | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | —   | 1 | —   | 1 | —    | 1 | —    | 1 | —    |   |         |
| 89                 | BLADE, WIRE PUSHER                    | A    | 453759-1    | 1                 | — | —   | — | —   | — | —   | — | —   | — | —   | — | 1   | — | —   | — | —   | — | —    | — | —    | — | —    |   |         |
| 90                 | STUD #6-32 x 1.00 PIC 2090            |      | 22354-1     | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 91                 | SPRING, COMP LC-022D-3 312 DIA x .62  |      | 8-22281-7   | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 92                 | WASHER, FLAT #6                       |      | 21055-5     | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 93                 | NUT, HEX #6-32                        |      | 21068-5     | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 94                 | NUT, HEX S.L. #6-32                   |      | 21022-1     | 2                 | — | 2   | — | 2   | — | —   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 95                 | PISTON POSITIONER                     | A    | 376170      | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 96                 | ROD, GUIDE                            | A    | 388639-2    | 1                 | — | —   | — | 1   | — | —   | — | —   | — | 1   | — | —   | — | —   | — | —   | — | —    | — | —    | — | —    |   |         |
| 97                 | PIN, CUTTER .062 x .50                |      | 1-22170-8   | 2                 | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 98                 | BLADE, WIRE PUSHER                    | B    | 453759-2    | —                 | — | 1   | — | 1   | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 99                 | BRACKET, WIRE REEL                    | B    | 453764-1    | 1                 | — | 1   | — | 1   | — | —   | — | —   | — | 1   | — | —   | — | 1   | — | —   | — | 1    | — | 1    | — | 1    |   |         |
| 100                | SCREW, SOC. HD CAP 1/4-20 x .62       |      | 21001-3     | 2                 | — | 2   | — | 2   | — | —   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 101                | SHAFT, WIRE REEL                      | A    | 453751-1    | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 102                | SCREW, SOC. HD CAP 5/16-18 x .62      |      | 1-21001-7   | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 103                | COLLAR, SHAFT .625 DIA                | A    | 22292-9     | 1                 | — | 1   | — | 1   | — | —   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 104                | NUT, HEX. 4-40 MT EN (87)             |      | 21018-4     | 1                 | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1   | — | 1    | — | 1    | — | 1    |   |         |
| 105                | GUIDE, WIRE                           | B    | 453765-1    | 1                 | — | —   | — | 1   | — | —   | — | —   | — | 1   | — | —   | — | 1   | — | —   | — | —    | — | —    | — | —    |   |         |
| 106                | SCREW, SOC. HD CAP 1/4-20 x .50       |      | 21001-2     | 2                 | — | 2   | — | 2   | — | —   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2   | — | 2    | — | 2    | — | 2    |   |         |
| 107                | TUBE, WIRE FEED (NYLON)               | A    | 24028-1     | 29                | — | 29  | — | 29  | — | —   | — | 29  | — | 29  | — | 29  | — | —   | — | 29  | — | 29   | — | 29   | — | 29   |   |         |
| 108                | CRIMPER, WIRE .155 "F"                | C    | 456426-4    | —                 | — | —   | — | —   | — | —   | — | —   | — | —   | — | —   | — | —   | — | —   | — | —    | — | —    | — | —    |   |         |

PRINT 4

REV. WI

LOC. A

B SHEET 4 OF 7

NO. 565493

REV.

4

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

PRINT  
4

■ DENOTES WEARING PARTS  
RECOMMEND PURCHASE REPLACEMENT

TITLE

LIST OF MATERIALS SPlice APPLICATOR

LOC.

A

B

SHEET

NO. 565493

4 OF 7

REV.

WI

00779

CUSTOMER AND ASSEMBLY DRAWING

RESTRICTED TO

THIS IS A CONTROLLED DOCUMENT.

22 MAY 61  
RELEASED FOR PUBLICATION  
BY AMP INCORPORATED. ALL RIGHTS RESERVED.  
COPYRIGHT 1992001

| AMP 1125-3 (11/66) |                                 | S<br>I<br>Z<br>E                                                                    | PART<br>NUMBER | QUANTITY REQUIRED |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      | REMARKS |      |              |      |              |      |        |                           |   |
|--------------------|---------------------------------|-------------------------------------------------------------------------------------|----------------|-------------------|----|-------------------|---|------|---|------|---|------|------|------|------|------|------|------|------|---------|------|--------------|------|--------------|------|--------|---------------------------|---|
| ITEM<br>NO.        | DESCRIPTION                     |                                                                                     |                | - 1               |    | - 2               |   | - 3  |   | - 4  |   | - 5  |      | - 6  |      | - 7  |      | - 8  |      |         | - 9  |              | - 10 |              | - 11 |        | - 12                      |   |
|                    |                                 |                                                                                     |                | U                 | T  | U                 | T | U    | T | U    | T | U    | T    | U    | T    | U    | T    | U    | T    |         | U    | T            | U    | T            | U    | T      | U                         | T |
| 109                | BRACKET                         | B                                                                                   | 452899-2       | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 110                | ARM ASSEM.                      | B                                                                                   | 378393         | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 112                | VALVE, AIRFEED SUB-ASS'Y        | C                                                                                   | 692655-1       | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    |      | 1    |      | 1    |      | 1    |      | 1       |      | 1            |      | 1            |      | 1      |                           |   |
| 113                | VALVE ON-OFF                    | BA                                                                                  | 23018-1        | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 114                | SCREW, SOC HD CAP #10-32x1.00   |                                                                                     | 3-21000-9      | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 115                | NUT, HEX #10-32                 |                                                                                     | 21018-7        | 2                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 116                | SCREW SOC HD CAP #10-32x.62     |                                                                                     | 3-21000-6      | 2                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 117                | WASHER FLAT #10                 |                                                                                     | 21055-7        | 2                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 118                | NIPPLE, LONG, 1/8NPT x 1 1/2 LG |                                                                                     | 22313-1        | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 119                | ELBOW, STREET 1/8NPT            |                                                                                     | 22306-1        | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 120                | VALVE, FLOW CONTROL             | BA                                                                                  | 23053-1        | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 121                | VALVE, QUICK EXHAUST            | BA                                                                                  | 22374-1        | 1                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 122                | ELBOW 1/8NPT - 1/4 TUBE         |                                                                                     | 22294-6        | 2                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 123                | NIPPLE, HEX 1/8NPT 3/8NPT       |                                                                                     | 22304-5        | 2                 |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 124                | TUBING, PLASTIC 1/4 OR 1/2 LG   |                                                                                     | 27319-4        | -                 | 19 | 29                |   | 19   |   |      |   | 19   | 19   | 19   | 19   | 19   | 19   | 19   | 19   | 29      | 29   | 29           | 29   | 29           | 29   | 29     | 10 7" LG & 10 12" LG.     |   |
| 125                | TEE 1/8NPT                      |                                                                                     | 22309-1        | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 126                | NIPPLE, HEX 1/8NPT              |                                                                                     | 22304-1        | 2                 |    | 2                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2       | 2    | 2            | 2    | 2            | 2    | 2      |                           |   |
| 127                | ELBOW 1/8NPT - 1/4 TUBE         |                                                                                     | 22294-6        | 2                 |    | 1                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 128                | VALVE, FLOW CONTROL             |                                                                                     | 23054-1        | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 129                | NIPPLE 1/8NPT 2.50 LG.          | Δ                                                                                   | 22313-9        | 1                 |    |                   |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 130                | PIPE PLUG                       |                                                                                     | 465729-1       | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      | MT. IN ROD END OF ITEM 57 |   |
| 131                | ANVIL .155                      | ■ B                                                                                 | 453761-3       |                   |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      |              |      |              |      |        |                           |   |
| 132                | GUARD LOWER                     | C                                                                                   | 460580-2       |                   | 1  |                   |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 133                | SHROUD                          | C                                                                                   | 461628-1       |                   | 1  |                   | 1 |      | 1 |      | 1 |      | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 134                | SCREW BUT. HD 1/4-20 x 3/16 LG  |                                                                                     | 3-21002-2      | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 135                | WASHER, FLAT                    |                                                                                     | 21055-7        | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 136                | PRESS ASS'Y                     | D                                                                                   | 1-471273-2     | REF.              |    | REF.              |   | REF. |   | REF. |   | REF. | REF. | REF. | REF. | REF. | REF. | REF. | REF. | REF.    | REF. | REF.         | REF. | REF.         | REF. | REF.   |                           |   |
| 137                | SPACER, GUARD                   | A                                                                                   | 454058-1       | 2                 |    | 1                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 138                | GUARD                           | B                                                                                   | 453870-2       | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 139                | BRACKET, GUARD                  | A                                                                                   | 376946         | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 140                | SCREW, SOC HD CAP #10-32x1.00   |                                                                                     | 3-21000-9      | 2                 |    | 1                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 141                | WASHER FLAT #10                 |                                                                                     | 21055-7        | 2                 |    | 2                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2       | 2    | 2            | 2    | 2            | 2    | 2      |                           |   |
| 142                | GUARD, FRONT                    | A                                                                                   | 460579-2       | 1                 |    | 1                 |   | 1    |   | 1    |   | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1    | 1       | 1    | 1            | 1    | 1            | 1    | 1      |                           |   |
| 143                | SCREW, SOC HD CAP #6-32x.25     |                                                                                     | 1-21000-8      | 2                 |    | 2                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2       | 2    | 2            | 2    | 2            | 2    | 2      |                           |   |
| 144                | WASHER FLAT #6                  |                                                                                     | 21055-5        | 2                 |    | 2                 |   | 2    |   | 2    |   | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2    | 2       | 2    | 2            | 2    | 2            | 2    | 2      |                           |   |
| 145                | CUTTER WIRE (#14 WIRE MAX)      | ■ A                                                                                 | 453749-2       |                   |    |                   |   |      |   | 1    |   |      |      |      |      |      | 1    |      |      |         |      |              |      |              |      |        |                           |   |
| PRINT 4            |                                 | Δ REMOVE LONG NIPPLE FROM AIRFEED ASSY (ITEM 112) & REPLACE WITH (ITEM 129) 22313-9 |                | TITLE             |    | LIST OF MATERIALS |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      | LOC. A       |      | B NO. 565493 |      | REV. W |                           |   |
|                    |                                 |                                                                                     |                |                   |    |                   |   |      |   |      |   |      |      |      |      |      |      |      |      |         |      | SHEET 5 OF 7 |      |              |      |        |                           |   |

THIS IS A CONTROLLED DOCUMENT.

THIS IS A CONTROLLED DOCUMENT.  
11 22 MAY 01  
RELEASED FOR PUBLICATION  
BY AMP INCORPORATED. ALL RIGHTS RESERVED.  
COPYRIGHT 1989 2001

| AMP 1125-3 (11/66) |                             |     | S<br>I<br>Z<br>E | PART<br>NUMBER | QUANTITY REQUIRED |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |      |   |      |   | REMARKS |                               |   |   |
|--------------------|-----------------------------|-----|------------------|----------------|-------------------|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|-----|---|------|---|------|---|---------|-------------------------------|---|---|
| ITEM<br>NO.        | DESCRIPTION                 | - 1 |                  |                | - 2               |   | - 3 |   | - 4 |   | - 5 |   | - 6 |   | - 7 |   | - 8 |   | - 9 |   | - 10 |   | - 11 |   |         | - 12                          |   |   |
|                    |                             | U   |                  |                | T                 | U | T   | U | T   | U | T   | U | T   | U | T   | U | T   | U | T   | U | T    | U | T    | U |         | T                             | U | T |
| 146                | TUBING NYLON 188 I.D.       | A   | 24028-2          |                |                   |   |     |   | 7   |   |     |   |     |   |     |   |     |   |     |   |      |   |      |   |         | ONE AT 2" LG ONE AT 4 1/2 LG. |   |   |
| 147                | GUARD, LOWER                | C   | 843571-1         |                |                   | 1 |     |   |     |   |     |   |     |   |     |   |     |   |     |   | 1    |   | 1    |   | 1       |                               |   |   |
| 148                | FEED WIRE UP TO #14 WIRE    | B   | 453767-2         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 149                | BLOCK CUTTER .078 DIA HOLE  | B   | 453771-2         |                |                   |   |     |   |     |   |     |   |     |   |     |   |     |   |     |   |      |   |      |   |         |                               |   |   |
| 150                | GUIDE WIRE UP TO #14 WIRE   | A   | 453757-2         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 151                | SHEAR BLADE                 | B   | 453769-4         |                |                   |   |     |   |     | 1 |     |   |     |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 152                | CRIMER WIRE .140 F          | C   | 1-456411-3       |                |                   |   |     |   |     | 1 |     |   |     |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 153                | BRACKET PUSHER (CUTTER)     | B   | 817153-1         |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   |     |   |     |   |      |   |      |   |         | MOUNTS TO RAM ITEM 21         |   |   |
| 154                | SCREW SHC 1/4-20 X 1.25 LG  | A   | 21001-7          |                |                   |   |     |   |     | 2 |     |   | 2   |   |     |   | 2   |   |     |   |      |   |      |   |         |                               |   |   |
| 155                | FEED FINGER                 | A   | 453752-2         |                |                   |   |     |   |     | 1 |     |   |     |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 156                | GUIDE WIRE                  | A   | 453765-2         |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 157                | BRACKET WIRE REEL           | B   | 817155-1         |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 158                | BLOCK CUTTER                | B   | 817154-1         |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   |     |   |     |   |      |   |      |   |         |                               |   |   |
| 159                | BRACKET CYL. MT.            | B   | 453766-2         |                |                   | 1 |     |   |     | 1 |     |   | 1   |   |     |   |     |   | 1   |   | 1    |   | 1    |   | 1       |                               |   |   |
| 160                | REFL BRACKET ASSY.          | D   | 694925-4         |                |                   |   |     |   | 1   |   |     |   |     |   |     |   |     |   |     |   |      |   |      |   |         |                               |   |   |
| 161                | NUT HEX. 1/4-20             | A   | 1-21018-3        |                |                   | 2 |     |   |     | 2 |     |   | 2   |   |     |   | 2   |   | 2   |   | 2    |   | 2    |   | 2       |                               |   |   |
| 162                | BRACKET CYL. MT. EXTENTION  | B   | 817151-1         |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 163                | SCR. SHC. 1/4-20 X 2.50 LG. | A   | 1-21001-2        |                |                   | 2 |     |   |     | 2 |     |   | 2   |   |     |   | 2   |   | 2   |   | 2    |   | 2    |   | 2       |                               |   |   |
| 164                | CYL AIR 2.00 STROKE         | A   | 468528-2         |                |                   | 1 |     |   |     | 1 |     |   | 1   |   |     |   | 1   |   | 1   |   | 1    |   | 1    |   | 1       |                               |   |   |
| 165                | GUIDE ROD 8.00 LG.          | A   | 388639-4         |                |                   | 1 |     |   |     | 1 |     |   | 1   |   |     |   | 1   |   | 1   |   | 1    |   | 1    |   | 1       |                               |   |   |
| 166                | SPACER                      | A   | 461690-2         |                |                   |   |     |   |     |   |     |   | 1   |   |     |   |     |   |     |   |      |   |      |   |         | MOUNTS BETWEEN ITEM 9 & 158   |   |   |
| 167                | SCR, BUT HD CAP 6-32 X .38  | A   | 2-21002-7        |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   | 1   |   |     |   |      |   |      |   |         | MOUNTS TO ITEM 33             |   |   |
| 168                | WASHER, FLAT #6             | A   | 21055-5          |                |                   |   |     |   |     | 1 |     |   | 1   |   |     |   | 1   |   |     |   |      |   |      |   |         | " " " "                       |   |   |
| 169                | SHROUD                      | C   | 460252-1         |                |                   |   |     |   |     | 1 |     |   |     |   |     |   |     |   | 1   |   |      |   |      |   |         |                               |   |   |
| 170                | BLOCK, BASE                 | B   | 453762-3         |                |                   | 1 |     |   |     |   |     |   | 1   |   |     |   | 1   |   |     |   |      |   |      |   | 1       |                               |   |   |
| 171                | WIRE CRIMPER .180 F         | C   | 1-453925-2       |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 172                | HOLD DOWN                   | A   | 453758-3         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 173                | BLOCK CUTTER                | B   | 453771-3         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 174                | BLADE, SHEAR                | B   | 453769-7         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 175                | PLATE, FEED                 | C   | 453772-2         |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 176                | ANVIL .180                  | C   | 1-473503-3       |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 177                | HOLD DOWN, TERMINAL         | B   | 90475-1          |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 178                | SPACER                      | A   | 90474-1          |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   |      |   |      |   |         |                               |   |   |
| 179                | SCR, SHC 1/4-20 X 1.00      | A   | 21001-6          |                |                   |   |     |   |     |   |     |   |     |   |     |   | 1   |   |     |   | 2    |   | 2    |   |         |                               |   |   |
| 180                | SCR, SHC 8-32 X .75         | A   | 2-21000-9        |                |                   |   |     |   |     |   |     |   |     |   |     |   | 2   |   |     |   |      |   |      |   |         |                               |   |   |
| 181                | SCR, RHC 6-32 X .38         | A   | 1-21002-7        |                |                   |   |     |   |     |   |     |   |     |   |     |   | 2   |   |     |   |      |   |      |   |         |                               |   |   |

|       |       |                                     |       |        |        |      |
|-------|-------|-------------------------------------|-------|--------|--------|------|
| PRINT | DIST. | TITLE                               | LOC.  | B      | NO.    | REV. |
| 4     |       | LIST OF MATERIALS SPLICE APPLICATOR |       |        | 565493 | W1   |
|       |       |                                     | SHEET | 6 OF 7 |        |      |

THIS IS A CONTROLLED DOCUMENT.

11 22 MAY 01

RELEASED FOR PUBLICATION  
BY AMP INCORPORATED. ALL RIGHTS RESERVED.

THIS DRAWING IS UNPUBLISHED  
COPYRIGHT 1988 2001

| AMP 1125-3 (11/66) |                                   | SIZE    | PART NUMBER | QUANTITY REQUIRED |    |                                     |    |    |    |    |    |    |     |     |     | REMARKS |  |       |   |             |  |     |  |              |  |    |  |
|--------------------|-----------------------------------|---------|-------------|-------------------|----|-------------------------------------|----|----|----|----|----|----|-----|-----|-----|---------|--|-------|---|-------------|--|-----|--|--------------|--|----|--|
| ITEM NO.           | DESCRIPTION                       |         |             | -1                | -2 | -3                                  | -4 | -5 | -6 | -7 | -8 | -9 | -10 | -11 | -12 |         |  |       |   |             |  |     |  |              |  |    |  |
|                    |                                   |         |             | U                 | T  | U                                   | T  | U  | T  | U  | T  | U  | T   | U   | T   |         |  | U     | T |             |  |     |  |              |  |    |  |
| 182                | CUTTER, WIRE                      | A       | 453749-3    | —                 | —  | —                                   | —  | —  | —  | —  | —  | 1  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 183                | BRACKET, PUSHES                   | B       | 90643-1     | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | 1   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 184                | WASHER, FLAT                      | A       | 21899-3     | —                 | —  | —                                   | —  | —  | —  | —  | —  | 2  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 185                | TUBING, NYLON                     | A       | 980411-1    | —                 | —  | —                                   | —  | —  | —  | —  | —  | 29 | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 186                | SUPPORT, SHEAR                    | A       | 90887-1     | —                 | —  | —                                   | —  | —  | —  | —  | —  | 1  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 187                | SPACER                            | A       | 90474-2     | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | 1   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 188                | BLOCK, CUTTER                     | B       | 453771-4    | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | 1   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 189                | BRACKET, PUSHES                   | C       | 817153-3    | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 190                | SPACER, AIR FEED                  | C       | 461690-4    | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 191                | SUPPORT, SHEAR                    | B       | 90887-2     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 192                | SHCS 10-32 x .75                  | A       | 3-21000-7   | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 193                | BRACKET, CYL MT EXTENSION         | B       | 817151-1    | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 194                | SHCS 8-32 x 1.25                  | A       | 3-21000-2   | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 2   | 2   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 195                | GUIDE, WIRE                       | A       | 453765-3    | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 196                | SET SCREW 10-32 x .50             | A       | 5-21006-3   | —                 | 1  | —                                   | —  | 1  | —  | —  | 1  | 1  | 1   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 197                | HEX NUT 5-16 x 24                 | A       | 1-22202-7   | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 198                | 1/8 FEMALE PT COUPLER             | A       | 22302-1     | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 199                | SCREW, SHC, 10-32 x .88           | A       | 3-21000-8   | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 200                | AIR DELAY VALVE                   | A       | 18553-1     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 201                | WIRE CRIMPER, .120                | C       | 456423-5    | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | —   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 202                | ANVIL                             | C       | 1-473503-7  | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | —   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 203                | WIRE CRIMPER, .130                | C       | 4-568176-8  | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | —   | 1   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 204                | ANVIL                             | C       | 1-473503-6  | —                 | —  | —                                   | —  | —  | —  | —  | —  | —  | —   | —   | 1   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 205                | ELBOW, PLASTIC TUBING, MALE       | A       | 22294-7     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 206                | CONNECTOR, MALE, PNEUMATIC        | A       | 980282-3    | —                 | 2  | —                                   | —  | —  | —  | —  | —  | —  | —   | 2   | 2   | 2       |  |       |   |             |  |     |  |              |  |    |  |
| 207                | NIPPLE, HEX, PIPE FITTING         | A       | 22304-2     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 208                | TEE, PIPE FITTING, FEMALE BRANCH  | A       | 23791-2     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 209                | BUSHING, PIPE FITTING             | A       | 22307-1     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 210                | TEE, PIPE FITTING (FEMALE BRANCH) | A       | 22309-1     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 211                | ELBOW, MALE, PNEUMATIC            | A       | 985883-2    | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 212                | SCR, SET, SOC HD 6-32 x .50       | A       | 3-21006-5   | 1                 | 1  | 1                                   | 1  | 1  | 1  | 1  | 1  | 1  | 1   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 213                | PLATE, ID                         |         | 452373-1    | 1                 | 1  | 1                                   | 1  | 1  | 1  | 1  | 1  | 1  | 1   | 1   | 1   | 1       |  |       |   |             |  |     |  |              |  |    |  |
| 214                | SCR, DRIVE                        |         | 21017-6     | 3                 | 3  | 3                                   | 3  | 3  | 3  | 3  | 3  | 3  | 3   | 3   | 3   | 3       |  |       |   |             |  |     |  |              |  |    |  |
| 215                | SCR, SET, SOC HD, 6-32 x .44      |         | 3-21006-2   | —                 | —  | —                                   | —  | —  | —  | —  | —  | 1  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| 216                | SPACER                            | A       | 90474-3     | —                 | 1  | —                                   | —  | —  | —  | —  | —  | —  | —   | —   | —   | —       |  |       |   |             |  |     |  |              |  |    |  |
| PRINT 4            |                                   | DIST. N |             | TITLE             |    | LIST OF MATERIALS SPLICE APPLICATOR |    |    |    |    |    |    |     |     |     |         |  | LOC A |   | B NO 565493 |  | REV |  | SHEET 7 OF 7 |  | WI |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9