






RECEPTACLE



ALTERNATE CONFIGURATION

OPTIONAL MOUNTING EAR (2 PL.)
(STD. MOUNTING EAR SHOWN)
SEE DETAIL 3 OR 4

CIRCUIT I.D.



RECEPTACLE HOUSING

DIMENSIONS SHOWN (METRIC) INCH				REVISIONS			
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .001 10				T			
				S			
				R			
				P			
LTR.				REVISIONS			
3 PLACE ± .010				DRAWING: CEP			
2 PLACE ± .014				BY: RAS			
1 PLACE --- ± 0.25				SCALE: 2 : 1			
DRAFT: WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				FILE NAME: SD-1490X2			
SEE CHART				DIV: CP			
MOLEX INCORPORATED				SIZE: C			
LITSEJLL 60532 U.S.A.				DATE: 3/10/88			
PART NO. SD-1490				REV: 1			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							

I3		I2		I1		I0		9		8		7		6		I490		4		3		2		I	
PLUG				RECEPTACLE																					
PART NO.		ENG. NO.		PART NO.		ENG. NO.																			
03-09-2041		I490-P		03-09-I041		I490-R																			
03-09-2042		I490-P1		03-09-I042		I490-R1																			
03-09-7041		I490-PBK		03-09-6041		I490-RBK																			
03-09-7042		I490-P1BK		03-09-6042		I490-R1BK																			
PRELIMINARY		I490-P2		03-09-I043		I490-R2																			
03-09-3042		I490-P1BU		03-09-6043		I490-RBU																			
				03-09-6045		I490-RGN																			

LEGEND:

I490-***-*

P = PLUG
R = RECEPTACLE

BLANK = WITH STANDARD EARS

LEGEND:

1490-***-*



P = PLUG ———
R = RECEPTACLE

BLANK = WITH STANDARD EARS
1 = WITHOUT EARS
2 = WITH PREBENT EARS, PER DETAIL 4

COLOR: BLANK=NATURAL COLOR

AM=AMBER BK=BLACK BU=BLUE
BN=BROWN GY=GRAY GN=GREEN
OR=ORANGE RD=RED YW=YELLOW



BLANK = MATERIAL CODE A



HOUSING	DIM. "A"	DIM. "B"	DIM. "C"
PLUG	1.131/(28.73)	.375/(9.52)	.36/(9.1)
RECEPTACLE	1.038/(26.36)	.312/(7.92)	.37/(9.4)

NOTES:

1. MATERIAL CODES:
A = NYLON 6/6, 94V-2
2. THIS PART COMPLIES WITH MOLEX PRODUCT SPEC. 02-09.
- ③ FOR DIMENSION SEE SHEET 1 AND 2.
- ④ CIRCUIT I.D. NUMBERS ON HOUSING APPEAR ON PARTS FROM TOOLS BUILT AFTER 8/7/91.



DETAIL 3

.093/(2.36) STANDARD MOUNTING EAR
(SCALE 4:1)

DETAIL 4

.093/(2.36) PREBENT MOUNTING EAR
(SCALE 4:1)

				DIMENSIONS SHOWN METRIC INCH				▽=0 ▽=0				REVISE ONLY ON CAD SYSTEM			
				UNLESS OTHERWISE SPECIFIED, TOLERANCES: ANGULAR ± .005				TITLE				.093/(2.36) HOUSINGS, PLUG AND RECEPTACLE, 4 CKT., 198/(5.03) CTRS.			
				INCH METRIC				MOLEX INCORPORATED				SHEET NO. 3 DATE 3/10/88			
				3 PLACE ± .010 --- 2 PLACE ± .014 ± 0.25 1 PLACE --- ± 0.35				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				LITTLE ROCK, AR 60532 U.S.A.			
				T SEE SHT. 1				PART NO.				SEE CHART			
				S SEE SHT. 1				DRWG. NO.				SD-1490-			
				RI SEE SHT. 1				FILE NAME				SD1490X3			
				P SEE SHT. 1				APP'D. BY				SCALE			
LTR. REVISIONS				LTR. REVISIONS				2 : 1				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			
								CP				SIZE			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9