



PLUG

RECEPTACLE



PLUG HOUSING

RECEPTACLE HOUSING

REBORN ON CAD EC NO. UCP2003-2578 DRW: BSYNNTT 6/10/03 CHK: BWIRKUS 6/13/03 APP: BWIRKUS 6/16/03	DESCRIPTION REV	QUALITY SYMBOLS MAJOR CRITICAL	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 4 : 1	DESIGN UNITS ☐ mm ☒ INCH		THIRD ANGLE PROJECTION	☐ mm INCH ☒ INCH	☐ mm ONLY	REVISE ON CAD ONLY
					DRAWN BY & DATE JBS 6/10/03		TITLE: PLUG & RECEPTACLE HOUSINGS 1 CIRCUIT, .062/(1.57) DIA. SERIES				
					CHECKED BY & DATE BW 6/13/03						
					APPROVED BY & DATE BW 6/16/03		MOLEX INCORPORATED				
					CAD FILENAME SD16251X1.DGN						MATERIAL NO. SEE CHART
					ANGULAR: ± 1 °						
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SIZE C

	I3	I2	I1	I0	9	8	7	6	I625	4	3	2	I		
J	PLUG		RECEPTACLE												J
	PART NO.	ENG. NO.	PART NO.	ENG. NO.											
	03-06-2011	I625-IP	03-06-1011	I625-IR											
	03-06-7011	I625-IP-D	03-06-6011	I625-IR-D											
I															I
H															H
G															G
F															F
E															E
D															D
C															C
B															B
A															A
	I3	I2	I1	I0	9	8	7	6	5	4	3	2	I		

PLUG LEGEND:

I625-IP-*

CIRCUIT SIZE

P = PLUG

BLANK = NATURAL

D=DYED

RECEPTACLE LEGEND:

I625-IR-*

CIRCUIT SIZE

R = RECEPTACLE

BLANK = NATURAL

D=DYED

NOTES:

1. MATERIAL: NYLON, PA66, U.L. 94V-2.

2. FINISH: NONE.

3. PRODUCT SPECIFICATION: PS-02-06.

4. PACKAGING SPECIFICATION: NONE.

5. FOR USE WITH .062 SERIES TERMINALS.

DIMENSIONS SHOWN (METRIC) INCH				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm .006$ 10			
INCH		METRIC		INCH		METRIC	
3 PLACE	$\pm .010$	---		3 PLACE	$\pm .010$	---	
2 PLACE	$\pm .014$	± 0.25		2 PLACE	$\pm .014$	± 0.25	
1 PLACE	---	± 0.35		1 PLACE	---	± 0.35	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DRWG. BY	JBS	CHK'D. BY	BW	DRWG. BY	JBS	CHK'D. BY	BW
APP'D. BY	BW	SCALE	:	APP'D. BY	BW	SCALE	:
LTR.	REVISIONS			LTR.	REVISIONS		

TITLE		REVISE ONLY ON CAD SYSTEM	
PLUG & RECEPTACLE HOUSINGS			
I CIRCUIT			
.062/(1.57) DIA. SERIES			
MOLEX INCORPORATED		SHEET NO. 2	
LITTLE, ILL. 60532 U.S.A.		DATE 6/10/03	
PART NO.		DRWG. NO.	
SEE CHART		SD-I625-1*-*	
FILE NAME SD-I625-X2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
DIV. CP		SIZE C	

DWG. NO.
SD-1625-1P

E

D

C
B
A
DIMENSIONS IN METRIC DO NOT SCALE DRAWING

8

7

6

5

4

3

2

1

F

E

D

C

B

A

1625.S51

8

7

6


5

4

3

2

1



注記
NOTE

材質:ナイロン66, 94V-2
MATERIAL:NYLON66,94V-2

03-06-2011	1625-1P
PART NO.	ENG.NO.
材料 MATERIAL 図中参照 REFER TO DRAWING	
仕上げ FINISH —	
適用電線範囲 WIRE RANGE —	
被覆外径 INS. RANGE —	
DRAWN BY '96/07/08 H.IIJIMA	
CHK'D BY '96/07/08 M.FUKUSHIMA	
APPR'D BY '96/07/08 M.ENOMOTO	
尺度 SCALE 4 : 1	
DWG. NO. SD-1625-1P	REV B

角度 ANGLE	30°
30°以上 OVER	±0.3
10°以上 OVER	±0.25
10°未満 UNDER	±0.2
一般公差 GENERAL TOLERANCES	

記号 LTR	B
変更内容 REVISION RECORD	再作図 REDRAWN (JC70302)
DR.	H.I.
CHK.	M.F.
DATE	'96/07/08

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス(株)の所有する情報を含むもので当社の許可なく複製を禁止する。
EN-01C(032)MXJ-32

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9