



LOC		DIST		REVISIONS						
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD	
			E1	REVISED PER ECO-11-005033			19MAR2011	RK	HMR	
			E2	REMOVE PRELIMINARY MARK			24NOV2011	OL	SZ	
			F	REV PER ECR-12-016995			04NOV2012	OL	SZ	

D

C

B

A





- 1 MATERIALS:
- HOUSING: HIGH TEMP THERMOPLASTIC, UL94V-0, GRAY.
SIGNAL CONTACTS: COPPER ALLOY
POWER CONTACTS: COPPER ALLOY
- 2 CONTACT FINISH:
- ALL OVER: 0.00127 MIN NICKEL
COMPLIANT PIN AREA: 0.00127 MIN TIN
MATING AREA: 0.00076 MIN GOLD
- 3 POSITIONS 1-4 ARE UNPOPULATED AND RESERVED FOR FUTURE USE.
- 4 HOLES INDICATED ARE NOT REQUIRED FOR TE CONNECTIVITY PRODUCT.
- 5 TE CONNECTIVITY PART NUMBER AND DATE CODE (YYWW) LOCATED ON SURFACE INDICATED.
- 6 DATUM AND BASIC DIMENSION TO BE ESTABLISHED BY CUSTOMER.
- 7 CONTACT FINISH:
- ALL OVER: 0.00127 MIN NICKEL
COMPLIANT PIN AREA: 0.00127 MIN TIN-LEAD
MATING AREA: 0.00076 MIN GOLD
- 8 CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT.
TECHNICAL REFERENCE: GR-1217-COR, ISSUE 1, NOVEMBER 1995
- 9 CONTACT FINISH:
- ALL OVER: 0.00127 MIN NICKEL
COMPLIANT PIN AREA: 0.00127 MIN TIN
MATING AREA: 0.00127 MIN GOLD

SEQUENCING TABLE	
CONTACT POSN	PIN LENGTH
1-4	NOT USED
5-24	6.1
25,26,28-31	14.3
27,32	3.8
33	11.3
34	8.8


OBSOLETE	9	Ø0.762	22	22	ZP-A-030M-P2-2B	1766500-3
		Ø1.58	8	16		
	2	Ø0.762	22	22	ZP-A-030M-P2-2B	1766500-2
		Ø1.58	8	16		
PLATING		MATING PIN DIAMETER	CONTACT QTY	SIZE NO	TYPE DESIGNATION	PART NO
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER 20MAY2005	TE Connectivity			
DIMENSIONS:		CHK M. McALONIS 21AUG2006				
mm		APVD M. McALONIS 21AUG2006				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
0 PLC ±0.5		108-2216	NAME		ASSEMBLY, RT ANGLE, AdvancedTCA	
1 PLC ±0.13		APPLICATION SPEC				
2 PLC ±0.013		114-13156	SIZE		CAGE CODE	DRAWING NO
3 PLC ±0.0001		WEIGHT	A100779		©=1766500	RESTRICTED TO
4 PLC ±0.0001		Customer Drawing	SCALE 6:1		SHEET 1 OF 2	REV F
ANGLES						
FINISH						

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-



DETAIL A
SCALE 20:1
8X (SIZE 16)

FINISHED HOLE: $\phi 1.6^{+0.09}_{-0.06}$
DRILLED HOLE: $\phi 1.75 \pm 0.025$
COPPER PLATE: 0.025 MIN (PER SURFACE)
TIN PLATE: 0.008 MIN (PER SURFACE)



DETAIL B
SCALE 20:1
26X (SIZE 22)

FINISHED HOLE: $\phi 1^{+0.09}_{-0.06}$
DRILLED HOLE: $\phi 1.15 \pm 0.025$
COPPER PLATE: 0.025 MIN (PER SURFACE)
TIN PLATE: 0.008 MIN (PER SURFACE)

RECOMMENDED PCB LAYOUT
VIEWED FROM CONNECTOR SIDE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER 20MAY2005	TE Connectivity	
DIMENSIONS:		CHK M.McALONIS 21AUG2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.McALONIS 21AUG2006	NAME ASSEMBLY, RT ANGLE, AdvancedTCA	
	0 PLC $\pm .5$	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
	1 PLC ± 0.13	108-2216	A100779C=1766500	
	2 PLC ± 0.013	APPLICATION SPEC	RESTRICTED TO	
	3 PLC ± 0.0001	114-13156	-	
MATERIAL		WEIGHT	SCALE 6:1 SHEET 2 OF 2 REV F	
		Customer Drawing		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9