

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002252	20FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150286-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911066
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.



THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911066

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		END FEED SYSTEM III APPLICATOR			
		1 PLC ±					
		2 PLC ±		SIZE			
		3 PLC ±		CAGE CODE			
		4 PLC ±		DRAWING NO			
		ANGLES ±		RESTRICTED TO			
MATERIAL		FINISH		WEIGHT		C- 1911066	
CUSTOMER DRAWING				SCALE		SHEET 1 OF 2	
						REV A1	

P	LTR	DESCRIPTION	DATE	DWN	APFD
	3	REVISED	10SEP2007	DJG	DJG
	4	REVISED	04OCT2007	DJG	DJG
	A	RELEASED	09OCT2007	RD	ND

TERMINAL DATA: TE TERMINAL		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: RING TONGUE			
WIRE STRIP LENGTH .210-.225 IN [5.30-5.70mm]		INSULATION DIAMETER RANGE .170-.210 IN [4.32-5.33mm]	
TERMINAL APPL SPEC 		114-2084 - - -	
TERMINALS APPLIED 			
42864-1	42864-2	42863-2	61424-1

-	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	455888-4	SPACER, CRIMPER	96
-	1	1	1633565-2	DOCUMENTATION PACKAGE	71
-	1	1	1901048-1	TAG,IDENTIFICATION	67
-	2	2	21017-2	SCREW, DRIVE	66
-	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	1	1	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	57
-	2	2	1655316-3	SCR, SKT HD CAP, M4 X 16.0	56
-	2	2	18030-2	NUT, HEX, REG M4	55
-	2	2	18030-1	NUT, HEX, REG M3	54
-	2	2	986965-1	NUT, LOCK, HEX, TORQUE (M4)	53
-	2	2	2-18032-2	SCR, SET, FLT POINT M3 X 10.0	52
-	1	1	1752354-6	STANDOFF,HOLD-DOWN	50
-	1	1	1-18030-0	NUT, HEX, REG M3.5	47
-	1	1	1752320-1	EF SYSTEM III APPLICATOR	46
-	1	1	1752308-1	RAM	44
-	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	993002-4	SCREW,SET,SET TIP	40
-	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1752309-2	RING,INSULATION CRIMP	38
-	2	2	18028-2	WASHER, FLAT, REG M4	33
-	6	6	18026-2	WASHER, SPRG LOCK, REG M4	32
-	2	2	2-1655316-6	SCR, SKT HD CAP, M4 X 20.0	31
-	2	2	1655785-2	SCR, BTN SKT HD CAP (M4 X 12)	29
-	1	1	1-690451-1	SPACER, STRIPPER	28
-	1	1	690455-7	STRIPPER, FRONT CASTING	27
-	2	2	1320906-1	STUD, THREADED	25
-	1	1	1752371-1	PLATE, STRIP GUIDE	24
-	2	2	22281-7	SPRING, DRAG	22
-	1	1	1752373-1	DRAG	20
-	2	2	1901259-9	GUIDE, LOWER STRIP	18
-	4	4	1655785-5	SCR, BTN SKT HD CAP (M6 X 12)	17
-	1	1	3-240641-5	SPACER	14
-	1	1	1752360-1	SPACER,HOLD-DOWN	13
-	1	1	240644-1	PLATE, REAR SHEAR	11
-	2	2	1-240645-7	SPACER, SHEAR PLATE	10
-	1	1	240642-1	PLATE, FRONT SHEAR	9
1	2	1	2-1633383-8	ANVIL, COMBINATION	8
-	1	1	4-240651-6	BLADE, SLUG	7
-	1	1	1901681-5	HOLDDOWN, TERMINAL	6
-	1	1	240641-1	SPACER	5
-	1	1	238009-7	BLOCK, FL CRIMPER SPACER	4
1	2	1	456134-1	CRIMPER, INSULATION F PREMIUM	3
-	1	1	1-455888-1	SPACER, CRIMPER	2
1	2	1	456428-4	CRIMPER, WIRE	1



-   RECOMMENDED SPARE PARTS.
-  GREASE BEARING SURFACES LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
-  APPLY P/N 1-23419-5 LOCTITE® TO THREADS.
-  APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

THIS DRAWING IS A CONTROLLED DOCUMENT OF THE COMPANY'S PROPRIETARY INFORMATION IT IS SUBJECT TO THE PATENT RIGHTS OF THE COMPANY AND ITS AFFILIATES IT SHALL BE CONTROLLED BY THE COMPANY'S PATENT DEPARTMENT		DWG NO. 06JUL2006		REV. 0		END FEED SYSTEM III APPLICATOR		NO	
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME		Tyco Electronics Harrisburg, PA 17105-3608			
		PRODUCT SPEC		END FEED SYSTEM III APPLICATOR					
		APPLICATION SPEC		SIZE CASE CODE DRAWING NO.		RESTRICTED TO			
MATERIAL		WEIGHT		A 00779 C = 1911066					
FINISH		CUSTOMER DRAWING		SCALE 3:5		SHEET 1 OF 1		REV A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9