





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PC	.092 [2.34]	POWER
PG	.042 [1.07]	POWER
H	N/A [N/A]	SIGNAL
G	N/A [N/A]	SIGNAL
F	N/A [N/A]	SIGNAL
E	N/A [N/A]	SIGNAL
HA	N/A [N/A]	HOLD-DOWN
PA	.042 [1.07]	POWER
PH	.092 [2.34]	POWER

PRODUCT NO.	ROWS	POWER			SIGNAL							POWER			
		E2	P5	P4	6	5	4	3	2	1	P3	P2	P1	E1	
51921-002-- NOTE: ③	D C B A		PC	PA	H	H	H	H	H	H		PG	PH	PH	
					G	G	G	G	G	G					
					F	F	F	F	F	F					
					E	E	E	E	E	E					



mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
SEE NOTE 2						COPY		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	projection		title	
A	V03-0686	MEM	6/18/03		.XXX±.005/0.XX±0.13				
B	V03-0790	MEM	7/16/03	angles	.XXX±.0020/0.XXX±0.051		INCH/MM	3ACP + 24S + 2P R/A SLDR RCPT CABLE PORT	
C	V03-0884	MEM	8/9/03		0°±2°				
D	V03-0897	MEM	8/12/03	dr	M. MOSTOLLER 6/18/03	scale	1:1	product family	
E	DG05-0186	GuoJM	06/27/05	enr	M. MOSTOLLER 6/18/03			PwrBlade	
F	DG08-0273	WD	12/10/08	chr	H. BREWBAKER 6/18/03			size	code
				appd	M. MOSTOLLER 6/18/03			dwg no	213
sheet index		revision	sheet	F	F	F	F	51921-002	
				1	2	3	4	1 of 4	

cage code 22526


Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.


PRODUCT NUMBER
51921-002--
NOTE: (3)




BROKEN-OUT SECTION A-A
SCALE 2:1




SECTION B-B
SCALE 2:1



SECTION D-D
SCALE 2:1



SECTION C-C




SECTION E-E

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear	XX±.01/0.X±0.3	COPY		www.fciconnect.com	
F				angles	.XXX±.005/0.XX±0.13 .XXX±.0020/0.XXX±0.051	projection		title 3ACP + 24S + 2P R/A SLDR RCPT CABLE PORT	
				dr	M. MOSTOLLER 6/18/03	INCH/MM		product family PwrBlade	
				enrg	M. MOSTOLLER 6/18/03	scale		size dwg no 213	
				chr	H. BREWBAKER 6/18/03	1:1		A 51921-002	
				appd	M. MOSTOLLER 6/18/03			sheet 2 of 4	
sheet index	revision sheet							cage code 22526	

Pro/E

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

PRODUCT NUMBER
51921-002--
NOTE: (3)

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

(F) 3. SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51921-002 AND 51921-002LF RESPECTIVELY.

4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

9. $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.

10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

11. CONNECTOR KEEP-OUT ZONE.

12. (F) SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED
WITH THE CURRENT DRAWING REVISION.

mat'l code SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com						
ltr	ecr no.	dr	date	linear	.XX±.01/0.X±0.3				COPY									
F					.XXX±.005/0.XX±0.13				projection									
					.XXX±.0020/0.XXX±0.051													
				angles	0°±2°								title 3ACP + 24S + 2P R/A SLDR RCPT CABLE POR					
				dr	M. MOSTOLLER	6/18/03			INCH/MM				product family PwrBlade				code	
				enrg	M. MOSTOLLER	6/18/03			scale				size dwg no				213	
				chr	H. BREWBAKER	6/18/03							A 51921-002				sheet	
				appd	M. MOSTOLLER	6/18/03			1:1								4 of 4	
sheet index		revision sheet																

cage code 22526

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9