





LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		A4		REV PER ECR-11-012858	21JUN2011	AY	SZ	
		A6		ADDED NEW DASH NUMBER -9	27MAR2012	CZ	SZ	
		A9		ADD NEW DASH NUMBER 1-1	19APR2013	CZ	SZ	

- 1 "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN.
PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC,BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY)
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL
AREA OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn
OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.
- 8 VARIABLE DIMENSION SHOWN ON TABLE.
- 9 HOLD DOWN IS OPTIONAL AND PLEASE REFER TO PART NUMBER ON
TABLE FOR SPECIFIED FOLLOW PAGES



A8	.155	.660	.1025	.550	-	.760	.900	-	4LP	1-6450843-1
	.115	.530	.1525	.420	-	.630	.770	-	2LP	6450843-9
	-	1.450	-	1.340	.200	1.550	1.690	.170	6HDP	6450843-8
	-	1.600	-	1.490	.200	1.700	1.840	.145	7HDP	6450843-7
	-	2.300	-	2.190	.300	2.400	2.540	.195	7ACP	6450843-6
	-	2.200	-	2.090	.200	2.300	2.440	.145	10P	6450843-5
	-	1.200	-	1.090	.250	1.300	1.440	.170	4P	6450843-3
	-	2.650	-	2.540	8	2.750	2.890	.145	12P	6450843-2
	DIM T	DIM V	DIM R	DIM U	DIM S	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±.0020
FINISH

DWN HESPER LIU 12JUN2008
CHK SUNY ZHAO 12JUN2008
APVD SUNY ZHAO

PRODUCT SPEC
108-2292
APPLICATION SPEC
114-13251

WEIGHT

CUSTOMER DRAWING

NAME
SUNY ZHAO

RIGHT ANGLE HEADER
W/ LP CONTACTS AND SHORT END MODULES
MULTI-BEAM XLE

SIZE CAGE CODE DRAWING NO
A100779C=6450843





RESTRICTED TO
-

SCALE 4:1

SHEET 1 OF 5

REV A9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-





HOLD DOWN	HD
.120 PRESS FIT LOW POWER CON, STD	LT
.120 PRESS FIT POWER CON	TT
DESCRIPTION	IDENTIFIER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: HESPER LIU 12JUN2008	NAME	
DIMENSIONS:		CHK: SUNY ZHAO 12JUN2008	PRODUCT SPEC	
INCHES		APVD: SUNY ZHAO	APPLICATION SPEC	
			SIZE	
			CAGE CODE	
			DRAWING NO	
			RESTRICTED TO	
			SCALE	
			SHEET	
			OF	
			REV	
			A9	



LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



PART NUMBER	ROWS		POWER							
			P1	P2	P3	P4	P5	P6	P7	
6450843-6	D C B A		TT	TT	TT	TT	TT	TT	TT	
7ACP										

PART NUMBER	ROWS		POWER							
			P1	P2	P3	P4	P5	P6	P7	
6450843-7	D C B A		TT	TT	TT		TT	TT	TT	
7HDP										




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: HESPER LIU 12JUN2008	TE Connectivity	
DIMENSIONS: INCHES		CHK: SUNY ZHAO 12JUN2008		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SUNY ZHAO	NAME	
0 PLC $\pm .01$		PRODUCT SPEC	RIGHT ANGLE HEADER W/ LP CONTACTS AND SHORT END MODULES MULTI-BEAM XLE	
1 PLC $\pm .01$		108-2292		
2 PLC $\pm .01$		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
3 PLC $\pm .005$		114-13251	A100779C=6450843	
4 PLC $\pm .0020$		WEIGHT	RESTRICTED TO	
ANGLES $\pm .0020$		CUSTOMER DRAWING	SCALE 4:1 SHEET 3 OF 5 REV A9	
FINISH				

PART NUMBER	ROWS		POWER		
			LP1	LP2	
6450843-9	D C B A				
2 LP					

4805 (3/11)


LOC	DIST	REVISONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
6450843-8	D		TT	TT	TT	TT	TT	TT	
	C								
	B								
	A								
6HDP									



PART NUMBER	ROWS		POWER				
			LPI	LP2	LP3	LP4	
1-6450843-1	D		LT	LT	LT	LT	
	C						
	B						
	A						
4 LP							

A8



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: HESPER L1U 12JUN2008	TE Connectivity	
DIMENSIONS: INCHES		CHK: SUNY ZHAO 12JUN2008	NAME: RIGHT ANGLE HEADER W/ LP CONTACTS AND SHORT END MODULES MULTI-BEAM XLE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: SUNY ZHAO	PRODUCT SPEC: 108-2292	
0 PLC ±.01		APPLICATION SPEC: 114-13251		RESTRICTED TO: -
1 PLC ±.01		WEIGHT: -		
2 PLC ±.01		CUSTOMER DRAWING		
3 PLC ±.005		SCALE: 4:1		
4 PLC ±.002		SHEET: 5 OF 5		
ANGLES: ±2°		REV: A9		
FINISH: -				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9