





PRODUCT NO.
10099439-002LF
10099439-003C-TRLF
10099439-004C-TRLF



spec ref				dr	Louis Ng	2010/05/01	projection	MM	size	A3	scale	2.000													
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jeffrey Lim	2016/09/22			ecn no	ELX-S-24900-1															
				chr	-	-																			
				appr	Koon-Poh Tay	2016/10/06						product family	rel level	Released											
surface	linear	0.X	±0.25	Amphenol FCI	title	SAS PLUG R/A	dwg no	10099439	rev	G															
		0.XX	±0.15																						
		0.XXX	±0.050																						
		angular	0°								±2°	cat. no.	Product - Customer Drw	sheet 1 of 3											
TOLERANCES UNLESS OTHERWISE SPECIFIED	ASME Y14.5	tolerance std	eng	Jeffrey Lim	2016/09/22	chr	-	appr	Koon-Poh Tay	2016/10/06	product family				rel level	Released									
																	surface	linear	0.X	±0.25	Amphenol	FCI	title	SAS PLUG R/A	dwg no
												0.XX	±0.15	cat. no.											
0.XXX	±0.050	product family	rel level	Released																					
					angular	0°	±2°	cat. no.	Product - Customer Drw	sheet 1 of 3															

PRODUCT NO.	WITH PICK-UP CAP	WITH ADHESIVE TAPE	PACKAGING
10099439-002LF	YES	NO	TRAY
10099439-002CLF			TAPE & REEL
10099439-003C-TRLF			
10099439-004C-TRLF		YES	







A




B

C



D



10099439-002 WITH PICK-UP CAP ATTACHED





10099439-003 WITH PICK-UP CAP ATTACHED



spec ref				dr	Louis Ng	2010/05/01	projection	MM	size	A3	scale	2.000	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jeffrey Lim	2016/09/22			ecn no	ELX-S-24900-1			
ASME Y14.5				chr	-	-							
				appr	Koon-Poh Tay	2016/10/06						product family	
surface	linear	0.X	±0.25	Amphenol FCi	title			SAS PLUG R/A			dwg no 10099439	rev	G
		0.XX	±0.15										
		0.XXX	±0.050										
	angular	0°	±2°		cat. no.			Product - Customer Drw					

PRODUCT NO.
SEE TABLE



NOTES:

- MATERIAL:
HOUSING & CAP: HIGH TEMPERATURE THERMOPLASTIC, BLACK, UL94V-0
 ADHESIVE TAPE: POLYIMIDE
CONTACT & HOLD DOWN: COPPER ALLOY
- FINISH:
CONTACT: 1.27µm MIN. Ni UNDERPLATE OVERALL,
1.91µm MIN. 100% MATTE Sn(LEAD-FREE) ON SOLDER TAIL,
0.76µm MIN. Au ON CONTACT AREA
HOLD DOWN: 1.91µm MIN. 100% MATTE Sn(LEAD-FREE) OVER
1.27µm MIN. Ni UNDERPLATE OVERALL
- RECOMMENDED PCB THICKNESS: 1.00mm
- PRODUCT SPECIFICATION: GS-12-282
- PACKAGING SPECIFICATION: GS-14-952(TRAY); GS-14-1038(TAPE & REEL)
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE
REFLOW OVEN
- A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH
HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION

spec ref				dr	Louis Ng	2010/05/01	projection		MM		size	A3	scale	1.000
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jeffrey Lim	2016/09/22					ecn no	ELX-S-24900-1		
				chr	-	-								
ASME Y14.5				appr	Koon-Poh Tay		2016/10/06	product family			rel level	Released		
surface	linear	0.X	±0.25	Amphenol FCI	title	SAS PLUG R/A TYPE ASSY, Z-HT. 0.20			dwg no	10099439			rev	G
		0.XX	±0.15											
		0.XXX	±0.050											
	angular	0°	±2°	cat. no.	Product - Customer Drw			sheet 3 of 3						

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9