



REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
B	REVISED PER ECN T-16511	91 JULY 30	Z. TEMAN
C	REVISED PER DCR# T-22756	4/20/99	M.HIGGY

PART No.	CONTACT	INTERFACE	COLOR CODE [⊗]
DK-621-X411R	—	THREADED	N/A
DK-621-X411R-44P	PIN	THREADED	
DK-621-X411R-45S	SOCKET	THREADED	
DK-621-X433R	—	A	RED
DK-621-X433R-44P	PIN	A	
DK-621-X433R-45S	SOCKET	A	
DK-621-X435R	—	B	WHITE
DK-621-X435R-44P	PIN	B	
DK-621-X435R-45S	SOCKET	B	
DK-621-X437R	—	C	GREEN
DK-621-X437R-44P	PIN	C	
DK-621-X437R-45S	SOCKET	C	
DK-621-X439R	—	D	N/A
DK-621-X439R-44P	PIN	D	
DK-621-X439R-45S	SOCKET	D	



PLUG - THREADED
CONNECTOR
D-621-0411R



PLUG - BAYONET
CONNECTOR
D-621-0433R/0439R



RIGHT ANGLE
ADAPTER TUBE
D-600-0601



STRAIN RELIEF

If this document is printed it becomes uncontrolled.
Check with the web for latest revision.


DWG No. EXAMPLE X433R

-0433R .148 MAX. CABLE DIA ACCOMODATION
BRAID TERMINATOR D-600-0030

-1433R .180 MAX. CABLE DIA ACCOMODATION
BRAID TERMINATOR D-600-0056




COAXIAL
CONTACT
D-602-44
(D-602-45)



BRAID
TERMINATOR
D-600-00XX

SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS. DECIMALS .XXX ± — [— mm] .XX ± — [— mm] ANGLES .X — ± — WEIGHT — lbs [— g]	DRAWN	J.B.K.	90 AUG 28	Raychem RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025
	CHECKED			
	APPROVED			
	APPROVED	Z. TEMAN	90 AUG 28	
	CAD NAME T22756a.TIF			TITLE RIGHT ANGLE TRIAxIAL CONNECTOR PLUG CONNECTOR KITS (TRIAxIAL CABLE)
THIRD ANGLE PROJECTION			SIZE A	
CODE IDENT. NO. 06090		DWG. NO. DK-621-X4XXR[-4XX]	REV C	
DO NOT SCALE THIS DRAWING				SHEET 1 OF 2



1.0 REFER TO THE FOLLOWING RAYCHEM SPECIFICATION CONTROL DRAWINGS (SCD) FOR INDIVIDUAL COMPONENT PERFORMANCE PARAMETERS, DIMENSIONS AND MATERIAL DETAIL:

D-621-0411R

CONNECTOR, TRIAXIAL, SUBMINIATURE
THREADED COUPLED, FOR RIGHT ANGLE
THREADED ADAPTER

D-621-0433R/0440R

CONNECTOR, TRIAXIAL, SUBMINIATURE
BAYONET COUPLED, FOR RIGHT ANGLE
THREADED ADAPTER

D-602-44

CONTACT, PIN, COAX

D-602-45

CONTACT, SOCKET, COAX

D-600-0030/0056

BRAID TERMINATOR

D-600-0019

STRAIN RELIEF

D-600-0601

RIGHT ANGLE ADAPTER TUBE

2.0 REFER TO RAYCHEM SPECIFICATION D-6025 FOR PERFORMANCE AND QUALIFICATION REQUIREMENTS.

2.1 PERFORMANCE IS DEPENDENT UPON CORRECT USAGE OF SUITABLE AEROBIC ADHESIVE UPON ADAPTER THREADS. (LOCTITE TYPE 242 IS A SUITABLE ADHESIVE.)

3.0 TERMINATION PROCEDURE: RAYCHEM ES 61249.

4.0 USAGE: CONNECTORS ASSEMBLED FROM THESE KITS CAN HAVE THE CABLE DRESSED IN ANY ORIENTATION AROUND THE AXIS OF THE CONNETOR. CABLE SHOULD BE SECURED IN DESIRED ORIENTATION.

If this document is printed it becomes uncontrolled.
Check with the web for latest revision.

CAD NAME: T22756b.TIF

DRAWN

J.B.K.

90 AUG 28

SIZE

CODE IDENT. NO.

DWG. NO.

REV

A

06090

DK-621-X4XXR[4XX]

C

ISSUED

DO NOT SCALE THIS DRAWING

SHEET 2 OF 2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9