

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F11	REVISED PER ECO-13-007522	03MAY2013	KH	MB

13

TIN

7

9

MARK 4 TO 1

20.00

4

5-796640-4

13

TIN

7

9

MARK 3 TO 1

15.00

3

5-796640-3

13

TIN

7

9

MARK 1 TO 3

15.00

3

5-796640-2

13

12

TIN

7

9

MARK 1 TO 3

15.00

3

5-796640-1

13

TIN

7

9

MARK 1 TO 4

20.00

4

5-796640-0

13

TIN

7

9

MARK 15 TO 28

70.00

14

4-796640-9

13

TIN

7

9

MARK 13 TO 24

60.00

12

4-796640-8

13

TIN

7

9

MARK 1 TO 14

70.00

14

4-796640-7

13

TIN

8

9

MARK 1 TO 12

60.00

12

4-796640-6

13

TIN

8

9

MARK 1 TO 7

35.00

7

4-796640-5

13

TIN

8

9

MARK 1 TO 5

25.00

5

4-796640-4

13

TIN

8

9

MARK 11 TO 15

25.00

5

4-796640-3

TIN

-

DETAIL S

35.00

7

4-796640-2

TIN

7

9

MARK 1 TO 3

15.00

3

4-796640-1

TIN

-

10

20.00

4

4-796640-0

TIN

7

9

DETAIL P

20.00

4

3-796640-9

TIN

7

9

MARK 1 TO 8

40.00

8

3-796640-8

TIN

7

9

MARK 37 TO 54

90.00

18

3-796640-7

TIN

7

9

MARK 19 TO 36

90.00

18

3-796640-6

TIN

7

9

MARK 1 TO 18

90.00

18

3-796640-5

TIN

8

9

MARK 1 TO 10

50.00

10

3-796640-4

TIN

8

9

MARK 1 TO 8

40.00

8

3-796640-3

TIN

7

DETAIL N

30.00

6

3-796640-0

TIN

7

9

MARK 1 TO 6

30.00

6

2-796640-9

TIN

-

-

-

125.00

25

2-796640-5

TIN

-

-

-

120.00

24

2-796640-4

TIN

-

-

-

115.00

23

2-796640-3

TIN

-

-

-

110.00

22

2-796640-2

TIN

-

-

-

105.00

21

2-796640-1

TIN

-

-

-

100.00

20

2-796640-0

TIN

-

-

-

95.00

19

1-796640-9

TIN

-

-

-

90.00

18

1-796640-8

TIN

-

-

-

85.00

17

1-796640-7

TIN

-

-

-

80.00

16

1-796640-6

TIN

-

-

-

75.00

15

1-796640-5

TIN

-

-

-

70.00

14

1-796640-4

TIN

-

-

-

65.00

13

1-796640-3

TIN

-

-

-

60.00

12

1-796640-2

TIN

-

-

-

55.00

11

1-796640-1

TIN

-

-

-

50.00

10

1-796640-0

TIN

-

-

-

45.00

9

796640-9

TIN

-

-

-

40.00

8

796640-8

TIN

-

-

-

35.00

7

796640-7

TIN

-

-

-

30.00

6

796640-6

TIN

-

-

-

25.00

5

796640-5

TIN

-

-

-

20.00

4

796640-4

TIN

-

-

-

15.00

3

796640-3

TIN

-

-

-

10.00

2

796640-2

TERMINAL PLATING

MARKING

SPECIAL

L

NO OF POSN

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.3
2 PLC ±0.25
3 PLC ±-
4 PLC ±-
ANGLES ±2
FINISH

MATERIAL

-

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, PLUG, STACKING
5.00mm PITCH

-

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-796640

-

-

SCALE

4:1

SHEET

1

OF

2

REV

F11

18.4

MATING FACE

RETENTION LATCH

796640-3 AS SHOWN

15.5

5±0.05 TYP

2.5 REF 2 PLC

WIRE ENTRY

CLAMPING SCREW

POLARIZATION KEY SLOT

18.4

MATING FACE

RETENTION LATCH

796640-3 AS SHOWN

13

TIN

7

9

MARK 4 TO 1

20.00

4

5-796640-4

13

TIN

7

9

MARK 3 TO 1

15.00

3

5-796640-3

13

TIN

7

9

MARK 1 TO 3

15.00

3

5-796640-2

13

12

TIN

7

9

MARK 1 TO 3

15.00

3

5-796640-1

13

TIN

7

9

MARK 1 TO 4

20.00

4

5-796640-0

13

TIN

7

9

MARK 15 TO 28

70.00

14

4-796640-9

13

TIN

7

9

MARK 13 TO 24

60.00

12

4-796640-8

13

TIN

7

9

MARK 1 TO 14

70.00

14

4-796640-7

13

TIN

8

9

MARK 1 TO 12

60.00

12

4-796640-6

13

TIN

8

9

MARK 1 TO 7

35.00

7

4-796640-5

13

TIN

8

9

MARK 1 TO 5

25.00

5

4-796640-4

13

TIN

8

9

MARK 11 TO 15

25.00

5

4-796640-3

TIN

-

DETAIL S

35.00

7

4-796640-2

TIN

7

9

MARK 1 TO 3

15.00

3

4-796640-1

TIN

-

10

20.00

4

4-796640-0

TIN

7

9

DETAIL P

20.00

4

3-796640-9

TIN

7

9

MARK 1 TO 8

40.00

8

3-796640-8

TIN

7

9

MARK 37 TO 54

90.00

18

3-796640-7

TIN

7

9

MARK 19 TO 36

90.00

18

3-796640-6

TIN

7

9

MARK 1 TO 18

90.00

18

3-796640-5

TIN

8

9

MARK 1 TO 10

50.00

10

3-796640-4

TIN

8

9

MARK 1 TO 8

40.00

8

3-796640-3

TIN

7

DETAIL N

30.00

6

3-796640-0

TIN

7

9

MARK 1 TO 6

30.00

6

2-796640-9

TIN

-

-

-

125.00

25

2-796640-5

TIN

-

-

-

120.00

24

2-796640-4

TIN

-

-

-

115.00

23

2-796640-3

TIN

-

-

-

110.00

22

2-796640-2

TIN

-

-

-

105.00

21

2-796640-1

TIN

-

-

-

100.00

20

2-796640-0

TIN

-

-

-

95.00

19

1-796640-9

TIN

-

-

-

90.00

18

1-796640-8

TIN

-

-

-

85.00

17

1-796640-7

TIN

-

-

-

80.00

16

1-796640-6

TIN

-

-

-

75.00

15

1-796640-5

TIN

-

-

-

70.00

14

1-796640-4

TIN

-

-

-

65.00

13

1-796640-3

TIN

-

-

-

60.00

12

1-796640-2

TIN

-

-

-

55.00

11

1-796640-1

TIN

-

-

-

50.00

10

1-796640-0

TIN

-

-

-

45.00

9

796640-9

TIN

-

-

-

40.00

8

796640-8

TIN

-

-

-

35.00

7

796640-7

TIN

-

-

-

30.00

6

796640-6

TIN

-

-

-

25.00

5

796640-5

TIN

-

-

-

20.00

4

796640-4

TIN

-

-

-

15.00

3

796640-3

TIN

-

-

-

10.00

2

796640-2

TERMINAL PLATING

MARKING

SPECIAL

L

NO OF POSN

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.3
2 PLC ±0.25
3 PLC ±-
4 PLC ±-
ANGLES ±2
FINISH

MATERIAL

-

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, PLUG, STACKING
5.00mm PITCH

-

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-796640

-

-

SCALE

4:1

SHEET

1

OF

2

REV

F11

1471-9 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

DETAIL N

A

A

GND

GND

B

B

+

-

+

-

DETAIL S

EMPTY CAVITIES

DETAIL P

1

2

3

4

DETAIL T

R

C

W

Y

B

G

DETAIL U

A

B

DETAIL V

12

11

10

9

8

7

6

5

4

3

2

1

DETAIL X

14

13

12

11

10

9

8

7

6

5

4

3

2

1

DETAIL Y

COM

S2

+20

COM

S1

+20

DETAIL W

KEY

DETAIL Z

1

MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
CLAMP: BRASS, NICKEL PLATED.
DOUBLE SIDE CONTACT SPRING: PHOSPHOR BRONZE, PLATING: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2.

END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.

3.

WIRE SIZE RANGE: 12-30 AWG.

4.

RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC.FILE N° E60677.

5.

IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.

6.

NOT CUMULATIVE TOLERANCE

7.

INK MARKING: BLACK COLOR.

8.

INK MARKING: WHITE COLOR.

9.

NUMERICAL SEQUENCE: FROM LEFT TO RIGHT, WIRE ENTRY SIDE.

10.

RETENTION LATCHES REMOVED

11.

BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION OPTIONAL WHERE SPACE PERMITS.

12.

WIRE ENTRY CLOSED.

13.

PRELIMINARY - NOT FOR PRODUCTION.

14.

NUMERICAL SEQUENCE: FROM RIGHT TO LEFT, WIRE ENTRY SIDE.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±0.25

3 PLC ±-

4 PLC ±-

ANGLES ±2

FINISH

MATERIAL

-

DWN S.WELDON 18OCT2000

CHK D. BLEVENOUR 18OCT2000

APVD D. BLEVENOUR 18OCT2000

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, PLUG, STACKING
5.00mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

200779

C-796640

SCALE 4:1

SHEET 2 OF 2

REV FILL

1471-9 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9