




NOTES:

1	MATERIAL HOUSING: HIGH TEMPERATURE THERMOPLASTIC CONTACT: COPPER ALLOY CONTACT PLATING: UNDERPLATE WITH NICKEL, HARD GOLD IN MATING AREA PURE MATTE TIN ON CONTACT TAIL
2.	Please refer to Product Specification for mechanical and electrical specification.
3	Datum B is defined as the plane intersecting the $\phi 0.70\text{mm}$ post and parallel to Datum D
4	Datum C is defined as the plane intersecting the $\phi 0.70\text{mm}$ post and perpendicular to Datum B.
5	This dimension is measured (for each Solder Lead) as the deviation from a best-fit plane created from the surfaces referenced at the ends of the part.
6	This dimension is measured (for each Solder Lead) as the deviation from a best-fit plane created from all the Solder Leads.

A line drawing of a 15-pin D-sub connector. It shows a rectangular housing with a raised section containing 15 pins. The pins are arranged in two rows: 9 pins on the top row and 6 pins on the bottom row. The connector is shown from an isometric perspective.





			B: WITHOUT ALIGNMENT PINS			
	MATED HEIGHT	DIM A		NO POS X4	DIM B	DIM C
A	04	3.70	A	10	7.65	9.40
B	05	4.70	B	20	13.65	15.40
C	06	5.70	C	30	19.65	21.40
D	07	6.70	D	40	25.65	27.40
E	08	7.70	E	50	31.65	33.40
F	09	8.70	F	60	37.65	39.40
G	10	9.70	G	70	43.65	45.40

EXAMPLE SHOWN:

5mm STACK HEIGHT, 10 POS, WITH ALIGNMENT PINS = 11826 - BAA

**METRIC**

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF AMPHENOL INTERCON SYSTEMS AND MAY NOT BE DISCLOSED, REPRODUCED OR OTHERWISE USED WITHOUT WRITTEN PERMISSION.		 AMPHENOL INTERCON SYSTEMS INC. Etters, PA 17319	
ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5M-2009 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED		 THIRD ANGLE PROJECTION	
INSPECTION ◇ FIRST PIECE △ SPC ◇ IN-PROCESS		TOLERANCES UNLESS SPECIFIED OTHERWISE 1PLC ± 0.3 2PLC ± 0.13 3PLC ± 0.050 ANGLES $\pm 1^\circ$	
NAME LYNX PLUG ASSEMBLY		SIZE B PROD CODE 445 DRAWING NUMBER C- 11826 REV A	
MATERIAL T FINISH T		SCALE 10:1 CUSTOMER SHEET 1 OF 3	



	MATED HEIGHT	PLUG HEIGHT
A	04	3.70
B	05	4.70
C	06	5.70
D	07	6.70
E	08	7.70
F	09	8.70
G	10	9.70

METRIC

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF AMPHENOL INTERCON SYSTEMS AND MAY NOT BE DISCLOSED, REPRODUCED OR OTHERWISE USED WITHOUT WRITTEN PERMISSION

ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5M-2009

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION

INSPECTION

◇ FIRST PIECE

△ SPC

○ IN-PROCESS

TOLERANCES UNLESS SPECIFIED OTHERWISE

1PLC ±0.3

2PLC ±0.13

3PLC ±0.050

ANGLES ±1°

AMPHENOL INTERCON SYSTEMS INC.
Etters, PA 17319

NAME
LYNX PLUG ASSEMBLY

SIZE **B**

PROD CODE 445

DRAWING NUMBER C- 11826

REV A

MATERIAL


FINISH

SCALE 10:1


CUSTOMER

SHEET 2 OF 3

TAPE AND REEL PACKAGING




Pull Out Direction →



POS	TAPE WIDTH
10	24.00 +/- 0.30 MM
20	32.00 +/- 0.30 MM
30	32.00 +/- 0.30 MM
40	44.00 +/- 0.30 MM
50	56.00 +/- 0.30 MM
60	56.00 +/- 0.30 MM
70	56.00 +/- 0.30 MM

*5MM PLUG 10 POSITION TAPE AND REEL SHOWN

KAPTON TAPE



KAPTON TAPE			
POS	LENGTH	WIDTH	THICKNESS
10	5 MM	4.3 MM	0.05 MM
20	5 MM	4.3 MM	0.05 MM
30	15 MM	4.3 MM	0.05 MM
40	15 MM	4.3 MM	0.05 MM
50	15 MM	4.3 MM	0.05 MM
60	15 MM	4.3 MM	0.05 MM
70	15 MM	4.3 MM	0.05 MM

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9