

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-003919	18MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151951-2





FOR REPLACEMENT PARTS FOR APPLICATOR 1852595
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852595



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED HDM APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
MATERIAL		2 PLC ±		APPLICATION SPEC	
		3 PLC ±		SIZE A3	
FINISH		4 PLC ±		CAGE CODE	
		ANGLES ±		DRAWING NO C- 1852595	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE	
				SHEET 1 OF 2	
				REV B1	

PART NUMBER		REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1852595-1	B	122500-1	LEADMAKER	AIR FEED	CUTS CARRIER	
1852595-2	B	565435-5	BENCH MODEL K	AIR FEED	CUTS CARRIER	
1852595-3	B	354500-1	BENCH MODEL G	AIR FEED	CUTS CARRIER	
1852595-6	B	122500-1	LEADMAKER	AIR FEED	CONTINUOUS CARRIER	
7-1852595-7	B	-	-	-	-	SPARE PARTS

- RECOMMENDED SPARE PARTS
- GREASE LIGHTLY
- GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
- APPLY TORO-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.
- CUT TO LENGTH AT ASSY.



TERMINAL NAME: 8mm NGI+ FEMALE TERMINAL W/SEAL					
TE PN	TE TERMINAL - TE CRIMP SPECS				
1544965	-	-	-	-	-
-	-	PAD LTR	CRIMP HEIGHT	WIRE SIZE	
-	-	A	2.80±0.05mm [110±.002]	6.0mm ²	
-	-	B	2.45±0.05mm [109±.002]	5.0mm ²	
-	-	C	-	-	
-	-	D	-	-	
TE SEAL	CRIMP	SIZE	TYPE	RANGE	
1544316-1	-	-	-	-	
1544970-1	-	WIRE	4.00mm [157]	F	5.00-6.00mm ²
1544970-2	-	INSUL	6.20mm [244]	OV	Ø 3.34-4.69mm
WIRE STRIP LENGTH 6.20-6.58mm	TERM APPL SPEC 114-15106	FEED 22.0mm	APPLICATOR INSTRUCTIONS 408-8040	SET UP GAGE	458637-1



LOC	DIST	REV	DESCRIPTION	DATE	BY	APPD
A	66		RELEASED	06DEC2007	MEH	TE
B			ECR-12-006121	01APR2012	RS	SX

QTY	LOC	REV	DESCRIPTION	DATE	BY	APPD
2	2	2	2	7-354778-9	PIN, WIRE DISC. .2890	127
2	2	2	2	4-354778-9	PIN, WIRE DISC. .2740	126
-	-	REF	-	692655-6	AIR FEED VALVE ASSEMBLY	118
-	-	REF	-	461062-1	FEED FINGER ASSEMBLY	117
-	-	REF	-	455749-1	GUARD WINDOW	116
-	-	REF	-	679532-1	INSERT, GUARD	115
-	-	REF	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	112
-	-	REF	-	3-21001-5	SCR, SKT HD CAP 3/8-16 X 1.000	111
-	-	REF	-	459610-1	MOUNT, FEED BRACKET	110
-	-	REF	-	21024-8	WASHER, SPRG LOCK, REG 3/8	109
-	-	REF	-	692655-7	AIR FEED VALVE ASSEMBLY	108
-	-	REF	-	461690-4	SPACER, AIR FEED	107
-	-	REF	-	24024-2	VALVE, SHUT OFF	106
-	-	REF	-	692655-5	AIR FEED VALVE ASSEMBLY	105
-	-	REF	-	461065-1	ASSEMBLY, AIR FEED	104
-	-	REF	-	4-21000-1	SCR, SKT HD CAP 10-32 X 1.500	103
-	-	REF	-	1-21002-4	SCR, BTN SKT HD CAP 4-40 X .375	92
-	-	REF	-	318563-1	GUARD, FRONT CHIP	89
-	-	REF	-	1-189807-0	FENCE	88
-	-	REF	-	4088040	SF APPL INST 408-8040	72
-	-	REF	-	217238-1	GENERAL INSTRUCTION PKG	71
-	-	REF	-	461264-1	PLATE, IDENTIFICATION	67
-	-	REF	-	21017-2	SCREW, DRIVE	66
-	-	REF	-	986950-1	WASHER, FLAT PRECISION	64
-	-	REF	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	-	REF	-	23030-1	SCR, SKT HD CAP 6-32 X .25	62
-	-	REF	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	-	REF	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	-	REF	-	2-21003-0	SCR, FLT SKT HD CAP 6-32 X .500	57
-	-	REF	-	2-694433-9	FEED PAWL	56
-	-	REF	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	-	REF	-	2-21000-8	SCR, SKT HD CAP 8-32 X .625	53
-	-	REF	-	21018-5	NUT, HEX, REG 6-32	52
-	-	REF	-	811242-2	BUMPER, HOLD DOWN	51
-	-	REF	-	690753-1	SPACER, TONKER	50
-	-	REF	-	1633399-4	APPL., BASIC AIR FEED SUB ASSY	46
-	-	REF	-	690191-1	PLUG, NYLON	45
-	-	REF	-	819307-6	RAM, SIDE FEED	44
-	-	REF	-	690125-1	SHIM SUB-ASSY	43
-	-	REF	-	1-690124-3	WASHER, RAM (.105)	42
-	-	REF	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	-	REF	-	23241-6	BALL, STEEL	40
-	-	REF	-	690170-1	SPRING, COMPRESSION	39
-	-	REF	-	690142-5	DISC, INSULATION	38
-	-	REF	-	354777-1	WIRE DISC, ASSEMBLY	37
-	-	REF	-	22480-5	SPRING, COMPRESSION	36
-	-	REF	-	690212-1	POST, RAM	35
-	-	REF	-	690786-6	TERMINAL SUPPORT	34
-	-	REF	-	9-21002-6	SCR, BTN SKT HD CAP 8-32 X .875	33
-	-	REF	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	-	REF	-	7-21000-6	SCR, SKT HD CAP 10-32 X .312	31
-	-	REF	-	1320908-7	SPACER, STRIP GUIDE	30
-	-	REF	-	1-1633091-8	ASSEMBLY, STRIP GUIDE	29
-	-	REF	-	455888-6	SPACER, CRIMPER	28
-	-	REF	-	1320928-5	PLATE, STRIP GUIDE	24
-	-	REF	-	690472-2	STRIPPER	22
-	-	REF	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	-	REF	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	-	REF	-	690472-1	STRIPPER	19
-	-	REF	-	1-679625-4	SHEAR HOLDER, FRONT (NO CUT)	13
-	-	REF	-	3-22280-3	SPRING, COMPRESSION	12
-	-	REF	-	1-690461-7	STOP, SHEAR	11
-	-	REF	-	2-690459-8	SHEAR HOLDER, FRONT	10
-	-	REF	-	318059-7	FLOATING SHEAR, FRONT	9
-	-	REF	-	1-1633330-7	ANVIL, COMBINATION	8
-	-	REF	-	240641-5	SPACER	7
-	-	REF	-	-	-	6
-	-	REF	-	122399-4	DEPRESSOR, SHEAR	5
-	-	REF	-	4-238011-4	BLOCK, CRIMPER SPACER	4
-	-	REF	-	4-1633569-1	CRIMPER, INSULATION SPECIAL	3
-	-	REF	-	2-455888-2	SPACER, CRIMPER	2
-	-	REF	-	1-1633588-3	CRIMPER, WIRE	1

* ALL DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED. DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED	
--	--

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9