






Copyright FCI.

PRODUCT NO.	ROWS	POWER			SIGNAL							POWER		
		E2	P4	P3	6	5	4	3	2	1		P2	P1	E1
51750-118-- NOTE: 3	D C B A		PC	PF	F	F	F	F	F	F		PC	PF	







CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PF	[2.34]	POWER
F	[N/A]	SIGNAL
HA	[N/A]	HOLD-DOWN
PC	[1.07]	POWER

spec ref		SEE NOTE		dr	Guang, Shi	2012/02/06	projection 	MM 	size	A4	scale	1:1
tolerance std see notes	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Luo Weller	2012/09/19			ecn no	-		
				chr	-	-			rel level			Released
				appr	Pei-Ming Zheng	2012/09/19	product family		PwrBlade			
surface 	linear	0.X	±0.50		title 2P + 24S + 2P VERTICAL PF RECEIPT				dwg no	51750-118		rev A
		0.XX	±0.25									
		0.XXX	±0.10									
	angular	0°	±2°									

PRODUCT NUMBER


51750-118:--
NOTE: 3




dr	Guang, Shi	2012/02/06	projection 	MM 	size	A4	scale	1:1	
eng	Luo Weller	2012/09/19			ecn no	-			
chr	-	-			rel level	Released			
appr	Pei-Ming Zheng	2012/09/19	product family		PwrBlade				
		title			2P + 24S + 2P		rev		
		VERTICAL PF RECEPT			dwg no		51750-118		
www.fci.com		cat. no.		Product - Customer Drw			sheet 2 of 4		
							A		

PRODUCT NUMBER

51750-118:--
NOTE: 3



RECOMMENDED PCB LAYOUT

dr	Guang, Shi	2012/02/06	projection 	MM 	size	A4	scale	1:1			
eng	Luo Weller	2012/09/19			ecn no	-					
chr	-	-			rel level	Released					
appr	Pei-Ming Zheng	2012/09/19	product family		PwrBlade						
		title			2P + 24S + 2P		dwg no		51750-118	rev	A
www.fci.com		cat. no.		Product - Customer Drw					sheet 3 of 4		



Copyright FCI.

PRODUCT NUMBER
51750-118:--
NOTE: 3

- NOTES:
- 1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.
- CONNECTOR NOTES:
- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 - 3. SEE ITEM 7& 8 IN PRINT 10064183 FOR PLATING SPEC OF 51750-118 AND 51750-118LF RESPECTIVELY.
 - 4 MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
 - 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 - 6. PACKAGED IN TRAYS.
- PCB NOTES:
- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 - 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 - 9 $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
 - 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 - 11 CONNECTOR KEEP-OUT ZONE.
 - 12. THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Guang, Shi	2012/02/06	projection	MM	size	A4	scale	1:1
eng	Luo Weller	2012/09/19			ecn no	-		
chr	-	-						
appr	Pei-Ming Zheng	2012/09/19	product family	PwrBlade	rel level	Released		
	title				dwg no		rev	
	2P + 24S + 2P				51750-118		A	
	VERTICAL PF RECEPT							
www.fci.com	cat. no.		Product - Customer Drw			sheet 4 of 4		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9