


LOC		DIST		REVISIONS					
GP		00		P	LYR	DESCRIPTION	DATE	DWN	APVD
					A	RELEASED PER ECO-09-019917	02SEP2009	RG	MS





- PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR TYCO ELECTRONICS APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.
- MATERIAL:
INSULATORS - THERMOPLASTIC, GLASS REINFORCED,
COLOR: BLACK, UL94V-0 FLAMMABILITY RATED.
POWER CONTACTS - PHOSPHOR BRONZE ALLOY,
COPPER ALLOY
SOLDER SIGNAL PINS-BRASS ALLOY
CROWN BAND-BERYLLIUM COPPER ALLOY
- FINISH:
CONTACTS - GOLD PLATE 0.76µm MIN. THK., OVER
NICKEL 1.27µm MIN. THK
SOLDER TAILS, TIN 3.05µm MIN. THK. OVER
NICKEL 1.27µ MIN THK.


- 4 MOUNTING FLANGES ACCEPT M3 OR #4-40 SCREWS, (USER SUPPLIED)
- 5 ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER LABEL

TYCO ELECTRONICS P/N DATE CODE YEAR 1 WEEK
XXXXXXXX-X XXXX 0106

6. CONNECTOR MATES WITH PN 2085124-1




LOC		DIST		REVISIONS					
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1			-	-	-




CONNECTOR	EQUIVALENT CATALOG MODULE #	MODULE QTY	CONTACT QTY	SIZE NO.	MATING PIN	MAX. CURRENT (PER CONTACT)	CONTACT SPACING	VOLTAGE RATING
PIN	FPI04	4	4	8	1.25 X 7.00	35 amps	7.5	250
	FP302	3	72	22	.64 SQ.	3 amps	2.50	125 VOLTS
	FP506	2	-	RIGHT ANGLE GUIDE SOCKET				
	FP500	1	-	LEFT MOUNTING FLANGE				
	FP501	1	-	RIGHT MOUNTING FLANGE				

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT STRICTLY CONFIDENTIAL AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION.				DWN C. ROHLER 29JAN2009	Tyco Electronics Harrisburg, PA 17105-3608			
EQUIVALENT CATALOG MODULE #				APVD P. DAMATO 29JAN2009	NAME PIN CONNECTOR, RIGHT ANGLE SOLDER TAILS			
DIMENSIONS:				PRODUCT SPEC	SIZE			
mm				APPLICATION SPEC	CAGE CODE			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				WEIGHT	DRAWING NO			
9 PLG ±.5				CUSTOMER DRAWING	A100779			
2 PLG ±.5				SCALE	3:1			
3 PLG ±.25				SHEET	2 OF 3			
4 PLG ±.5				REV	A			
ANGLES ±.5								
FINISH								

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-



7. SOLDER PIN DETAIL
SCALE 10:1



8 SOLDER TERMINATION AREA
SCALE 40:1
RECOMMENDED PRINTED CIRCUIT SOLDER HOLE
FINISHED HOLE: Ø1.02 ±.08
DRILLED HOLE: Ø1.15 ±.013
COPPER PLATE: .025 MIN.
TIN PLATE: .008 MIN. (PER SURFACE)

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS TO BE RETURNED TO TYCO ELECTRONICS CORPORATION WHEN NO LONGER REQUIRED. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				DWN C. ROHLER 29JAN2009	Tyco Electronics Harrisburg, PA 17105-3608	
EGR P. DAMATO 29JAN2009				NAME P. DAMATO 29JAN2009	PIN CONNECTOR, RIGHT ANGLE SOLDER TAILS	
APVD P. DAMATO 29JAN2009				PRODUCT SPEC	-	
				APPLICATION SPEC	-	
				WEIGHT	-	
CUSTOMER DRAWING				SCALE	3:1	SHEET 3 OF 3 REV A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9