



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AA	00		A9	ADD NEW PARTS	15OCT2014	OL
			A10	ECR-15-001425	22DEC2014	SZ






1. HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
SIGNAL CONTACT: PHOSPHOR BRONZE
SIGNAL OVERMOLD: GLASS FILLED POLYESTER
POWER CONTACT: COPPER ALLOY
2. SIGNAL CONTACT:0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN

POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS
- 5 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER
- 6 SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
7. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR
- 8 UNPLATED HOLES

12	10	1	1	18.95	23.74	10S X 2P	1-1892787-4
12	15	1	2	20.95	25.74	15S X 2P	1-1892787-3
12	25	1	4	24.95	29.74	25S X 2P	1-1892787-2
120	35	19	6	78.45	83.24	35S X 20P	1-1892787-1
108	35	17	6	72.95	77.74	35S X 18P	1-1892787-0
48	20	7	3	39.45	44.24	20S X 8P	1892787-9
60	25	9	4	46.95	51.74	25S X 10P	1892787-6
24	20	3	3	28.45	33.24	20S X 4P	1892787-4
24	10	3	1	24.45	29.24	10S X 4P	1892787-2
F PLC	E PLC	D SPACES	C SPACES	DIM B	DIM A	NO OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN ORANDO LI 28OCT2011		 TE Connectivity		
			CHK SUNY ZHAO 28OCT2011				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL		
mm		APPROX. SUNY ZHAO 28OCT2011					
		PRODUCT SPEC			SIZE CAGE CODE DRAWING NO RESTRICTED TO		
		108-2325					
		APPLICATION SPEC					
		114-13215					
		WEIGHT					
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2			A100779C=1892787		
Customer Drawing					SCALE 2:1 SHEET 1 OF 3 REV A10		

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-					
		-	SEE SHEET 1		-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: ORANDO L1 28OCT2011
CHK: SUNY ZHAO 28OCT2011
APVD: SUNY ZHAO 28OCT2011

NAME: RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL

DIMENSIONS:

mm

0 PLC ±
1 PLC ±
2 PLC ±0.13
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

MATERIAL SEE NOTE 1

SEE NOTE 2

PRODUCT SPEC 108-2325

APPLICATION SPEC 114-13215

WEIGHT -

Customer Drawing

SIZE A1

CAGE CODE 00779

DRAWING NO. 1892787

SCALE 2:1


SHEET 2 OF 3

REV. A10

TE Connectivity

RESTRICTED TO -

LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT
(COMPONENT SIDE OF BOARD SHOWN)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ORANDO L1 28OCT2011	 TE Connectivity	
		CHK SUNY ZHAO 28OCT2011		
DIMENSIONS:		APVD SUNY ZHAO 28OCT2011	NAME RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL	
mm		PRODUCT SPEC		
		108-2325	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		APPLICATION SPEC		
		114-13215	A100779C=1892787	
		FINISH		
MATERIAL SEE NOTE 1		SEE NOTE 2	Customer Drawing	
			SCALE 2:1	SHEET 3 OF 3
			REV A10	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9