

AMPHENOL PART NUMBER CONFIGURATION **U79 - A 1 X X - X X X X**

HEAT SINK OPTION

0 = CLIP SHIPPED, NO HEAT SINK
 1 = NO HEAT SINK OR CLIP SHIPPED
 2 = FIN HEAT SINK & CLIP (J=7.0mm)
 3 = FIN HEAT SINK & CLIP (J=4.2mm)
 4 = FIN HEAT SINK & CLIP (J=13.5mm)
 D = PIN-FIN HEAT SINK & CLIP (J=7.0mm)
 F = PIN-FIN HEAT SINK & CLIP (J=4.2mm)
 F = PIN-FIN HEAT SINK & CLIP (J=13.5mm)
 G = 45° FIN HEAT SINK & CLIP (J=7.0mm)
 H = 45° FIN HEAT SINK & CLIP (J=4.2mm)
 J = 45° FIN HEAT SINK & CLIP (J=13.5mm)
 T = PIN-FIN HEAT SINK & CLIP (J=6.50mm)

PRESS FIT LENGTH OPTION

1 = 2.50mm
 2 = 2.15mm

PLATING OPTION

2 = NICKEL
 3 = MATTE TIN

OPTIONAL DUST COVER

0 = WITHOUT DUST COVER
 D = WITH DUST COVER (SHIPPED LOOSE)

NOTE:
 FOR "J" DIMENSION LOCATION SEE SHEET 2


PACKAGING

1 = TRAY PACKAGING (HEAT SINK AND CLIP SHIPPED SEPARATELY IF ORDERED)
 T = TAPE AND REEL (HEAT SINK AND CLIP SHIPPED SEPARATELY IF ORDERED)
 A = TRAY PACKAGING (HEAT SINK & CLIP ASSEMBLED TO CAGE)
 B = TRAY PACKAGING (CLIP ASSEMBLED TO CAGE)


OPTION

0 = STANDARD
 1 = HIGH CONDUCTIVITY REAR LOWER GASKET
 2 = MYLAR TAPE ATTACHED TO BOTTOM CAGE WALL
 3 = NO REAR LOWER GASKET
 4 = NO REAR LOWER GASKET, MYLAR TAPE ATTACHED TO BOTTOM CAGE WALL


REVISIONS				
REV.	ECN/E/R	DESCRIPTION	DATE	APPROVED
L		22.15 MIN ADDED / TOP VIEW CH. FORM H "G" TO "H"	AUG 10/09	A.G.
M		ADDED "IF ORDERED" TO THE PACKAGING NOTE	JUL 07/10	Z.J.
N		ADDED NEW OPTION OF 2.15mm LONG PRESS FIT PIN	SEP 28/11	Z.J.
P		ADDED NEW OPTION OF U79-A11X-XX4X	DEC 06/11	A.G.
R		ADDED NEW OPTION OF U79-A11X-XXXX	DEC 24/14	J.SI




VIEW OF
U79-A11X-X001




OPTIONAL DUST COVER
 P/N U79-111-9000-P
 (SHIPPED LOOSE)




VIEW OF
U79-A1GX-X00A




VIEW OF
U79-A12X-XD0A



VIEW OF
U79-A1DX-X001



VIEW OF
U79-A11X-X04X




VIEW OF
U79-A10X-X02B

OPTIONAL MYLAR TAPE LOCATION
 MYLAR TAPE SIZE 18x40x0.10





THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	Amphenol Canada Corp.	
DECIMALS	ANGLES	DRAWN	M.LONG	2005/11/29	TITLE	
X.X ± 0.15	± 1°	DESIGNED	M.LONG	2005/11/29	XFP CAGE	
X.XX ± 0.10		CHECKED	J.SI	2005/11/29		
MATERIAL AND FINISH		QA APPD				
REF.		E APPD			SIZE	DWG. NO.
CODE IDENT. NO.	03554	DWG. APPD	A.GREEN	2005/11/29	A3	P-U79-A1XX-XXXX
		SCALE	2:1	PROJECT	REV.	R
						1 OF 5



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.





Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9