

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1720420207](#)
Status: **Active**
Overview: [Super Sabre™ Connector System](#)
Description: [Super Sabre™ Vertical Header, 2 Circuit, Long Solder Tail without Board Lock](#)

Documents:
[3D Model](#) [Product Specification PS-171825-001 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification
CSA LR19980
UL E29179

General
Product Family PCB Headers
Series [172042](#)
Application Power, Signal, Wire-to-Board
Comments Operating Temperature Per USCAR-2; Class 3
Overview [Super Sabre™ Connector System](#)
Product Name Super Sabre™
UPC 887191565064

Physical
Breakaway No
Circuits (Loaded) 2
Circuits (maximum) 2
Color - Resin Black
Durability (mating cycles max) 25
First Mate / Last Break No
Flammability 94V-0
Glow-Wire Compliant Yes
Lock to Mating Part Yes
Material - Metal Copper
Material - Plating Mating Silver
Material - Plating Termination Matte Tin, Nickel
Material - Resin High Temperature Thermoplastic
Net Weight 2.935/g
Number of Rows 1
Orientation Vertical
PC Tail Length 5.33mm
PCB Retention None
Packaging Type Tray
Pitch - Mating Interface 7.50mm
Plating min - Mating 0.025µm
Plating min - Termination 0.025µm
Polarized to Mating Part Yes
Surface Mount Compatible (SMC) Yes
Temperature Range - Operating -40°C to +125°C
Termination Interface: Style Through Hole

Electrical
Current - Maximum per Contact 30.0A per blade
Voltage - Maximum 600V AC (RMS)

Solder Process Data
Duration at Max. Process Temperature (seconds) 030
Lead-freeProcess Capability SMC&WAVE
Max. Cycles at Max. Process Temperature 003



Series image - Reference only

EU ELV
Not Relevant

EU RoHS **China RoHS**
Compliant
REACH SVHC
Contains SVHC(2014 December 17): No
Halogen-Free
Status
Low-Halogen
Need more information on product environmental compliance?

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any non-product compliance questions.

China ROHS Green Image
ELV Not Relevant

Search Parts in this Series
[172042](#) Series

Mates With
[172672](#) Crimp Housing

Process Temperature max. C	260
Material Info	
Reference - Drawing Numbers	
Product Specification	PS-171825-001
Sales Drawing	SD-172042-001

This document was generated on 07/02/2015

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9