

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

2002180100

Status:

Active

Overview:

Application Tooling

Description:

Hand Crimp Tool for Mini-Fit TPA2 Male and Female Crimp Terminals, 18 AWG, Large and Small Insulation Grips

Documents:

RoHS Certificate of Compliance (PDF)

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207129                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Function                       | Crimp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Manual                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | Mini-Fit TPA2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Tool Type                      | Hand Crimp Tool                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| UPC                            | 889056764445                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

Reference - Drawing Numbers

Application Tooling Documents2002180100-000



Series image - Reference only

|                                                               |               |
|---------------------------------------------------------------|---------------|
| EU ELV                                                        |               |
| Not Relevant                                                  |               |
| EU RoHS                                                       | China RoHS    |
| Compliant                                                     |               |
| REACH SVHC                                                    |               |
| Not Contained Per - ED/30/2017 (7 July 2017)                  |               |
| Halogen-Free                                                  |               |
| Status                                                        |               |
| Not Relevant                                                  |               |
| For more information, please visit <a href="#">Contact US</a> |               |
| China ROHS                                                    | Not Relevant  |
| ELV                                                           | Not Relevant  |
| RoHS Phthalates                                               | Not Contained |

Search Parts in this Series

207129 Series

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated                   | 2061104       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2061118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2061131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2061132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2061141</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2061143</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <a href="#">2062101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2062103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                      |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2062131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel                   |
|  | 1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                    |
|  | 1.57mm Diameter, <a href="#">2065100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged |
|  | 1.57mm Diameter, <a href="#">2065105</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max.<br>Insulation Diameter,<br>Reel                     |

|  |                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |
|  | 1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |
|  | 1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |
|  | 1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |
|  | 1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |
|  | 1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |
|  | 1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |
|  | 1.57mm Diameter, <a href="#">2065148</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series                                                                                             |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2066100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <a href="#">2066101</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2066102</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <a href="#">2066103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <a href="#">2066104</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2066118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <a href="#">2066119</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag<br>1.57mm Diameter, <u>2066122</u><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag<br>1.57mm Diameter, <u>2066130</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Reel<br>1.57mm Diameter, <u>2066135</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag<br>1.57mm Diameter, <u>2066138</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2066139</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Reel<br>1.57mm Diameter, <u>2066144</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn) |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Plated Crimp Area,  
24-30 AWG, Bag  
1.57mm Diameter, [2067103](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1779, Female,  
with 2.54µm Tin  
(Sn) Plated Brass  
Contact, Bag  
Packaged  
1.57mm Diameter, [2067104](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1779, Female,  
with .76µm Selective  
Gold (Au) Plated  
Brass Contact, Bag  
Packaged  
1.57mm Diameter, [2068103](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1778, Male, with Tin  
(Sn) Plated Brass  
Contact, Bag  
MLX Crimp Terminal [2082008](#)  
42023, 14-20 AWG,  
Bag Selective Gold  
(Au)  
2.36mm Diameter, [2091102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2091104](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, [2091117](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2091119](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2091122](#)  
Standard .093" Pin

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Reel<br>2.36mm Diameter, <a href="#">2091123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Bag<br>2.36mm Diameter, <a href="#">2091134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Tin (Sn) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2091155</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>41483, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-18 AWG<br>with Large Insulation<br>Diameter, Chain<br>2.36mm Diameter, <a href="#">2091205</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091206</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2091615</a><br>Standard .093"<br>Pin and Socket<br>Crimp Terminal,<br>Series 42477,<br>Female, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter, <a href="#">2092101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092116</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, without<br>Dents, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged<br>2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2092166</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel Packaged<br>2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Bag Packaged  
2.36mm Diameter, [2092170](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Reel  
2.36mm Diameter, [2092171](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Bag  
2.36mm Diameter, [2092611](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
42478, Male, with Tin  
(Sn) Plated Contact,  
High Current/Low  
Engagement Force,  
14-18 AWG, Reel  
2.36mm Diameter, [2095100](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2095101](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Chain  
2.36mm Diameter, [2095102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2095106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag

|  |                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag  |
|  | 2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag                                 |
|  | 2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag  |
|  | 2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag               |
|  | 2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel              |
|  | 2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated                                                   |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096100</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <u>2096101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096106</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <u>2096110</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <u>2096123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <u>2096125</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2096126

1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag

2.36mm Diameter, 2096132  
Standard .093"  
Pin and Socket

PC Tail Terminal,  
Series 1376, Male,  
with Gold (Au)  
Plated Contact,  
Without Detent, Bag  
Packaged

2.36mm Diameter, 2098103  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,

Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Reel

2.36mm Diameter, 2098104  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag

2.36mm Diameter, 2098108  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Reel

2.36mm Diameter, 2098109  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG. Bag

Mini-Fit Jr. 3044052  
Receptacle Housing,  
Single Row, 5  
Circuits. UL 94V-2.

1.57mm Diameter 3061011  
Standard .062"  
Pin and Socket

Receptacle Housing,  
1 Circuits, Natural

|  |                                                                                                                                                                                  |                |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                            | <u>3061022</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears                                                      | <u>3061031</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061032</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                            | <u>3061038</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears                                                      | <u>3061041</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061042</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural | <u>3061044</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061062</u> |

|  |                                                                                                                                       |                |
|--|---------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural        | <u>3061092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural | <u>3061121</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural       | <u>3061122</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural                                           | <u>3062011</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                 | <u>3062023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural       | <u>3062024</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural        | <u>3062031</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural                 | <u>3062032</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural       | <u>3062033</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears                    | <u>3062041</u> |

|  |                                                                                                                                                                         |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062042</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural | <u>3062044</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062061</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                        | <u>3062121</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural                                                  | <u>3062122</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black                                               | <u>3066023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black                                               | <u>3066062</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2<br>Circuits, without<br>Mounting Ears, Black                                              | <u>3067023</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black   | <u>3067044</u> |



|  |                                                                                                                                                                  |                |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black                                              | <u>3067061</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural                                               | <u>3091011</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural                       | <u>3091022</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091027</u> |
|  | 2.36mm Diameter<br>Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                         | <u>3091030</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091031</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091032</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural | <u>3091033</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091041</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091042</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                                                                              | <u>3091049</u> |

|  |                                                                                                                                                                                   |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter <u>3091061</u><br>Standard .093"<br>Pin and Socket                           |
|  | Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091062</u><br>Standard .093"<br>Pin and Socket                                                     |
|  | Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091063</u><br>Standard .093"<br>Pin and Socket                                                     |
|  | Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp<br>2.36mm Diameter <u>3091064</u><br>Standard .093"<br>Pin and Socket  |
|  | Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091081</u><br>Standard .093"<br>Pin and Socket                                                     |
|  | Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091091</u><br>Standard .093"<br>Pin and Socket                                                   |
|  | Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter <u>3091092</u><br>Standard .093"<br>Pin and Socket                                                      |
|  | Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp<br>2.36mm Diameter <u>3091093</u><br>Standard .093"<br>Pin and Socket       |
|  | Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp<br>2.36mm Diameter <u>3091094</u><br>Standard .093"<br>Pin and Socket |
|  | Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                                                                                            |

|  |                                                                                                                                                             |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps  | <u>3091121</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091125</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091126</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps | <u>3091151</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps       | <u>3091152</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps    | <u>3091153</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps          | <u>3091157</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits                         | <u>3091161</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural                                                   | <u>3092011</u> |

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural     | <u>3092021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural              | <u>3092022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                            | <u>3092031</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                            | <u>3092032</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row                                     | <u>3092041</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row                                     | <u>3092042</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural | <u>3092049</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                       | <u>3092061</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                       | <u>3092062</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housings, 9 Circuits,<br>3 Rows                                        | <u>3092092</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                        | <u>3092121</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                        | <u>3092122</u> |

|  |                                                                                                                                                                          |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        | <u>3092151</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows | <u>3092159</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            | <u>3092161</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          | <u>3096021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      | <u>3097022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        | <u>3097024</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                                    | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel                                                                        | <u>3121036</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3121046</u><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <u>3122022</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <u>3122025</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122026</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122035</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122036</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent) |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                          |                |
|----------------------------------------------------------------------------------------------------------|----------------|
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121004</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Bag                                                                | <u>5121005</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121006</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121008</u> |
| Crimp Terminal<br>6482, 14-18 AWG,<br>Reel                                                               | <u>5121104</u> |
| Flat Blade Appliance<br>Motor Switch Crimp<br>Housing, 10 Circuits                                       | <u>6021103</u> |
| Flat Blade Appliance<br>Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural                              | <u>6022030</u> |
| Flat Blade Appliance<br>Defrost Timer Crimp<br>Housing, 4 Circuit, 4<br>Circuits                         | <u>6023042</u> |
| Flat Blade Appliance<br>Motor Switch Crimp<br>Housing, 10 Circuit,<br>10 Circuits                        | <u>6023103</u> |
| Flat Blade Appliance<br>Dryer Motor Crimp<br>Housing, 10 Circuit                                         | <u>6023104</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel | <u>8500030</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel                                | <u>8500031</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag                                 | <u>8500032</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass Tin<br>(Sn)                                      | <u>8500106</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                                      | <u>8500113</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                                 | <u>8500114</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                                        | <u>8500135</u> |

|                        |                |
|------------------------|----------------|
| KK 254 Crimp           | <u>8500136</u> |
| Terminal 4809, 22-30   |                |
| AWG, Tin, Bag          |                |
| KK 254 Crimp           | <u>8500159</u> |
| Terminal, 22-30        |                |
| AWG, Reel, Tin (Sn)    |                |
| Plating, Nickel (Ni)   |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8500160</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Tin (Sn)     |                |
| Plating, Nickel (Ni)   |                |
| Under Plating          |                |
| KK 100 Crp Term        | <u>8510101</u> |
| Std 22-30 Awg Unplt    |                |
| KK 254 Crimp           | <u>8510108</u> |
| Terminal, 22-30        |                |
| AWG, Reel, Tin (Sn),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 396 Crimp           | <u>8520072</u> |
| Terminal 2478,         |                |
| 18-24 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| Tin (Sn)               |                |
| KK 254 Crimp           | <u>8520101</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Reel,       |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK Trifurcon Crimp     | <u>8520112</u> |
| Terminal 6838,         |                |
| 18-20 AWG, Reel,       |                |
| Phosphor Bronze        |                |
| Tin(Sn)                |                |
| KK Trifurcon Crimp     | <u>8520113</u> |
| Terminal 6838,         |                |
| 18-20 AWG, Bag,        |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK .100 CRIMP          | <u>8520118</u> |
| TERMINAL 100MI         |                |
| MATTE TIN              |                |
| KK 254 Crimp           | <u>8520123</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Bag,        |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK 254 Crimp           | <u>8550101</u> |
| Terminal, 22-30        |                |
| AWG, Reel,             |                |
| Selective Gold (Au),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 254 Crimp           | <u>8550102</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Selective    |                |
| Gold (Au), Nickel (Ni) |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8550110</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Reel             |                |
| KK 254 Crimp           | <u>8550111</u> |
| Terminal 4809, 22-30   |                |



|                                                                             |                |
|-----------------------------------------------------------------------------|----------------|
| AWG, Selective Gold (Au), Bag                                               |                |
| KK 254 Cat Ear                                                              | <u>8550112</u> |
| Crimp Terminal                                                              |                |
| 4809, 22-30 AWG, Selective Gold, Reel                                       |                |
| KK 254 Crimp                                                                | <u>8550130</u> |
| Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating   |                |
| KK 254 Crimp                                                                | <u>8550131</u> |
| Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating    |                |
| KK 254 Crimp                                                                | <u>8560109</u> |
| Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating             |                |
| KK 254 Crimp                                                                | <u>8560110</u> |
| Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating              |                |
| KK 254 Crimp                                                                | <u>8560115</u> |
| Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag                          |                |
| KK 254 Crimp                                                                | <u>8560120</u> |
| Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel                         |                |
| KK 396 Crimp                                                                | <u>8650116</u> |
| Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) |                |
| KK Trifurcon Crimp                                                          | <u>8650122</u> |
| Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)          |                |
| KK 100 Crp Term                                                             | <u>8650801</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 100 Crp Term                                                             | <u>8650811</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 100 Crp Term                                                             | <u>8650812</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 254 Crimp                                                                | <u>8650813</u> |
| Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)                   |                |
| KK 254 Crimp                                                                | <u>8650814</u> |
| Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)                    |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                              | <u>8650815</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                               | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                                 | <u>8650817</u> |
| 3.96 and 5.08mm<br>Pitch KK Cat Ear<br>Crimp Terminal,<br>Female, 18-24 AWG,<br>Reel                                                      | <u>8700012</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits                                     | <u>9481104</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                   | <u>9481105</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                 | <u>9483024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                  | <u>9483025</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                    | <u>9483026</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483104</u> |
| KK 396 PC Board<br>Connector, Right-<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483105</u> |

|                        |                |
|------------------------|----------------|
| KK 396 PC Board        | <u>9483106</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9484028</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484029</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484039</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9484099</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 9 Circuits   |                |
| KK 396 PC Board        | <u>9484108</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9484109</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9484118</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 11 Circuits  |                |
| KK 396 PC Board        | <u>9484149</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 14 Circuits  |                |
| 3.96mm Pitch SPOX      | <u>9501021</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp, 2 Circuits,      |                |
| Natural                |                |
| 3.96mm Pitch SPOX      | <u>9501023</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp and Void, 2       |                |
| Circuits, Natural      |                |
| 3.96mm Pitch SPOX      | <u>9501031</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp, 3 Circuits,      |                |
| Natural                |                |
| 3.96mm Pitch SPOX      | <u>9501033</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp and Void, 3       |                |
| Circuits, Natural      |                |

3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural

3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural

3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural

3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural

3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural

3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural

3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural

3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural

3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural

|                       |                                |
|-----------------------|--------------------------------|
| 3.96mm Pitch SPOX     | <a href="#"><u>9501111</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 11 Circuits,    |                                |
| Natural               |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501113</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp and Void, 11     |                                |
| Circuits, Natural     |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501121</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 12 Circuits,    |                                |
| Natural               |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503021</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 2      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503031</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 3      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503041</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 4      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503051</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 5      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503061</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 6      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503071</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 7      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503081</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 8      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503091</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 9      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503101</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 10     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503111</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 11     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503121</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 12     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503131</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 13     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503141</u></a> |
| Terminal Housing,     |                                |

|  |                                                                                   |                |
|--|-----------------------------------------------------------------------------------|----------------|
|  | Friction Ramp, 14<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 2  | <u>9503151</u> |
|  | Friction Ramp, 15<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 3  | <u>9503161</u> |
|  | Friction Ramp, 16<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 4  | <u>9503171</u> |
|  | Friction Ramp, 17<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 5  | <u>9503181</u> |
|  | Friction Ramp, 18<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 6  | <u>9503191</u> |
|  | Friction Ramp, 19<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 7  | <u>9503201</u> |
|  | Friction Ramp, 20<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 8  | <u>9503211</u> |
|  | Friction Ramp, 21<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 9  | <u>9503221</u> |
|  | Friction Ramp, 22<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 10 | <u>9503231</u> |
|  | Friction Ramp, 23<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 11 | <u>9503241</u> |
|  | Friction Ramp, 24<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 12 | <u>9507021</u> |
|  | Friction Ramp, 25<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 13 | <u>9507031</u> |
|  | Friction Ramp, 26<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 14 | <u>9507041</u> |
|  | Friction Ramp, 27<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 15 | <u>9507051</u> |
|  | Friction Ramp, 28<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 16 | <u>9507061</u> |
|  | Friction Ramp, 29<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 17 | <u>9507071</u> |
|  | Friction Ramp, 30<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 18 | <u>9507081</u> |

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507111</u> |
| Terminal Housing, 11 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507131</u> |
| Terminal Housing, 13 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507141</u> |
| Terminal Housing, 14 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507151</u> |
| Terminal Housing, 15 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507161</u> |
| Terminal Housing, 16 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507171</u> |
| Terminal Housing, 17 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507221</u> |
| Terminal Housing, 22 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508023</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508041</u> |
| Terminal Housing,    |                |
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508043</u> |
| Terminal Housing,    |                |

|                                                                                                                                                                   |         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| Friction Ramp, 4<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 10 | 9508093 |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 10                                                                                                      | 9508100 |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                                                                                    | 9508101 |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                                                                                    | 9508103 |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14                                                                                    | 9508141 |
| Circuits, Natural<br>3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 2 Circuits,<br>Natural                                                        | 9524024 |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 3 Circuits,<br>Natural                                                                             | 9524034 |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 4 Circuits,<br>Natural                                                                             | 9524044 |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 5 Circuits,<br>Natural                                                                             | 9524054 |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 6 Circuits,<br>Natural                                                                             | 9524064 |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits                                                                        | 9652028 |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 2 Circuits                                                             | 9652029 |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits                                                                        | 9652038 |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical, with                                                                                                        | 9652039 |



|  |                                                                                                           |                |
|--|-----------------------------------------------------------------------------------------------------------|----------------|
|  | Friction Lock, with<br>Void, 3 Circuits<br>SPOX and KK                                                    | <u>9652048</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits<br>SPOX and KK                | <u>9652049</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 4 Circuits<br>SPOX and KK     | <u>9652058</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits<br>SPOX and KK                | <u>9652068</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits<br>SPOX and KK                | <u>9652069</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 6 Circuits<br>SPOX and KK     | <u>9652078</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits<br>SPOX and KK                | <u>9652079</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 7 Circuits<br>SPOX and KK     | <u>9652088</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits<br>SPOX and KK                | <u>9652089</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 8 Circuits<br>KK 3.96mm Crimp | <u>9930200</u> |
|  | Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930300</u> |
|  | Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930400</u> |
|  | Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930500</u> |
|  | Terminal Housing,<br>Friction Ramp, 5                                                                     |                |

|  |                                                     |                 |
|--|-----------------------------------------------------|-----------------|
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6  | <u>9930600</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7  | <u>9930700</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8  | <u>9930800</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9  | <u>9930900</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 | <u>9931000</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 | <u>9931100</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 | <u>9931200</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 | <u>9931300</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 | <u>9931400</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 | <u>9931500</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | 15 PIN MICRO-D FEMAL ASSY                           | <u>10008503</u> |
|  | M8351309B11                                         |                 |
|  | 15/C METALSHELL RECEPT.WIRED                        | <u>10008637</u> |
|  | 15/C METAL SHELL PLUG WIRED                         | <u>10008638</u> |
|  | 25/C RECEPT. HARNESS ASSY                           | <u>10008645</u> |
|  | 37/C RECEPT. HARNESS ASSY                           | <u>10008647</u> |

|                       |                 |
|-----------------------|-----------------|
| STAT. 3CKT            | <u>10008653</u> |
| RECEP. PIN 1/4 IN 1   |                 |
| FT                    |                 |
| R/A 3CKT PLUG         | <u>10008654</u> |
| SOC. INSERT PUR       |                 |
| 12 FEET               |                 |
| 15/C M SHELL          | <u>10008655</u> |
| RECEPT. WIRED         |                 |
| 72.0                  |                 |
| 5.08mm Pitch KK       | <u>10011024</u> |
| Crimp Terminal        |                 |
| Housing, 2 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011034</u> |
| Crimp Terminal        |                 |
| Housing, 3 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011044</u> |
| Crimp Terminal        |                 |
| Housing, 4 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011054</u> |
| Crimp Terminal        |                 |
| Housing, 5 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011064</u> |
| Crimp Terminal        |                 |
| Housing, 6 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011074</u> |
| Crimp Terminal        |                 |
| Housing, 7 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011084</u> |
| Crimp Terminal        |                 |
| Housing, 8 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011094</u> |
| Crimp Terminal        |                 |
| Housing, 9 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011104</u> |
| Crimp Terminal        |                 |
| Housing, 10 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011114</u> |
| Crimp Terminal        |                 |
| Housing, 11 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011124</u> |
| Crimp Terminal        |                 |
| Housing, 12 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013026</u> |
| Crimp Terminal        |                 |
| Housing, 2 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013036</u> |
| Crimp Terminal        |                 |
| Housing, 3 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013046</u> |
| Crimp Terminal        |                 |
| Housing, 4 Circuits,  |                 |
| Natural               |                 |

5.08mm Pitch SPOX [10013056](#)  
Crimp Terminal  
Housing, 5 Circuits,  
Natural

5.08mm Pitch SPOX [10013066](#)  
Crimp Terminal  
Housing, 6 Circuits,  
Natural

5.08mm Pitch SPOX [10013076](#)  
Crimp Terminal  
Housing, 7 Circuits,  
Natural

5.08mm Pitch SPOX [10013086](#)  
Crimp Terminal  
Housing, 8 Circuits,  
Natural

5.08mm Pitch SPOX [10013096](#)  
Crimp Terminal  
Housing, 9 Circuits,  
Natural

KK PC Board [10021022](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 2  
Circuits

KK PC Board [10021032](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 3  
Circuits

KK PC Board [10021042](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 4  
Circuits

KK PC Board [10021052](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 5  
Circuits

KK PC Board [10021062](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 6  
Circuits

KK PC Board [10021072](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 7  
Circuits

KK PC Board [10021082](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 8  
Circuits

KK PC Board [10021092](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 9  
Circuits

KK PC Board [10021102](#)  
Connector, Bottom  
Entry Mount Style B,  
1.00µm Tin (Sn), 10  
Circuits

|  |                      |                 |
|--|----------------------|-----------------|
|  | KK PC Board          | <u>10021112</u> |
|  | Connector, Bottom    |                 |
|  | Entry Mount Style B, |                 |
|  | 1.00µm Tin (Sn), 11  |                 |
|  | Circuits             |                 |
|  | KK PC Board          | <u>10021122</u> |
|  | Connector, Bottom    |                 |
|  | Entry Mount Style B, |                 |
|  | 1.00µm Tin (Sn), 12  |                 |
|  | Circuits             |                 |
|  | 5.08mm Pitch KK      | <u>10061045</u> |
|  | Header, Right        |                 |
|  | Angle, Square Pin,   |                 |
|  | 4 Circuits, Tin (Sn) |                 |
|  | Plating              |                 |
|  | KK Header, Right     | <u>10061055</u> |
|  | Angle, Square Pin,   |                 |
|  | 5 Circuits, Tin (Sn) |                 |
|  | Plating              |                 |
|  | KK Header, Vertical, | <u>10081021</u> |
|  | Round Pin, 2         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 19.05mm              |                 |
|  | KK Header, Vertical, | <u>10081022</u> |
|  | Round Pin, 2         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 23.80mm              |                 |
|  | KK Header, Vertical, | <u>10081029</u> |
|  | Round Pin, 2         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 20.32mm              |                 |
|  | KK Header, Vertical, | <u>10081031</u> |
|  | Round Pin, 3         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 19.05mm              |                 |
|  | KK Header, Vertical, | <u>10081039</u> |
|  | Round Pin, 3         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 20.32mm              |                 |
|  | KK Header, Vertical, | <u>10081041</u> |
|  | Round Pin, 4         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 19.05mm              |                 |
|  | KK Header, Vertical, | <u>10081049</u> |
|  | Round Pin, 4         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 20.32mm              |                 |
|  | KK Header, Vertical, | <u>10081051</u> |
|  | Round Pin, 5         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 19.05mm              |                 |
|  | KK Header, Vertical, | <u>10081061</u> |
|  | Round Pin, 6         |                 |
|  | Circuits, Tin (Sn)   |                 |
|  | Plating, Pin Length  |                 |
|  | 19.05mm              |                 |

KK Header, Vertical, [10081069](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081071](#)  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081081](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081082](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081089](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081091](#)  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081101](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081102](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081111](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081112](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081121](#)  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10085021](#)  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085031](#)  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085041](#)  
with Polarizing

Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085051](#)  
with Polarizing  
Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085061](#)  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085071](#)  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085081](#)  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085091](#)  
with Polarizing  
Backwall, 9 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085101](#)  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085111](#)  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085121](#)  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board [10101021](#)  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board [10101023](#)  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board [10101031](#)  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board [10101033](#)  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board [10101041](#)  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 4  
Circuits  
KK PC Board [10101043](#)  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 4  
Circuits

|                                                                                             |                                 |
|---------------------------------------------------------------------------------------------|---------------------------------|
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 5<br>Circuits  | <a href="#"><u>10101051</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 5<br>Circuits     | <a href="#"><u>10101053</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 6<br>Circuits  | <a href="#"><u>10101061</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 6<br>Circuits     | <a href="#"><u>10101063</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 7<br>Circuits  | <a href="#"><u>10101071</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 7<br>Circuits     | <a href="#"><u>10101073</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 8<br>Circuits  | <a href="#"><u>10101081</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 8<br>Circuits     | <a href="#"><u>10101083</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits  | <a href="#"><u>10101091</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 9<br>Circuits     | <a href="#"><u>10101093</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits | <a href="#"><u>10101101</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits    | <a href="#"><u>10101103</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits | <a href="#"><u>10101111</u></a> |



|                                                                                             |                                 |
|---------------------------------------------------------------------------------------------|---------------------------------|
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits    | <a href="#"><u>10101113</u></a> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 12<br>Circuits | <a href="#"><u>10101121</u></a> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 12<br>Circuits    | <a href="#"><u>10101123</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 2 Circuits,<br>Natural                           | <a href="#"><u>10112023</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 3 Circuits,<br>Natural                           | <a href="#"><u>10112033</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 4 Circuits,<br>Natural                           | <a href="#"><u>10112043</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 5 Circuits,<br>Natural                           | <a href="#"><u>10112053</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 6 Circuits,<br>Natural                           | <a href="#"><u>10112063</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 7 Circuits,<br>Natural                           | <a href="#"><u>10112073</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 8 Circuits,<br>Natural                           | <a href="#"><u>10112083</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 9 Circuits,<br>Natural                           | <a href="#"><u>10112093</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 10<br>Circuits, Natural                          | <a href="#"><u>10112103</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 11 Circuit                                       | <a href="#"><u>10112113</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 12<br>Circuits, Natural                          | <a href="#"><u>10112123</u></a> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 13<br>Circuits, Natural                          | <a href="#"><u>10112133</u></a> |
| KK 254 Crimp<br>Housing, High                                                               | <a href="#"><u>10112143</u></a> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Pressure, 14<br>Circuits, Natural<br>KK 254 Crimp <u>10112153</u><br>Housing, High<br>Pressure, 15<br>Circuits, Natural<br>KK 254 Crimp <u>10112163</u><br>Housing, High<br>Pressure, 16<br>Circuits, Natural<br>KK 254 Crimp <u>10112173</u><br>Housing, High<br>Pressure, 17<br>Circuits, Natural<br>KK 254 Crimp <u>10112183</u><br>Housing, High<br>Pressure, 18<br>Circuits, Natural<br>2.36mm Diameter <u>10181031</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Male Terminals<br>2.36mm Diameter <u>10181032</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Male Terminals<br>2.36mm Diameter <u>10181033</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 2<br>Male Terminals<br>2.36mm Diameter <u>10181034</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 2<br>Male Terminals<br>2.36mm Diameter <u>10181035</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Male Terminals, 1<br>Female Terminal<br>2.36mm Diameter <u>10181036</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter <u>10181037</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Female Terminals,<br>1 Male Terminal<br>2.36mm Diameter <u>10181038</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Female Terminals<br>2.36mm Diameter <u>10181040</u><br>Standard .093" Pin |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter                                                                                        | <u>10181041</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Male Terminals<br>2.36mm Diameter                                                                                       | <u>10181042</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Female Terminals<br>2.36mm Diameter                                                                                     | <u>10181043</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter                                                                 | <u>10181044</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Female Terminals,<br>1 Male Terminals<br>2.36mm Diameter                                                                | <u>10181045</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Male Terminals, 2<br>Female Terminals<br>2.36mm Diameter                                                                | <u>10181046</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Male Terminals, 1<br>Female Terminal<br>2.36mm Diameter                                                                 | <u>10181047</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter                                                                 | <u>10181048</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal,<br>2 Male Terminals, 1<br>Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter                       | <u>10181049</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>1 Male Terminal, 1<br>Female Terminal,<br>1 Male Terminal, 1<br>Female Terminal<br>2.36mm Diameter | <u>10181050</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,                                                                                                                              |                 |

|                                                                                                                                                             |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 2 Female Terminals,<br>2 Male Terminals<br>2.36mm Diameter                                                                                                  | <u>10181090</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 9 Circuits,<br>9 Male Terminals<br>2.36mm Diameter                                                    | <u>10181091</u> |
| Standard .093" Pin<br>and Socket Header,<br>3 Rows, Shrouded,<br>Unfilled Polyester,<br>UL 94V-0, 9 Circuits,<br>9 Female Terminals<br>2.36mm Diameter      | <u>10181120</u> |
| Standard .093"<br>Pin and Socket<br>Header, Shrouded,<br>12 Circuits, 12 Male<br>Terminals<br>2.36mm Diameter                                               | <u>10181122</u> |
| Standard .093"<br>Pin and Socket<br>Header, 3 Rows,<br>Shrouded, Unfilled<br>Polyester, UL 94V-0,<br>12 Circuits, 12<br>Female Terminals<br>2.36mm Diameter | <u>10181150</u> |
| Standard .093"<br>Pin and Socket<br>Header, Shrouded,<br>15 Circuits, 15 Male<br>Terminals<br>5.08mm Pitch SPOX                                             | <u>10221022</u> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 2<br>Circuits<br>2.50mm Pitch KK                                                                  | <u>10302031</u> |
| Crimp Terminal<br>Housing, 3 Circuits<br>5.00/7.50mm Pitch                                                                                                  | <u>10311028</u> |
| SPOX Header,<br>Vertical, with Friction<br>Lock, 2 Circuits<br>5.00/7.50mm Pitch                                                                            | <u>10311038</u> |
| SPOX Header,<br>Vertical, with Friction<br>Lock, 3 Circuits<br>5.00/7.50mm Pitch                                                                            | <u>10311048</u> |
| SPOX Header,<br>Vertical, with Friction<br>Lock, 4 Circuits<br>5.00/7.50mm Pitch                                                                            | <u>10311058</u> |
| SPOX Header,<br>Vertical, with Friction<br>Lock, 5 Circuits<br>5.00/7.50mm Pitch                                                                            | <u>10311068</u> |
| SPOX Header,<br>Vertical, with Friction<br>Lock, 6 Circuits                                                                                                 |                 |

This document was generated on 09/16/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9