THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
AD	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	ECO 07-020114	28AUG07	MB	MS
	B1	REVISED PER ECO-09-024927	07NOV09	KK	AEG







SEE SHEET 2 FOR TERMINAL TYPES AND DIMENSIONS



CIRCUIT: T TYPE UNBALANCED (SWITCH IN CENTER NEUTRAL POSITION)

SPECIFICATIONS:

MATERIAL:

BASE, PBT UL94V-0, SEE P/N TABLE
COVER, PBT UL94V-0, SEE P/N TABLE
ACTUATOR, PBT UL94V-0, WHITE
FIXED CONTACT/TERMINAL, COPPER ALLOY, PLATE-GOLD/NICKEL
MOVING CONTACT, COPPER ALLOY, PLATE-GOLD/NICKEL

ELECTRICAL:

CONTACT RATING SWITCHING, 0.4 VA @ 20V DC
INITIAL CONTACT RESISTANCE, 50 MILLIOHMS MAX.
INSULATION RESISTANCE, 100 MEGOHMS MIN. @ 100V DC.
DIELECTRIC STRENGTH, 500V AC RMS @ SEA LEVEL
LIFE, 5,000 CYCLES

MECHANICAL:

OPERATING FORCE, LESS THAN 800 GRAMS
TRAVEL, .059

ENVIRONMENTAL:

OPERATING TEMPERATURE: -30 TO +85 DEGREES C
STORAGE TEMPERATURE: -45 TO +100 DEGREES C
CLEANING, AQUEOUS OR SOLVENT
SOLDER HEAT RESISTANCE, PER 109-202, CONDITION B
SOLDERABILITY- PER JIS-C-0050 & JIS-C-00053

NOTES:

1. ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002/95/EC OF 27JAN2003 (ROHS)

△2 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	CASE/COVER COLOR	db RANGE TOLERANCE	FREQUENCY	IMPEDANCE	RATED POWER	DIM "M"	DIM "L"	NUMBER OF POSN.	T&B P/N	TE P/N
	ORANGE	3-9db +/-.10db	5MHz	75 Ohm	50mW	0.700	0.876	4	ATT475C04	1825284-3
	ORANGE	3-9db +/-.10db	5MHz	75 Ohm	50mW	0.900	1.076	5	ATT575C04	1825284-2
OBSOLETE △2	BLACK	25-30db +/-.35db	200kHz	600 Ohm	50mW	0.900	1.076	5	ATT5600C04	~~1825284-1~~

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± .01
3 PLC ± -
4 PLC ± -
ANGLES ± 1°

MATERIAL: SEE SPECIFICATION
FINISH: -

DWN CMM 07AUG86
CHK PS 07JUL88
APVD - -
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

Tyco Electronics
Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME: ATT SERIES DIP SWITCH -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-1825284	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 2 | REV B1

1825284

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
AD	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	–	—	—



INSERT MOUNT



P.C. LAYOUT
INSERT MOUNT

1825284

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 07AUG86 CMM	Tyco Electronics Corporation, Harrisburg, Pa 17105–3608			
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± – ; 1 PLC ± – ; 2 PLC ± – ; 3 PLC ± .010 ; 4 PLC ± – ; ANGLES ± 1°	CHK 07JUL88 PS	NAME ATT SERIES DIP SWITCH			
		APVD —				
		PRODUCT SPEC —				
		APPLICATION SPEC —				
MATERIAL SEE SPECIFICATION	FINISH –	WEIGHT –	SIZE A2	CAGE CODE 00779	DRAWING NO C-1825284	RESTRICTED TO —
		CUSTOMER DRAWING	SCALE 4:1	SHEET 2 OF 2		REV B1

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9