

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002912	26FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150261-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1339588
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1339588

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Gopalakrishna HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME END FEED HD-I APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1339588	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

THIS DRAWING IS A CONTROLLED DOCUMENT.

LAYOUT
L1339588




SET UP GAGE
458638-3

2000



RELEASED FOR PUBLICATION
BY AMP INCORPORATED. ALL RIGHTS RESERVED.


LOC
A
DIST
66
© Copyright 2000

DRAWING MADE IN THIRD ANGLE PROJECTION					
PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1339588-1	A		BENCH & LEADMAKER	MECH POST FEED	HD-I APPLICATOR
7-1339588-1	A		BENCH & LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1339588-7	A		-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS				
TERMINAL NAME: .110 SERIES FASTIN - FASTON RECEPTACLE				
CRIMP	SIZE	TYPE	RANGE	
WIRE	1.78 [.070 IN]	F	0.50mm ² - 1.00mm ²	
INSUL	2.54 [.100 IN]	OV	1.40-2.30 [.055-.090 IN]	
WIRE STRIP LENGTH 3.90-4.70 [.154-.185 IN]			APPL INSTRUCTION 408-8323	
TERMINAL APPL SPEC 114-20021		-		FEED 16.89 [.665 IN]
TERMINALS APPLIED				
				
160864	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
WIRE SIZE mm ² AWG			CRIMP HEIGHT 	PIN PN AND LENGTH [IN] 
1.00mm ²			1.27 ±0.05 [.050 ±.002 IN]	2-354779-3 [.3105]
0.75mm ²			1.16 ±0.05 [.046 ±.002 IN]	3-354779-4 [.3160]
0.50mm ²			1.05 ±0.05 [.041 ±.002 IN]	4-354779-4 [.3210]
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-
-			-	-

1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. CUT TO LENGTH AT ASSEMBLY.

VIEW B ROTATED 180°	
POST-FEED 40 mm STROKE	POST-FEED 30 mm STROKE
	
LOC A DIST 66 LEADMAKER OR BENCH G	K TERMINATOR BENCH MACHINE



P	F	L	T	R	REVISION RECORD	MC	DATE	APP
					SEE ECN 015A-0868-01		OCT01	

DIMENSIONS: mm [INCHES]		MATERIAL		FINISH	
DO NOT SCALE PRINT.		TOLERANCES UNLESS OTHERWISE SPECIFIED:		1 PLC DEC ± 2 PLC DEC ± 3 PLC DEC ± ANGLES ± SURF TEXTURE: REMOVE BURRS SHARP EDGES R0.38 MAX	
DR L.LOFTHOUSE		18SEP01 APP F.BACKHURST		18SEP01 REL 18-10-01 M.CLIFFORD	
NAME		END FEED HD-I APPLICATOR		MACHINE REF	
SCALE		DWG NO 1339588		SHEET 1 OF 1	
CASE CODE 00779		CUSTOMER AND ASSEMBLY DRAWING		RESTRICTED TO	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9