








spec ref		-		dr		Sunny2 Liu		2016/08/17		projection		size		scale			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Sunny2 Liu		2016/08/25				A2		4:1			
ISO 406				chr		Terris Liu		2016/08/25				ecn no		-			
ISO 1101				appr		Pei-Ming Zheng		2016/08/25		product family		rel level		Released			
surface		linear angular		0.X 0.XX 0.XXX 0° ±2°		Amphenol FCI		title		HPCE RA RECT		dwg no		10140887		rev	
								cat. no.		8LP20S OMITTED 2LP		Product - Customer Drw		sheet 1 of 4			
								ISO 1302									



Printed: Aug 25, 2016

spec ref		-		dr		Sunny2 Liu		2016/08/17		projection		size		scale					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Sunny2 Liu		2016/08/25				A2		4:1					
ISO 406				chr		Terris Liu		2016/08/25				ecn no		-					
ISO 1101				appr		Pei-Ming Zheng		2016/08/25		product family		rel level		Released					
surface		linear		0.X ±0.50 0.XX ±0.25 0.XXX ±0.10		Amphenol FCI		title		HPCE RA RECT 8LP20S OMITTED 2LP		dwg no		10140887		rev		A	
ISO 1302		angular		0° ±2°				cat. no.		Product - Customer Drw		sheet 3 of 4							

HPCE PART NUMBER (TABLE 3)				
PART NUMBER	TAIL TYPE	HOLD-DOWN OPTION	ORIENTATION KEY	DIM T TYP TAIL LENGTH
10140887-001LF	SOLDER TAIL	YES	YES	3.25±0.25
10140887-002LF			NO	
10140887-003LF		NO	YES	
10140887-004LF			NO	



- NOTES:
- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMPERATURE THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
- 3) CONTACT FINISH REF: GS-12-604 SECTION 5.2.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 6) MOUNTING HOLES ARE UNPLATED
Ø2.18 +/- 0.03 FOR SOLDER TAILS
- 7) THE HOUSING WILL WITHSTAND EXPOSURE TO 245°C PEAK TEMPERATURE FOR 10 SECONDS IN
WAVE SOLDER APPLICATION.
- 8) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) PRODUCT SPECIFICATION : GS-12-604.
APPLICATION SPECIFICATION : GS-20-128.
PACKAGING SPECIFICATION: GS-14-937.

spec ref -				dr Sunny2 Liu		2016/08/17		projection		MM		size A2		scale 4:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng Sunny2 Liu		2016/08/25						ecn no -					
ISO 406				chr Terris Liu		2016/08/25											
ISO 1101				appr Pei-Ming Zheng		2016/08/25						product family		rel level Released			
surface		linear		Amphenol FCi		title HPCE RA RECT 8LP20S OMITTED 2LP						dwg no 10140887		rev A			
																0.X ±0.50	
																0.XX ±0.25	
		ISO 1302				0.XXX ±0.10		cat. no.		Product - Customer Drw						sheet 4 of 4	
		angular 0° ±2°															

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9